



# LISTA AS A PARTNER

LISTA offers organisation. With success, experience and a systemic approach. For more than 75 years, we have offered our customers concepts for more organised and efficient working. Because we offer more than just a high-quality product, competent advice and









a wide range of services: the LISTA system creates perfect interlocking solutions for smooth work processes. And this makes us a leading partner in the area of workspace and storage equipment worldwide.



## BENEFITS AT A GLANCE

- + Comprehensive range**  
from A for access control to W for workstation systems
- + Modular system**  
all products can be freely combined
- + Maximum flexibility**  
with a choice of colours, configuration options and more
- + Tailor-made solutions**  
for customers with specific needs
- + Expert planning**  
including visualisation with LISTA Draw
- + 10-year guarantee**  
unique in the industry
- + Wide range of services**  
such as training, assembly, labelling etc.
- + Worldwide distribution and service network**  
for customer service without borders
- + First-class references**  
from more than 100,000 prestigious companies worldwide


# THE LISTA PROGRAMME

	Profile on LISTA	04
	Features and special characteristics	22
	Drawer cabinets	38
	Workshop trolley	80
	Drawer storage walls	84
	NC storage and transport systems	100
	Workstation systems and workbenches	106
	Cabinet systems	168
	Shelving systems	218
	Partition material and labelling system	248
	Order/Contact partners / Colours	270

# WELCOME TO THE NO. 1

As varied as your challenges in modern storage and workspace equipment are, so too are the industries we provide with suitable solutions. Bet that your business is also on our customer list?

This gives you the certainty that we are experts and know how different the requirements are in the different areas.



Automotive



Banking and administration



Careers, education and leisure



Fire brigades and police



Healthcare



Aviation



Mechanical engineering



Metalworking



Motor sport



Museums



Public transport



Schools and universities



Watches, jewellery, coins



Maintenance and repair



Defence and security




Tool manufacturers

# SYSTEMATIC WORK

The system-based approach is a LISTA trademark. To help you set up your business in the best way possible, we offer you a comprehensive range for all functional areas. Combine individual modules freely as required, from the warehouse, workshop, production and assembly to the office.


Yet the LISTA system cannot only fit in any space. Our products can be individually configured, equipped with matching doors, countertops, variable interior layouts and accessories. And if this still does not lead to the optimal solution, our engineers will develop a special solution for you.

In this way, the LISTA system combines a consistent look and feel with individual functionality, thereby creating the basis for efficient processes in your company. In other words, LISTA allows you to work faster, more productively or simply better.



## OPTIMUM MATERIAL FLOW

In addition to ergonomic workplace design and storage, the fast and easy transport of goods and material is a decisive criterion for efficiency and productivity in a company. LISTA solutions ensure a smooth material flow and thus make a valuable contribution to further optimising your intralogistics. More on this starting on page 36.




## STANDARD PRODUCTS

- pre-configured for you



## SYSTEM SOLUTIONS

- individually configurable products
- separate components
- accessories



## SPECIAL SOLUTIONS

- individual engineering
- industry-specific solutions




# LISTA SYSTEM SOLUTIONS AT A GLANCE


The working world is becoming more varied. So it is quite fitting that LISTA system solutions can be used to design working environments flexibly and according to requirements. The indivi-

dual modules are available in different versions and offer numerous options for individual configuration. After all, we don't want to sell you just anything, but always the solution that suits you.


## DRAWER CABINET




## WORKSTATION



## CABINET




## L1006 UNIVERSAL SHELVING



# OPTIMISE YOUR WORKSPACE WITH LISTA

From the favourite colour to the perfect drawer partition: delivering the best product for you is important to us. That's why LISTA offers you free choice in almost all areas. Our surfaces, for example, are available as an ESD version or with an antibacterial coating in addition to the individual colour preference. You will

also receive multi-level locking solutions, up to fully automatic access control, as required. Not to mention comprehensive partition material, accessories and, last but not least, attractive extras such as our EDGE design cabinet.



## Comprehensive partition material

Plastic boxes, troughs, anti-slide mats, dividers and more: the right partition material brings order to your LISTA drawers and also ensures more efficient workflows and increased productivity. See p. 248.



## Smart accessories

Accessories such as hooks, lights or desk chairs complete your LISTA system. Design each workstation ergonomically and precisely to suit your individual requirements. See p. 162.



## Free choice of colours

Twelve standard colours, six colour combinations, all other colours available. LISTA also provides you with the exact visual solution that suits you. Discover the possibilities. See p. 22.



## Variable locking systems

LISTA provides you with the optimum locking system for your requirements, from standard locking systems with replaceable cylinders to fully electronic control systems. See p. 28.


You can also find further information in our LOCKING SYSTEMS brochure.



### Electronic access control

With our electronically controlled access system LISTA E-Control, you can protect valuable and important stored goods particularly securely and efficiently. See p. 32.

For more information, see our ACCESS CONTROL SYSTEMS brochure.



### ESD solutions

Your LISTA workspace equipment is also available as an ESD version to protect sensitive components from electrostatic discharge. See p. 24.

Further information can be found in our ESD SOLUTIONS brochure.



### Antibacterial surface

Infection control included: LISTA solutions are also available with an antibacterial surface coating for medical areas and others requiring increased hygiene.

More information can be found in our HEALTHCARE SOLUTIONS brochure.



### EDGE statement light

EDGE, the LISTA designer cabinet with LED light signature, shines your workspace in a new light. Exciting. Different. State-of-the-art. See p. 34.

Further information can be found in our EDGE brochure.

# THE LISTA PROMISE

Actually, it is very simple: we want you to be satisfied with your LISTA solution. That's why we focus on you as a customer in everything we do. For our products, this means: we manufacture in first-class quality with a long-term guarantee and responsibility

for the future. In this way, you can be sure that LISTA will not only provide you with a high-quality and durable solution, but also a sustainably produced solution.



## TOP INDUSTRIAL QUALITY

LISTA products meet the very highest standards of quality. They are robust, made of top-quality materials and manufactured with first-class workmanship. That is why we offer a 10-year guarantee for our products. This is unique in the industry, but that's not all that LISTA customers can rely on. LISTA solutions have been awarded myriad international certifications, so they can be used worldwide. What's more, they'll still be in use years and decades from now: in addition to the very best industrial quality, we also guarantee subsequent deliveries of your product over a long period of time.



## THE HIGHEST MANUFACTURING STANDARDS

We aim to provide the LISTA system with a consistently high level of quality. We therefore manufacture our products exclusively in Switzerland and Germany. State-of-the-art manufacturing technology and ongoing investment and innovation in our production processes ensure superb results. This has made LISTA a byword for reliability and security as a partner for storage and operating equipment for over 75 years.



## QUALITY MANAGEMENT

We set ourselves realistic goals and review them on an ongoing basis in order to be able to improve our competitiveness and performance in a sustainable way, and thereby increase customer satisfaction. Our quality and environmental management system meets all of the requirements of the international ISO 9001:2015 and ISO 14001:2015 standards. As far as we are concerned, quality begins with our workforce, so we also have ISO 45001:2018 certification.






## ENVIRONMENTAL PROTECTION

Environmental protection is an integral part of our corporate culture. We are committed to sustainable climate protection out of genuine conviction. By voluntarily participating in the Energy Agency for Business scheme, LISTA is committed to actively reducing CO<sub>2</sub> emissions and optimising energy efficiency.



## SUSTAINABILITY

Environmental awareness and sustainability are integrated right from the very development of our products and carried across into all of the subsequent processes. This runs all the way through, from the procurement of raw materials to production and distribution, and finally the long-term use of our cabinets, shelving and other solutions. One reason why we are able to do this is that we mainly use steel as a material. In addition to robustness and durability, the fact that steel can be 100 per cent recycled is another convincing argument in favour of its use.



# SERVICE FROM A SINGLE SOURCE

You can order your LISTA product quickly and easily from the catalogue or configure it online. And it's just as easy if you have any questions or need technical support. Contact LISTA

Service and you will also receive a tailor-made solution from consultation to customer service. Training included.

All contact addresses can be found on p. 270 and online at:  
[About LISTA > Contact](#)





## ADVICE, PLANNING AND VISUALISATION

Is your project bigger and more extensive? Then we will be happy to advise you personally, work with you to analyse your individual needs and visualise your new furniture system with the aid of our planning software.



## INDIVIDUAL ENGINEERING

Do you have any special requirements for your operating equipment? Do you require special technical features, special sizes or a company-specific design? If so, we're happy to help by offering our individual engineering service. You can rely on our many years of experience in planning, manufacturing and assembling customer-specific solutions. Even complex projects and ambitious tasks are in the best hands with LISTA.



## INSTALLATION

Your LISTA solution is assembled by skilled technicians. They install the system on site and can also train your employees if necessary. This ensures that the equipment can be put into operation smoothly and also guarantees the successful use of our products over the long term.



## AFTER SALES

After installation and setup, our experienced staff are available to help you with advice and assistance at any time.



## SPARE PARTS

You can obtain the right replacement parts in original LISTA quality for each of our products.



## CUSTOMER SERVICE

For technical queries, simply get in touch with our customer service team. They will provide expert advice and can also come to you if necessary.



## REPAIRS

Do you need a LISTA product to be repaired? Our experts will ensure that your solution is working again as quickly as possible, as you can expect from LISTA.

LISTA After Sales can best be reached via the contact form on the Internet at: [Services > After Sales](#)



## TRAINING

Whether you need to know more about products or customer applications, general background information or practical assembly instructions, at the LISTA Work-space Academy we offer specialist training on the topics that really interest you.

Course overview and registration can be found online: [www.lista-academy.com](http://www.lista-academy.com)

# REFERENCES

With LISTA you are in good company. More than 100 000 prestigious companies around the world trust our solutions. Covering a cross-section of industries and sizes, from ABB to the Zurich

University of Applied Sciences. Take a look at our customer list. And if you want to be included: just contact us and ask.





## Automotive

Audi, BMW, Bugatti, Chrysler, Citroën, Continental, Daimler, Dallara, Ferrari, Ford, Lamborghini, Magna, MAN, Maserati, McLaren, Mercedes-Benz, Opel, Peugeot, Porsche, Renault, Rolls-Royce, Toyota, Volvo, VW

## Banking and administration

Credit Suisse, Deutsche Bank, ÖNB, PWC Sanitas, UBS

## Careers, education and leisure

BFI Vocational Training Centre Steiermark, HBLA for Forestry Management, OTT-Jakob Spanntechnik, swimming pools and sports grounds, Waldrich Coburg

## Fire brigades and police

Professional fire brigade, fireproofing service, voluntary fire brigade

## Healthcare

Baxter, Bayer, Berlin-Chemie, Biotronik, Caritas, German Red Cross, Evonik Industries, Klosterfrau Healthcare Group, Merck, Novartis, Rega, Roche, Spitex, Synthes, Takeda







## Aviation

Airberlin, Airbus, Air France, Austrian, Eurocopter, KLM, Lufthansa, MTU Aero Engines, Qatar Airways, Rega, Singapore Airlines, Swiss

## Mechanical engineering

ABB, Benteler Automotive, Bühler, Getrag, Heidelberg, Schaeffler Group, Siemens, ThyssenKrupp

## Metalworking

Cameron, Danieli, Georg Fischer, Hein & Oetting, Feinwerktechnik Oerlikon, ThyssenKrupp

## Motor sport

Sauber F1, McLaren F1, Ferrari F1, Red Bull F1

## Museums

Birmingham Museums and Art Gallery, British Museum, Christie's Education, Vienna Museum of Art History, Muséum National d'Histoire Naturelle, Museum of London, Stiftung Stadtmuseum Berlin, Verkehrshaus der Schweiz







## Public transport

Alstom, BUG Verkehrsbau AG, DB, KCRC Hong Kong, RATP Paris, SBB, Stadler Rail, VBZ Zurich

## Schools and universities

ETH, University of Cambridge, University of Manchester, Hochschule der Künste, Hochschule Rapperswil, RWTH Aachen, Zurich University of Applied Sciences

## Watches, jewellery, coins

Cartier, Chopard Genève, Glashütte, IWC, Louis Vuitton, Patek Philippe Genève, Pro Aurum, Richemont, Rolex, Swarovski, Swatch

## Maintenance and repair

AMAG, Galliker, auto workshops, PSA Group, Porsche, Re Steel



## Defence and security

Alenia Aermacchi, Austrian Federal Army, German Federal Army, Eurocopter, Forsvaret, Dutch Royal Air Force, Krauss Maffei, Rheinmetall, RUAG, U.S.

## Tool manufacturers

BOSCH, D'Andrea, Fehlmann, Gerardi, Hella, Hilti, Kintek, Leitz, Precitool, Sandvik, SECO, Stahlwille, Stihl, Walter





Free choice of colours

## COLOUR YOUR WORKSPACE

The LISTA storage and workspace equipment is available in twelve standard colours, twelve further predefined colour variants and, on request, in any colour and colour combination. This allows you to design each workstation completely flexibly and individually. Different colours for different work areas, coloured accents to increase clarity or complete company facilities in the corporate design: it's all possible. You can find an overview of our colours and colour codes on the fold-out pages at the end.

## YOU SET THE TREND

Do you have a special colour preference? No problem: LISTA solutions are available in any trend colour of your choice. Here are some examples that we have implemented for our customers:



## Standard colours

<b>.010</b> Pale blue RAL 5012	<b>.020</b> Light grey RAL 7035	<b>.030</b> Reseda green RAL 6011	<b>.040</b> Capri blue RAL 5019	<b>.050</b> Metallic grey NCS S 6502-B	<b>.060</b> Black NCS S 9000-N
<b>.070</b> Ruby red RAL 3003	<b>.080</b> Dove grey NCS S 4502-B	<b>.090</b> Gentian blue RAL 5010	<b>.100</b> Signal blue RAL 5005	<b>.110</b> Pure white RAL 9010	<b>.200</b> Anthracite grey RAL 7016

## An additional 12 predefined colours\*

<b>.120</b> Grey aluminium RAL 9007	<b>.130</b> White aluminium RAL 9006	<b>.140</b> Pale grey NCS S 2000-N	<b>.170</b> Ultramarine blue RAL 5002	<b>.180</b> Grey white RAL 9002	<b>.190</b> Sky blue RAL 5015
<b>.210</b> Brilliant blue RAL 5007	<b>.220</b> Turquoise blue RAL 5018	<b>.230</b> Pebble grey RAL 7032	<b>.240</b> Flame red RAL 3000	<b>.260</b> Slate grey RAL 7015	<b>.280</b> Orange RAL 2004

\*12 other predefined colours are available at extra cost.



ESD solutions

# SAFE HANDLING OF ELECTRONIC COMPONENTS

**ESD stands for electrostatic discharge.** It occurs when two objects at different potentials come into direct contact with each other. In modern workplaces, an electrostatic charge can give rise to high voltages depending on the humidity level.

**+ Safety for your electronic components**

Controlled dissipation of electrostatic charges

**+ Comprehensive range of ESD products**

for all applications (minimum to full protection)

**+ Safe and neat storage**

of your electronic components

**+ Cost reduction**

No damage and latent faults on PCBs

**+ Expert planning**

of ESD workstations and workspace equipment



## WHEN IS ESD DANGEROUS OR HARMFUL?

It often goes unnoticed by people due to its low energy. However, even very small electrical discharges can quickly damage electronic components or lead to a hidden defect. If damage caused by ESD is noticed too late, high repair or replacement costs can result. Worse than the financial damage is the additional subsequent damage to reputation if, for example, a complete product batch is affected, which can, in turn, lead to a loss of customers.

The general rule therefore is:

**“Where there is no charge, there is no discharge.”**

ESD-safe equipment for handling ESD-sensitive components reduces the risk of static discharge to a minimum. This requires a comprehensive protection concept.



**Warning symbol for ESD-sensitive components.**



**ESD protection components**

## THE COMPREHENSIVE ESD WORK PROGRAMME FROM LISTA


In order to avoid high costs, LISTA offers a complete ESD planning and implementation service – from advice to installation. LISTA has combined years of experience in workstation development with a sound knowledge of ESD problems and developed a comprehensive ESD workstation programme: **all painted surfaces feature a colour coating designed by LISTA that dissipates charges and prevents electrostatic discharge.**



### **IMPORTANT!**

All ESD protection zones must be checked regularly!


## CONFIGURE AND ORDER ESD ZONES INDIVIDUALLY



**A** Version A

### Minimum ESD protection


- Dissipative table mat with wrist strap



**B** Version B

### Standard ESD protection


- Dissipative table top with wrist strap



**C** Version C

### ESD isolated solution

- Dissipative table top with wrist strap
- Dissipative desk chair
- Dissipative floor mat



**D** Version D

### ESD protection zone

- Dissipative table top with wrist strap
- Dissipative desk chair
- Dissipative base plate

## A COMPREHENSIVE ESD PROTECTION ZONE INCLUDES THE FOLLOWING AREAS:



### Workstations

The perfect ESD workstation is ergonomically adaptable and ESD protected. Electrostatic charges are dissipated in a controlled manner via the working surface and grounding cable so that the workstation stays charge-neutral.



### Personnel grounding

People are a primary source of electrostatic charges. Wrist strap with grounding cable and shoes are therefore recommended for people working in an electronics manufacturing environment. Desk chairs or stand-up seats should also have ESD protection.



### Storage

Electronic components are best stored in closed ESD drawers or hinged-door cabinets as well as ESD shelving (Faraday cage) with appropriate ESD containers.



### Markings


ESD-protected areas must be marked. Signs or additional labels should be used to warn of ESD-sensitive components.


## HOW ARE COMPANIES AFFECTED BY ESD?

"They work on components without knowing whether or not these components can be damaged during production."  
 Checklist for the equipment and maintenance of ESD protection zones to comply with the following ESD basic principles:  
**"Where there is no charge, there is no discharge."**



## ESD CHECKLIST FOR COMPANIES





Locking systems

## STATE-OF-THE-ART SECURITY

The new generation of LISTA locking systems offers ease of use and cutting-edge security. Modern technologies make our electronic locking systems even more flexible and easier to use. The different systems can be freely combined to create a locking system that ideally suits you and your requirements. We are happy to advise you.

- + Modular locking system**  
perfectly adapted to your needs
- + Easy to use**  
directly on the lock  
(in all variants)
- + Optimal control and management**  
via software with standard USB cable connected to the USB front port on the lock (in variants .C, .F or .A)
- + Capacitive keypad**  
impervious to wear and easy to clean thanks to PCT technology
- + Mobile access**  
via RFID badge and RFID card
- + Easy energy supply**  
via mains adaptor or batteries for easy replacement on the front of the lock
- + Optional retrofitting**  
for existing cabinets

## OVERVIEW OF LISTA ACCESS SOLUTIONS



### KEY LOCK

Proven standard locking system

KEY Lock, our standard locking system with replaceable cylinders.

- manual opening/locking with key
- simultaneously lockable for multiple, as well as different, products with only one key or separately lockable with several keys
- key availability guaranteed for years



### CODE LOCK

The solution with number combination

When locking with CODE Lock, the key is replaced by a number combination. A simple four to six-digit code is all that is needed to open the product.

- manual opening/locking with number code
- lock readout and programming with LISTA Access software (option)



### RFID LOCK

Ready for the future: The solution with RFID badge

In addition to the CODE Lock, the LISTA RFID Lock enables opening and locking via standard radio-frequency identification (RFID). It consists of a transponder in the lock and standard mobile RFID badges/cards/tags.

- **manual opening/locking** via RFID badge or number code
- most standard RFID badges/cards/tags can be used
- lock readout and programming with LISTA Access software (option)







### AUTO LOCK

The ultimate solution: Automatic opening and locking

The LISTA AUTO Lock features the same functionality as our RFID Lock, however opening and locking take place automatically. With LISTA Access software (option), time profiles can also be programmed in the lock or on the user for time-limited access for increased security.

- **automatic opening/locking** via RFID badge or number code
- most standard RFID badges/cards/tags can be used
- locks automatically after a preset time or at the push of a button
- lock readout and programming with LISTA Access software (option)
- time-limited access programmable via LISTA Access software (option)

## LISTA LOCKING SYSTEMS IN A DIRECT COMPARISON

	 KEY Lock	 CODE Lock	 RFID Lock	 AUTO Lock
<b>MANUAL ACCESS</b>				
Key	+			
Do not exceed max. number of different cylinders	as many as you like			
Do not exceed max. number of locks:	as many as you like			
<b>ELECTRONIC ACCESS</b>				
Code		+	+	+
Do not exceed max. number of user codes		100	100	100
RFID			+	+
Do not exceed max. number of locks:		as many as you like	as many as you like	as many as you like
Automatic opening/locking				+
<b>MANAGEMENT</b>				
Lock ID Code		+	+	+
LISTA Access software		+	+	+
<b>INTERFACES</b>				
Free contact for external systems			+	+

## EXTENSIVE ACCESSORIES FOR OUR LOCKING SYSTEMS



**Basic set**  
 1 AC/DC adapter (12 W/5 V)  
 1 Combi-lock connection, complete  
 1 Assembly instructions  
 4 Cable ties  
 Art. no. **19.160.000**



**Expansion set**  
 1 Combi-lock connection, complete  
 1 Connection cable, 2 m  
 4 Cable ties  
 Art. no. **19.161.000**



**Extension cord set**  
 1 Connection cable, 2 m  
 (one set is required per two metres)  
 Art. no. **19.162.000**



**Program badges**  
 Set of 5, colour: white  
 Art. no. **19.581.000**



**User badges**  
 Set of 5, colour: blue  
 Art. no. **19.580.000**



**RFID card reader**  
 for PC  
 Art. no. **19.591.000**



**Security eCard**  
 2 items  
 Art. no. **19.579.000**



When ordering a **LISTA product with electronic lock**, please add the suffix of the relevant **lock type/locking type (.C, .F or .A)** to the article number from the table (e.g. **71.088.XXX.C**).

**Order example for drawer cabinet with:**

**CODE Lock** = 71.088.XXX.C  
**RFID Lock** = 71.088.XXX.F  
**AUTO Lock** = 71.088.XXX.A

## FULL CONTROL WITH LISTA ACCESS



With the LISTA Access software, you have a particularly easy and user-friendly solution for managing and configuring your LISTA CODE, RFID or AUTO Lock. It enables faster learning and management of the lock, users and user groups via USB. Other additional functions are also available such as changing the lock ID code or creating summary assignment tables (permissions).

### System requirements

Operating system: Windows 7 or higher

CPU: Intel Atom or similar (recommended Intel i3 or higher)

RAM: 2 GB (recommended 4 GB)

Free hard disk space: 500 MB (recommended 1 GB)



### Functions

- Lock training and management
- User management
- Group classification
- Assignment table (permissions)
- Synchronisation of lock and database via USB



### LISTA Access software


Art. no. 19.590.000

Further information and downloads at:  
[www.lista.com/locks](http://www.lista.com/locks)

LISTA Electronic Control

## SECURITY AT ALL LEVELS

The electronically controlled access system **LISTA Electronic Control** gives you maximum flexibility to **allocate and manage access rights**. This means that you can not only control access to the entire cabinet, individual drawers or the drawer compartments developed specially for this system but can also combine different system versions in a single cabinet. Just as required.



- + Optimum protection against unauthorised access**
- + Constant availability and full traceability**  
of valuable or scheduled inventory 24/7
- + Maximum flexibility**  
through individual access rights and locking levels
- + Simple control**  
thanks to intuitive operation
- + Additional security**  
through metal drawer compartments specially developed for this system
- + Reduced inventory loss and better planning**  
giving direct cost savings and increased productivity


## THE MODULAR SYSTEM FOR INTERNAL LOGISTICS SOLUTIONS

### Level 1 Security

» Access control at cabinet level

#### LCC – LISTA Cabinet Control

Electronically controlled access to the entire cabinet.  
Available for sizes  
36 × 36 E (717 × 725 mm)  
54 × 36 E (1023 × 725 mm)




### Level 2 Security

» Access control at drawer level

#### LDC – LISTA Drawer Control

Electronically controlled access to specific individual drawers. Available for sizes  
36 × 36 E (717 × 725 mm)  
54 × 36 E (1023 × 725 mm)




### Level 3 Security

» Access control at compartment level

#### LPC – LISTA Parts Control

Electronically controlled access to specific drawer compartments. Available for sizes  
36 × 36 E (717 × 725 mm)



## eCONTROL



### Don't search, find

LISTA eControl provides you with a tailor-made software solution for the storage and access management of your LISTA products. The software ensures optimal management so that you can access the desired product with as few steps as possible. eControl is simple, self-explanatory and event-controlled, so withdrawals are also possible without prior entry. The solution can optionally be integrated into your existing ERP system via an interface and – in addition to full transparency and time-saving withdrawal – also enables comprehensive controlling based on data and evaluations.




**LISTA Electronic Control is available either as a complete system consisting of hardware and software or as hardware only to enable you to use your own software.**

LISTA EDGE

## GET THE LOOK

**More form for your workspace:** Discover EDGE, the new LISTA design cabinet with LED technology. The ultimate eye-catcher is available in two variants and different dimensions. Look forward to an individual statement light in the workshop, sales room, studio and office.



EDGE  
GET THE LOOK



## Form right down the line: EDGE LINE

- Vertical light strip along the cabinet front left and right
- Geometrical, uniform overall appearance
- Colour white
- Available in cabinet height 850 mm (other versions on request)



## Form to the point: EDGE DOTS

- Individually controlled LED elements on the handle corners
- Technologically dynamic radiance
- Available in four colours (with optional myDOTS software package, colour mixing and intensity can be individually adjusted)
- Available in cabinet heights of 700, 800, 850, 1000, 1150, 1450 mm (other versions on request)

## EDGE STATEMENT LIGHT: HIGHLIGHTS

**+** Individual light signature

**+** Expressive accentuation

**+** High-quality radiance

**+** Two versions:  
Strip (LINE) or point (DOTS)

**+** Different lighting moods


**+** Sustainable LED technology

Material flow

## OPTIMUM PROCESSES

Workspace equipment is important for efficient workflows in your business. LISTA therefore offers you a wide range of storage and workstation systems that can be optimally adapted to your workflow and combined into a process-optimised solution. LISTA systems include storage solutions from universal shelving to warehouse lifts, the individually configurable workstation system, linking options, workbenches and mobile solutions. LISTA also provides driverless transport systems for the automated transport of goods and materials within the company. All in all: the best conditions for optimising your material flow.

ERP  
CONTROLLED



**Storage lifts**  
Further information on LISTA's space-saving, time-saving and cost-saving vertical storage system can be found in our LISTA LIFT brochure.



**Workstation systems**  
See p. 106.



**Shelving**  
See p. 218.



## LISTA SLIM

LISTA SLIM provides you with a particularly efficient solution for your intralogistics. The system offers a high loading capacity with low unladen weight. The lifting height can be adjusted up to 3 m depending on the lifting capacity. At the same time, 360° collision protection, millimetre-accurate navigation and the automatic charging function ensure maximum safety and reliability.



## LISTA FLOW

Its technical features and high functionality make the FLOW series one of the leading AGVs for loading capacities up to 1000 kg. Thanks to its combined navigation with laser/QR, it achieves optimum accuracy with the highest possible safety and efficiency.



Belt



Heavy Carrier



Castors



Order



Picking Fork



Picking Plus

## OTHER AGV SOLUTIONS

In addition to vehicles for automated material flow in industrial environments, driverless transport systems for picking and sorting supplement the LISTA AGV range. This gives you the right solution for a wide range of applications, such as retail or shipping, from vertical pickers to manoeuvrable small sorters.

## YOUR ADVANTAGES WITH DRIVERLESS TRANSPORT SYSTEMS

- |   |  |
|---|--|
|  Automated product movement |  Reduced labour requirements          |
|  Fast storage and retrieval |  Greater flexibility in the warehouse |
|  Decreasing error rate      |  Improved safety at the workstation   |
|  Reduced product damage     |  Exceptional value for money          |

# ROBUST ALL-ROUNDERS

**LISTA drawer cabinets provide a robust and well protected storage option for equipment and many other items.** High-quality specifications and a variety of individual configuration options make these robust all-rounders ideal for a wide variety of requirements and environments. Their special design guarantees optimum space utilisation. In addition, housing and drawers can be variably partitioned, intelligently labelled, protected with access control and finished in almost any colour. Nowhere else will you find this degree of flexibility.





**+ Utmost stability**

load capacity of housing up to 4 t; load capacity of drawers 75 or 200 kg

**+ Can be utilised to the full**

since drawers can be fully extended and the drawer shell heights are optimised

**+ Well protected**

against dirt, liquids and mechanical load through closed housing with impact and abrasion-resistant surface

**+ Outstanding safety features**

safety catch to prevent unwanted drawer opening and anti-tilt mechanism to prevent opening of more than one drawer at a time

**+ Corrosion protection**

with electrophoretic dip painting and environmentally-friendly powder coating

**+ Optimum order and organisation**

thanks to special LISTA partition material for every purpose and perforated, slotted drawers

**+ Professional labelling**

with LISTA Script labelling software and clip-on label holders which fold upwards

**+ Perfectly smooth running**

through differential pull-out without a crossbar

**+ Flexibly adaptable**

through pre-perforated holes for table tops (punch-outs), rollers, drawers, locking systems for easy retro-fitting and refitting

**+ Secure locking option**


with interchangeable cylinder for adaptation to existing locking systems and electronic locking systems via CODE, RFID or AUTO Lock

**>> Fully compatible with LISTA partition material thanks to the standardised unit of measure see p. 248**

# Drawer cabinets



## + Maximum use of drawer space



### Optimum shell height

- drawer sides and rear panels the same height as the fronts
- maximum use of vertical space
- optimum protection against items falling out and loss of stored items



### Full extension

- maximum use of horizontal space
- everything in view
- optimum access

## + Perfectly smooth running



### Pull-out without crossbar

- perfectly smooth running and ease of movement through differential pull-out without a crossbar
- enables the drawer to be fully extended



### Quiet locking tab

- special plastic cover in the locking tab
- smooth and quiet locking process

## + Professional labelling



### Label holder which folds upwards

- on drawers, troughs, metal dividers, separators and housing
- for easy, clean and protected labelling




### LISTA Script

The LISTA Script labelling software offers:

- numerous labelling options
- pictograms
- barcode generator

As a LISTA customer, you can download our LISTA Script labelling software free of charge from our website under Products › Accessories › LISTA Script.

## + Partition material for every purpose



### The LISTA standard

Our drawer partition materials are standardised and therefore compatible with the entire LISTA range.



Drawer partition material  
see p. 248



LISTA Script slide-in labels  
see p. 268

# Benefits of LISTA storage systems


## Storage in drawers

Storing small parts in drawers rather than on shelves ensures that stored items are protected from dust and contamination while saving space and optimising organisation. The entire contents of the drawer are visible in no time, whereas with a shelf, items may have to be moved or reached over to gain access.

- The depth of a compartment can be adapted to suit the stored items at any time, and any number of parts can be placed one behind the other
- By simply pulling out the drawer, you can clearly see the contents and have everything within reach in a truly space-saving way

### + Example of space requirement

Usable depth  $4 \times 600 = 2400 \text{ mm}$   
 Depth of aisle  $2 \times 1000 = 2000 \text{ mm}$  } Total 4400 mm




## Storage on shelves


- If the parts are smaller than the depth of the shelves, there is a lot of unused space behind the goods
- If the items are stored behind one another, then space is needed for both visibility and access

### - Example of space requirement

Usable depth  $8 \times 300 = 2400 \text{ mm}$   
 Depth of aisle  $4 \times 800 = 3200 \text{ mm}$  } Total 5600 mm



## + Optimum order and organisation



**Plastic boxes and troughs**  
for small and cylindrical items



**Tool holders**  
for NC storage



**Metal separators**  
for different sized parts



**PE foam inserts**  
for special and measuring tools




### Perforated, slotted drawers hold items firmly in place

- a series of slots around the drawer walls hold the partitioning material firmly in place
- perforated drawer bases enable slotted dividers, metal separators, dividers, holding pins or milling cutter holders to be optionally screwed in place

LISTA Units	Depth 27 E				Depth 36 E						
	18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Cabinet floor area mm	411 × 572	564 × 572	717 × 572	1023 × 572	411 × 725	564 × 725	717 × 725	870 × 725	1023 × 725	1193 × 725	1431 × 725
Drawer useful space mm	306 × 459	459 × 459	612 × 459	918 × 459	306 × 612	459 × 612	612 × 612	765 × 612	918 × 612	1088 × 612	1326 × 612

# Drawer cabinets

## + Flexibly adaptable



### Variable raised edges

- raised edges on three sides of stationary cabinets for simple and easy cleaning
- raised edges on four sides of mobile cabinets to protect the goods being transported



### Punch out

- housing covers with pre-perforated holes which can be punched out
- for retrofitting with a table top or second drawer cabinet on top



### Base/forklift base

- optional base and forklift base (for drawer cabinets with a width of 36 E and over)
- makes it easy to adjust the height of the drawer cabinet
- enables the loaded cabinet to be lifted and moved with a forklift truck




### Mobile cabinets

Our mobile cabinets are supplied with:

- raised edges on all four sides and push-bar
- black ribbed mat
- two swivel castors with brakes
- two fixed castors and single-drawer locking mechanism

Stationary cabinets can be converted to mobile cabinets at any time.



## + Individual configuration options

As standard, LISTA drawer cabinets are available in seven different widths, two depths and a variety of heights. The configuration options in terms of size, equipment, locking system, colour and drawer partitions are almost unlimited.

Our drawer cabinets can be combined individually to suit any working environment in order to make maximum use of available space. They can be extended at any time and therefore offer a scalable solution tailored to your needs.

### Typical configurations



Configuration as a drawer cabinet



Configuration as a drawer cabinet with recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a drawer cabinet with drawers, recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a mobile drawer cabinet with raised edges and a push-bar



Toolbox: Drawer cabinet with combined drawer widths (64/36/18 E).  
Version: stationary or mobile



ESD version available on request



## + Outstanding safety features



### Single drawer opening as standard

- prevents the cabinet from tipping over by blocking all other drawers when one drawer is pulled out
- allows for drawers to be moved around into a different arrangement at any time



### Flush drawer front

- drawer handles with side covers which sit snugly within the front profile
- look good and are safe



### Safety catches

- comply with all regulations against drawers accidentally falling out of cabinets
- reduce the risk of injuries at the workplace
- can easily be deactivated in order to move individual drawers



- Information on load capacity
- the load capacity (75 or 200 kg) is inscribed on the drawer runners
  - increased safety

## + Extra safety for stationary and mobile cabinets



### Safety catch on right

- our standard safety catch for all mobile cabinets
- can be operated with one hand



### Single safety catch on the right and left

- especially suitable for mobile equipment
- both hands are needed to operate them



### Double safety catch

- has all the same features as the single safety catch on the left and the right
- easier to use since it can be operated with one hand



### Lilo locking device

- with external lever for fixing the fully laden drawer in either open or closed position
- for a drawer load capacity of 200 kg


# Drawer cabinets

## Countless configuration options



### Covers

Raised edges on three sides and ribbed mat, Resin-coated cover panel, Multiplex cover panel, Raised edges on 4 sides, with push-bar (for mobile cabinets)



### Partition material

Slotted dividers, separators, trough walls, metal separators, label holders, plastic boxes and trough separators, milling cutter holders and holding pins, non-slip mats, foam inserts and much more.

### Inserts and add-ons

Drawers, pull-out and adjustable shelves, hinged doors

### Locking systems

KEY Lock, CODE Lock, RFID Lock or AUTO Lock

### Substructures

Housing base, 2-way pallet/ forklift truck base, Pairs of castor holders, individual castors and levelling feet

## Order preconfigured models

» Page 46–59

LISTA Units

» Page 248

2. Partition material

1. Pre-configured ordering examples

■ or options

## ... or configure and order cabinets individually

» Page 60–65

LISTA Units

1. Housing

2. Drawers

3. Accessories

» Page 248

4. Partition material

- select the cabinet floor area (e. g.  $717 \times 572 \text{ mm} = 36 \times 27 \text{ E}$  or  $717 \times 725 \text{ mm} = 36 \times 36 \text{ E}$ )
- LISTA Unit  $E \times E$  = a unit of measure which helps to choose drawers and partition materials

- choice of various housing heights (A)
- the choice of housing always includes the choice of the preferred locking system and the colour

- define the height of the front, the load capacity, the colour and the type of safety catch
- sum of the drawer front heights (C) = clear height (B) (see diagram)

- can be equipped with drawers and doors
- select the cabinet accessories
- mobile cabinets must have a drawer safety catch and a push-bar

- select the partition material for the drawers
- N.B.: take the drawer height and usable surface into account!

## 12 standard colours

### Maximum flexibility thanks to free choice of colours

All products with a choice of colours are available in 12 standard colours and 6 colour combinations without surcharge. The three-digit colour code (e.g. **.010**) forms part of the article number. When ordering, please complete the article number by adding the desired three-digit colour code (e.g. **70.701.010**). Housings and drawers can also be ordered in different colours.



**.010** Light blue  
RAL 5012



**.020** Light grey  
RAL 7035



**.030** Reseda green  
RAL 6011



**.040** Capri blue  
RAL 5019



**.050** Metallic grey  
NCS S 6502-B



**.060** Black  
NCS S 9000-N



**.070** Ruby red  
RAL 3003



**.080** Pigeon grey  
NCS S 4502-B



**.090** Gentian violet  
RAL 5010



**.100** Signal blue  
RAL 5005



**.110** Pure white  
RAL 9010



**.200** Anthracite grey  
RAL 7016

## 6 colour combinations



**.514** Light grey  
RAL 7035  
Light blue  
RAL 5012



**.518** Light grey  
RAL 7035  
Signal blue  
RAL 5005



**.519** Light grey  
RAL 7035  
Metallic grey  
NCS S 6502-B



**.521** Metallic grey  
NCS S 6502-B  
Light grey  
RAL 7035



**.512** Light grey  
RAL 7035  
Ruby red  
RAL 3003



**.522** Ruby red  
RAL 3003  
Metallic grey  
NCS S 6502-B

## An additional 12 predefined colours

(at extra cost)

**.120** Grey aluminium  
RAL 9007

**.130** White aluminium  
RAL 9006

**.140** Light grey  
NCS S 2000-N

**.170** Ultramarine blue  
RAL 5002

**.180** Grey white  
RAL 9002

**.190** Sky blue  
RAL 5015

**.210** Brilliant blue  
RAL 5007

**.220** Turquoise blue  
RAL 5018

**.230** Pebble grey  
RAL 7032

**.240** Flame red  
RAL 3000

**.260** Slate grey  
RAL 7015

**.280** Orange  
RAL 2004

### Your individual choice of colour on request

LISTA is able to deliver any individual colour on request. In addition to the existing standard and predefined colours, it is also possible to produce your desired product in any colour you choose on request.




Due to the printing process, these colour samples may deviate from the original colours.

# THE PERFECT COMPLEMENT

**The extensive range of LISTA cabinets enables you to customise and add to your workspace and storage equipment.** The high-quality steel cabinets can be easily integrated into a variety of working environments and individually adapted to your specific requirements. They are suitable both for industrial purposes and for storing files and similar items in offices and administrative departments. And of course your personal belongings are always kept safe in a LISTA cabinet.



The right solution for every need




**Hinged door cabinets**  
see p. 170



**Sliding-door cabinets**  
see p. 178



**Wall-mounted cabinets with hinged or sliding doors**  
see p. 184



**Wall-mounted cabinets with roller shutter**  
see p. 186



**Roller shutter cabinets**  
see p. 188



**Vertical pull-out cabinets**  
see p. 190



**Heavy-duty cabinets**  
see p. 192



**Clothing lockers**  
see p. 196



**Compartment cabinets**  
see p. 202



**Battery charging cabinets**  
see p. 204



**Laptop cabinets and battery charging cabinets for electric scooters**  
see p. 210



**Battery charging cabinets as an e-bike charging station**  
see p. 214



**Environmental and oil cabinets**  
see p. 216



**Containers and large-scale pin cabinets\***



**Firefighter lockers\***



**Office cabinets\***

**LISTA hinged door cabinets provide secure and orderly storage for a variety of items.** All cabinets can be configured individually and adapted to your specific storage needs through the flexible use of partition materials and cabinet accessories.



### ALWAYS WITH LISTA

#### Choice of colours

12 standard colours, all other colours available; see p.22

#### Intelligent locking systems

Replaceable cylinders which can be fitted to existing locking systems, electronic locking systems via CODE and RFID Lock for absolute security made to measure; see p. 28

#### Individual configuration options

in size, equipment, locking system, colour and drawer partitions; see p. 10



### **Utmost stability**

with housing load capacity of up to 500 kg



### **High load capacities**

load capacity of 60 kg or 100 kg per adjustable shelf, 60 kg per drawer/pull-out shelf



### **Well protected**

protection from dirt, liquids and physical loads thanks to closed housing with impact-resistant and abrasion-resistant surface



### **Flexible configuration options**

with covers, perforated panels, suspension folder pull-outs, desk mounts and clothes rails



### **Optimum order and organisation**

with optional installation of drawers and pull-out shelves for clear and orderly storage of small parts (for a cabinet depth of 580 mm)



### **Perfectly organised**

with viewing windows made from UV-resistant, shatterproof acrylic



### **Secure locking**

with solid sheet or viewing window doors (flush-fitting, folded from one piece) and intelligent locking systems



### **Can be adapted to new storage items at any time**

with the flexible integration and rearrangement of drawers, pull-out shelves and adjustable shelves in increments of 25 mm

# Cabinet systems | Hinged door cabinets

## Hinged door cabinets

Depending on the model, the cabinets on these two pages are equipped with: adjustable shelves, galvanised, 30 mm thick, load capacity 60 kg. Pull-out shelves and drawers, painted, anthracite grey, RAL 7016, load capacity 60 kg. **Note: Cabinets with drawers and pull-out shelves come with floor anchoring as anti-tilting device.**



Art. no. **58.658.200**  
Anthracite grey, RAL 7016  
(excluding partition material)



Art. no. **62.203.030.C**  
Reseda green, RAL 6011

**H** **1000 mm**



**W** **D** Adjustable shelves Drawers Pull-out shelves Hinge pins mounted Art. no.

### Cabinets with 1 solid sheet door

500	400	1	-	-	60	Hinge	KEY Lock	<b>62.150.XXX</b>
500	500	1	-	-	60	Hinge	KEY Lock	<b>62.151.XXX</b>
500	580*	1	-	-	60	Hinge	KEY Lock	<b>58.280.XXX</b>

500	400	2	-	-	60	Hinge	KEY Lock	<b>62.152.XXX</b>
500	500	2	-	-	60	Hinge	KEY Lock	<b>62.153.XXX</b>
500	580*	2	-	-	60	Hinge	KEY Lock	<b>58.283.XXX</b>

500	580*	2	1 x 95	-	50/60	Hinge	KEY Lock	<b>58.652.XXX</b>
-----	------	---	--------	---	-------	-------	----------	-------------------

### Cabinets with 2 solid sheet doors

1000	400	2	-	-	60	Hinge	KEY Lock	<b>60.460.XXX</b>
1000	500	2	-	-	60	Hinge	KEY Lock	<b>60.461.XXX</b>
1000	580*	2	-	-	60	Hinge	KEY Lock	<b>58.656.XXX</b>

1000	580*	2	1 x 95	-	50/60	Hinge	KEY Lock	<b>58.658.XXX</b>
------	------	---	--------	---	-------	-------	----------	-------------------



## Hinged

- for the installation of drawers and pull-out shelves, doors must be fitted with hinges
- doors are flush with the cabinet housing
- opening angle approx. 115°



## Perfect storage

All hinged door cabinet drawers can be fitted individually with LISTA partition material to ensure the correct storage of small parts within the drawers.

**H** **1950 mm**



**W** **D** Adjustable shelves Drawers Pull-out shelves Hinge pins mounted Art. no.

### Cabinets with 2 solid sheet doors

750	500	4	-	-	60	Hinge	KEY Lock	<b>62.155.XXX</b>
750	580*	4	-	-	60	Hinge	KEY Lock	<b>62.156.XXX</b>

**i** When ordering a cabinet from these two pages with **CODE** or **RFID Lock**, please add the suffix **"C"** or **"F"**, respectively, to the article number stated in the table (e.g. **62.201.XXX.C**).








Art. no. **58.665.010**  
Light blue, RAL 5012



**H**  **1950 mm**



**W** **D** **H** Adjustable shelves Drawers Pull-out shelves  Hinge pins mounted  Art. no. 

#### Cabinets with 2 solid sheet doors

1000	400	4	-	-	60	Hinge	KEY Lock	<b>60.418.XXX</b>
1000	500	4	-	-	60	Hinge	KEY Lock	<b>60.419.XXX</b>
1000	580*	4	-	-	60	Hinge	KEY Lock	<b>58.617.XXX</b>

1250	400	4	-	-	60	Hinge	KEY Lock	<b>60.420.XXX</b>
1250	500	4	-	-	60	Hinge	KEY Lock	<b>60.421.XXX</b>
1250	580*	4	-	-	60	Hinge	KEY Lock	<b>60.471.XXX</b>

1000	580*	2	3 × 95	2	50/60	Hinge	KEY Lock	<b>58.665.XXX</b>
------	------	---	--------	---	-------	-------	----------	-------------------

1000	580*	2	-	4	50/60	Hinge	KEY Lock	<b>58.662.XXX</b>
------	------	---	---	---	-------	-------	----------	-------------------

#### Cabinets with 2 viewing window doors

1000	400	4	-	-	60	Hinge	KEY Lock	<b>62.201.XXX</b>
1000	500	4	-	-	60	Hinge	KEY Lock	<b>62.202.XXX</b>
1000	580*	4	-	-	60	Hinge	KEY Lock	<b>60.333.XXX</b>

1250	400	4	-	-	60	Hinge	KEY Lock	<b>60.583.XXX</b>
1250	500	4	-	-	60	Hinge	KEY Lock	<b>60.584.XXX</b>
1250	580*	4	-	-	60	Hinge	KEY Lock	<b>60.585.XXX</b>

1000	580*	2	3 × 95	2	50/60	Hinge	KEY Lock	<b>60.417.XXX</b>
------	------	---	--------	---	-------	-------	----------	-------------------

1000	580*	2	-	4	50/60	Hinge	KEY Lock	<b>60.335.XXX</b>
------	------	---	---	---	-------	-------	----------	-------------------

\* Retrofitting with drawers and pull-out shelves possible.



#### Individual arrangements

- with adjustable shelves, drawers and pull-out shelves
- covers, perforated panels, suspension folder pull-outs, desk mounts and clothes rails are available as optional extras



#### Hinged doors with viewing windows

- for greater transparency of stored items
- encourages order



# Cabinet systems | Hinged door cabinets



Art. no. **58.445.070**  
Ruby red, RAL 3003  
(excluding partition material)



Art. no. **60.472.050**  
Metallic grey, NCS S 6502-B

## H ↑ 1950 mm, with partition



W → D ↗ Adjustable shelves Drawers Pull-out shelves Hinge pins mounted Art. no.

### Cabinets with 2 solid sheet doors and partition

1000	500	10	-	-	60	Hinge	KEY Lock	<b>60.614.XXX</b>
1000	580	10	-	-	60	Hinge	KEY Lock	<b>60.615.XXX</b>

1000	580*	6	6 × 95	2	50/60	Hinge	KEY Lock	<b>58.445.XXX</b>
------	------	---	--------	---	-------	-------	----------	-------------------



### Cabinets with 2 viewing window doors and partition

1000	500	10	-	-	60	Hinge	KEY Lock	<b>60.621.XXX</b>
1000	580*	10	-	-	60	Hinge	KEY Lock	<b>60.622.XXX</b>

1000	580*	6	6 × 95	2	50/60	Hinge	KEY Lock	<b>60.602.XXX</b>
------	------	---	--------	---	-------	-------	----------	-------------------

\* Retrofitting with drawers and pull-out shelves possible.



### Perfect storage

All hinged door cabinet drawers can be fitted individually with LISTA partition material to ensure the correct storage of small parts within the drawers.

## H ↑ 1950 mm, with partition and clothes storage



W → D ↗ Clothes storage equipment Hinge pins mounted Art. no.

### Cabinets with 2 solid sheet doors, partition and clothes storage

1000	500	1 adjustable shelf usable width 982 mm, 3 adjustable shelves usable width 481 mm, 1 clothes rail with 3 plastic hooks				60	Hinge	KEY Lock	<b>60.472.XXX</b>
------	-----	---	--	--	--	----	-------	----------	-------------------



### Cabinets with 2 viewing window doors, partition and clothes storage


1000	500	1 adjustable shelf usable width 982 mm, 3 adjustable shelves usable width 481 mm, 1 clothes rail with 3 plastic hooks				60	Hinge	KEY Lock	<b>60.611.XXX</b>
------	-----	---	--	--	--	----	-------	----------	-------------------

**i** When ordering a cabinet from these two pages with **CODE** or **RFID Lock**, please add the suffix **"C"** or **"F"**, respectively, to the article number stated in the table (e.g. **62.201.XXX.C**).



**Slotted adjustable shelves**


Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised, slotted. Long sides folded by 4 × 90°. 30 mm thick with load-bearing capacity of 60 or 100 kg.

**Dividers for adjustable shelves**

For subdividing adjustable shelves. Specification: steel sheet, painted. Colour: light grey, RAL 7035.

**Drawers and pull-out shelves**

Full extension with ball bearings, including guide rails. Load capacity 60 kg. Specification: steel sheet. Colour: anthracite grey, RAL 7016. **Only compatible with cabinets with hinges and a depth of 580 mm.**

**Base**

Robust steel tubing construction 40 × 40 mm, closed side panels, incl. fastening material (screw connection between cabinet and base). Optional: base cover to be attached as a cover on the front or rear. Colour: Anthracite grey, RAL 7016.

» Please contact us for the complete range of accessories.

W➡ For cabinet width mm		500	750	1000	1000	1250
D➡ For cabinet depth mm		Load capacity kg	Art. no.	Art. no.	Art. no.	Art. no.
					with central partition	
Adjustable shelf						
400	60	58.100.000	58.103.000	58.106.000	58.100.000	58.109.000
400	100	-	-	60.487.000	-	60.488.000
500	60	58.101.000	58.104.000	58.107.000	58.101.000	58.110.000
500	100	-	-	60.407.000	-	60.408.000
580	60	58.102.000	58.105.000	58.108.000	58.102.000	58.111.000
580	100	-	-	60.409.000	-	60.434.000
Usable dimensions (W × D mm)		480 × 326/426/506	730 × 326/426/506	980 × 326/426/506	480 × 326/426/506	1230 × 326/426/506
Divider for adjustable shelf						
400	L 311 × H 150 mm	58.144.000	58.144.000	58.144.000	58.144.000	58.144.000
500	L 411 × H 150 mm	58.145.000	58.145.000	58.145.000	58.145.000	58.145.000
580	L 490 × H 150 mm	58.146.000	58.146.000	58.146.000	58.146.000	58.146.000
Drawer		H➡ Usable height mm				
580	95	72	62.141.000	62.308.000	58.113.000	62.141.000
580	145	122	-	-	57.471.000	-
Usable dimensions (W × D mm)			357 × 459	617 × 459	867 × 459	357 × 459
Usable dimensions (W × D mm)			357 × 459	617 × 459	867 × 459	1117 × 459
Pull-out shelf		H➡ Usable height mm				
580	53	43	62.142.000	-	58.115.000	62.142.000
Usable dimensions (W × D mm)			357 × 459		867 × 459	357 × 459
Base*		H➡				
500	150		-	97.844.000	98.518.000	98.518.000
580	150		-	98.657.000	98.216.000	98.216.000
Base cover, , H 150 mm			-	57.238.000	97.986.000	97.986.000
						62.806.000

**Screw connections**

Hinged door cabinets (for housing height 1000 mm) are designed to allow a second cabinet to be screwed on (one on top of the other).


98.501.000



## Partition material sets for drawers

**W → for 500 mm**

 357 × 459 mm




### Slotted dividers and metal separators

For front height mm

Art. no.

**95** **62.159.000**

1 slotted partition: 21 E on one side  
2 slotted dividers: 27 E  
3 metal separators: 7 E




### Slotted dividers and metal separators

For front height mm

Art. no.

**95** **62.160.000**

1 slotted partition: 21 E on one side  
3 slotted dividers: 27 E  
3 metal separators: 5 E  
1 metal separator: 6 E



### Plastic boxes

For front height mm


Art. no.

**95** **62.161.000**

3 plastic boxes: 150 × 150 × 71 mm  
6 plastic boxes: 150 × 75 × 71 mm  
1 spacer angle

**W → for 1000 mm**

 867 × 459 mm



### Slotted dividers and metal separators


For front height mm

Art. no.

**95** **58.477.000**

**145** **61.163.000**

1 slotted partition: 51 E on one side  
5 slotted dividers: 27 E  
6 metal separators: 4 × 8 E, 1 × 9 E, 1 × 10 E



### Slotted dividers and metal separators


For front height mm

Art. no.

**95** **58.478.000**

**145** **61.164.000**

1 slotted partition: 51 E on one side  
7 slotted dividers: 27 E  
8 metal separators: 7 × 6 E, 1 × 9 E



### Plastic boxes

For front height mm


Art. no.

**95** **58.491.000**

10 plastic boxes: 150 × 150 × 71 mm  
13 plastic boxes: 150 × 75 × 71 mm  
1 spacer angle

**W → for 1250 mm**

 1117 × 459 mm



### Slotted dividers and metal separators


For front height mm

Art. no.

**95** **61.165.000**

**145** **61.186.000**

1 slotted partition: 65 E on one side  
6 slotted dividers: 27 E  
7 metal separators: 6 × 9 E, 1 × 10 E



### Slotted dividers and metal separators

For front height mm

Art. no.

**95** **61.166.000**

**145** **61.187.000**

1 slotted partition: 65 E on one side  
8 slotted dividers: 27 E  
9 metal separators: 8 × 7 E, 1 × 9 E



Light blue, RAL 5012  
(excluding partition material)

## **i** Suitable labels for partition material

The practical clip-on label holders are fitted directly onto the metal separators.

» Labelling system  
see p. 268



**Note:** the front height corresponds to the drawer front height. For the actual height of the partition material see p. 262–265. Partition material sets excluding clip-on label holder.



## Cabinet housing

The housings of the hinged door cabinets are made from high-quality sheet steel and are available with specifications for one or two hinged doors, with or without a fixed partition. The inside fittings of the cabinet are easy to customize thanks to the 25:25 mm divisions.



## Hinged doors

The hinged doors in solid sheet or with a viewing window are folded from one piece, flush-fitting and flush with the cabinet housing. The doors can be equipped with hinges, with an opening angle of approx. 115°. The hinged doors can be equipped with a KEY Lock, a CODE Lock or an RFID Lock as desired.

W➔ For cabinet width mm			500	750	1000	1000	1250
Cabinet housing						with central partition	
H➔	Clear height	D➔	Art. no. 🌈	Art. no. 🌈	Art. no. 🌈	Art. no. 🌈	Art. no. 🌈
1000	885	400	57.600.XXX	-	57.612.XXX	-	-
		500	57.601.XXX	-	57.613.XXX	-	-
		580	57.602.XXX	-	57.614.XXX	58.431.XXX	-
1950	1835	400	-	57.609.XXX	57.618.XXX	-	57.627.XXX
		500	-	57.693.XXX	57.619.XXX	-	57.628.XXX
		580	-	57.611.XXX	57.620.XXX	58.433.XXX	57.629.XXX
Hinged doors excl. clasp lock							
H➔	Door design		Art. no. 🌈	Art. no. 🌈	Art. no. 🌈	Art. no. 🌈	Art. no. 🌈
1000	Solid sheet		62.003.XXX	-	62.009.XXX	62.009.XXX	-
	Viewing window		62.307.XXX	-	62.137.XXX	62.137.XXX	-
1950	Solid sheet		-	62.006.XXX	62.011.XXX	62.011.XXX	62.016.XXX
	Viewing window		-	-	62.012.XXX	62.012.XXX	62.017.XXX
+ clasp lock							
KEY Lock separately lockable			49.060.000	49.060.000	49.060.000	49.060.000	49.060.000
CODE Lock			49.085.000	49.085.000	49.085.000	49.085.000	49.085.000
RFID Lock			49.086.000	49.086.000	49.086.000	49.086.000	49.086.000



### Clasp locks

The standard KEY Lock locking system with replaceable cylinders makes it easy to adapt to existing locking systems. With CODE Lock, the key is replaced by a simple numeric combination. The LISTA RFID Lock enables automatic and contactless locking through radio frequency identification.



**When space is limited, sliding-door cabinets from LISTA are the ideal solution for your storage items.** Because the smooth-running doors remain in the housing and do not jut out into the traffic area.



### **Utmost stability**

thanks to housing with a load capacity of 500 to 950 kg (as from a width of 1500 mm)



### **Perfectly smooth running**

since the sliding doors are equipped with high-quality, smooth-running and quiet runners



### **Benefits of LISTA cabinet systems**

see p. 168





Art. no. **58.765.010**  
Light blue, RAL 5012

**H** 1000 mm

**W** **D** Adjustable shelves Drawers Pull-out shelves Art. no.

## Cabinets with 2 solid sheet doors



1000	400	2	-	-	60	KEY Lock	<b>58.747.XXX</b>
1000	500	2	-	-	60	KEY Lock	<b>58.756.XXX</b>
1000	580	2	-	-	60	KEY Lock	<b>58.757.XXX</b>



1250	400	2	-	-	60	KEY Lock	<b>58.758.XXX</b>
1250	500	2	-	-	60	KEY Lock	<b>58.759.XXX</b>
1250	580	2	-	-	60	KEY Lock	<b>58.760.XXX</b>



Art. no. **58.757.060**  
Black, NCS S 9000-N

## Cabinets with 2 solid sheet doors and partition



1500	400	4	-	-	60	KEY Lock	<b>58.761.XXX</b>
1500	500	4	-	-	60	KEY Lock	<b>58.762.XXX</b>
1500	580*	4	-	-	60	KEY Lock	<b>58.763.XXX</b>



2000	400	4	-	-	60	KEY Lock	<b>58.796.XXX</b>
2000	500	4	-	-	60	KEY Lock	<b>58.764.XXX</b>
2000	580*	4	-	-	60	KEY Lock	<b>58.765.XXX</b>
2000	580*	2	2 x 95	4	50/60	KEY Lock	<b>58.745.XXX</b>



## Sliding-door cabinets

Depending on the model, the cabinets on these two pages are fitted with: adjustable shelves, galvanised, 30 mm thick, load capacity 60 kg, pull-out shelves and drawers, painted, anthracite grey, RAL 7016, load capacity 50 kg



H ↑ 1950 mm

Art. no. **58.750.020**  
Light grey, RAL 7035

W → D ↗ Adjustable shelves Drawers Pull-out shelves   Art. no. 

#### Cabinets with 2 solid sheet doors

1000	400	4	-	-	60	KEY Lock	<b>58.748.XXX</b>
1000	500	4	-	-	60	KEY Lock	<b>58.749.XXX</b>
1000	580	4	-	-	60	KEY Lock	<b>58.750.XXX</b>

1250	400	4	-	-	60	KEY Lock	<b>58.777.XXX</b>
1250	500	4	-	-	60	KEY Lock	<b>58.778.XXX</b>
1250	580	4	-	-	60	KEY Lock	<b>58.779.XXX</b>

#### Cabinets with 2 solid sheet doors and partition

1000	580*	8	-	-	60	KEY Lock	<b>58.751.XXX</b>
1500	400	8	-	-	60	KEY Lock	<b>58.780.XXX</b>
1500	500	8	-	-	60	KEY Lock	<b>58.781.XXX</b>
1500	580*	8	-	-	60	KEY Lock	<b>58.782.XXX</b>

2000	400	8	-	-	60	KEY Lock	<b>58.783.XXX</b>
2000	500	8	-	-	60	KEY Lock	<b>58.784.XXX</b>
2000	580*	8	-	-	60	KEY Lock	<b>58.754.XXX</b>
2000	580*	4	-	4	50/60	KEY Lock	<b>58.755.XXX</b>



#### Lock-down cylinder lock / KEY Lock

The doors cannot be prised out thanks to the right-angled bar used in the locking system.



#### Extremely smooth running

The ball bearing rollers of the sliding doors run quietly on the guide rails.



# Cabinet systems | Sliding-door cabinets with viewing window doors



Art. no. **60.720.070**  
Ruby red, RAL 3003



H ↑ 1000 mm

W → D ↗ Adjustable shelves Drawers Pull-out shelves kg Lock Art. no. 🌈

## Cabinets with 2 viewing window doors and partition

1500	400	4	-	-	60	KEY Lock	<b>60.715.XXX</b>
1500	500	4	-	-	60	KEY Lock	<b>60.716.XXX</b>
1500	580*	4	-	-	60	KEY Lock	<b>60.717.XXX</b>

2000	400	4	-	-	60	KEY Lock	<b>60.721.XXX</b>
2000	500	4	-	-	60	KEY Lock	<b>60.722.XXX</b>
2000	580*	4	-	-	60	KEY Lock	<b>60.723.XXX</b>
2000	580*	2	2 × 95	4	50/60	KEY Lock	<b>60.725.XXX</b>



## Sliding doors with viewing windows

The UV-resistant acrylic glass is shatterproof and enables clear organisation at the workstation.

H ↑ 1950 mm

W → D ↗ Adjustable shelves Drawers Pull-out shelves kg Lock Art. no. 🌈

## Cabinets with 2 viewing window doors and partition

1500	400	8	-	-	60	KEY Lock	<b>60.718.XXX</b>
1500	500	8	-	-	60	KEY Lock	<b>60.719.XXX</b>
1500	580	8	-	-	60	KEY Lock	<b>60.720.XXX</b>

2000	400	8	-	-	60	KEY Lock	<b>60.726.XXX</b>
2000	500	8	-	-	60	KEY Lock	<b>60.727.XXX</b>
2000	580*	8	-	-	60	KEY Lock	<b>60.728.XXX</b>
2000	580*	4	-	4	50/60	KEY Lock	<b>60.729.XXX</b>




## Sliding-door cabinets

Depending on the model, the cabinets on these two pages are fitted with: adjustable shelves, galvanised, 30 mm thick, load capacity 60 kg, pull-out shelves and drawers, painted, anthracite grey, RAL 7016, load capacity 50 kg



### Slotted adjustable shelves

Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised, slotted. Long sides folded by 4 × 90°. 30 mm thick with load-bearing capacity of 60 or 100 kg.




### Dividers for adjustable shelves

For subdividing adjustable shelves. Specification: steel sheet, painted. Colour: light grey, RAL 7035.



### Drawers and pull-out shelves

Full extension with ball bearings, including guide rails. Load capacity 50 kg. Specification: steel sheet. Colour: anthracite grey, RAL 7016. **For cabinet depth 580 mm.**



### Base

Robust steel tubing construction 40 × 40 mm, closed side panels, incl. fastening material (screw connection between cabinet and base). Optional: base cover to be attached as a cover on the front or rear. Colour: Anthracite grey, RAL 7016.

W → For cabinet width mm		1000	1000	1250	1500	2000
D → For cabinet depth mm			with central partition		with central partition	with central partition
	Load capacity kg	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>Adjustable shelf</b>						
400	60	58.106.000	58.100.000	58.109.000	58.103.000	58.106.000
400	100	60.487.000	-	60.488.000	-	60.487.000
500	60	58.107.000	58.101.000	58.110.000	58.104.000	58.107.000
500	100	60.407.000	-	60.408.000	-	60.407.000
580	60	58.108.000	58.102.000	58.111.000	58.105.000	58.108.000
580	100	60.409.000	-	60.434.000	-	60.409.000
Usable dimensions (W × D mm)		980 × 326/426/506	480 × 326/426/506	1230 × 326/426/506	730 × 326/426/506	980 × 326/426/506
<b>Divider for adjustable shelf</b>						
400	L 311 × H 150 mm	58.144.000	58.144.000	58.144.000	58.144.000	58.144.000
500	L 411 × H 150 mm	58.145.000	58.145.000	58.145.000	58.145.000	58.145.000
580	L 490 × H 150 mm	58.146.000	58.146.000	58.146.000	58.146.000	58.146.000
<b>Drawer</b>						
	H ↑ Usable height mm					
580	95 72	58.113.000	62.141.000	-	62.308.000	58.113.000
580	145 122	57.471.000	-	-	-	57.471.000
Usable dimensions (W × D mm)		867 × 459	357 × 459		617 × 459	867 × 459
<b>Pull-out shelf</b>						
	H ↑ Usable height mm					
580	53 43	58.115.000	62.142.000	-	-	58.115.000
Usable dimensions (W × D mm)		867 × 459	357 × 459			867 × 459
<b>Base</b>						
	H ↑					
500	150	98.518.000	98.518.000	98.253.000	57.277.000	97.103.000
580	150	98.216.000	98.216.000	97.835.000	97.457.000	97.133.000
<b>Base cover, H 150 mm</b>		97.986.000	97.986.000	62.806.000	57.239.000	98.259.000





### **Utmost stability**

thanks to housing with load capacity of 40 to 80 kg



### **Optimum order and organisation**

thanks to adjustable shelves with load capacities of up to 40 kg for neat and tidy storage of tools, files and other equipment



### **User-friendly**

since the stored items are easy to reach and at viewing height



### **Perfect cable management**

with cable openings and intermediate shelf for tidy and well-protected cable routing



### **Flexible configuration options**

thanks to pre-perforated holes (punch-outs) as cable guide for power strips and LED lights



### **Benefits of LISTA cabinet systems**

see p. 168

**LISTA wall-mounted cabinets are perfect as additional storage space for small parts, documents and more.** They keep your storage items ergonomically and conveniently stored at viewing height. Just mount them on the wall and in no time everything is just where it should be: neatly put away.



Art. no. **69.861.200**  
Wall-mounted cabinets with sliding doors,  
height 420 mm, RAL 7016



Art. no. **69.865.200**  
Wall-mounted cabinets with sliding doors,  
height 800 mm, RAL 7016

### Wall-mounted cabinets

Flush-fitting hinged doors with reinforced edges for increased rigidity, with fulcrum pins, 110 ° opening angle. Sliding doors edged from one piece, low-noise ball-bearing-mounted sliding door guide. Housing incl. punch-outs for power supply to the cabinets. Adjustable shelving (adjustable grid 25 mm) cable compartments under each shelf are optionally available. Base height: 35 mm.

**H** **420 mm** Clear height 350 mm



	Specification		Door storage/ door guide		Art. no.
<b>Cabinets with 2 solid sheet hinged doors</b>					
<b>1000 350</b>	Punch-outs Optional: Adjustable shelf	40	pin hinge	KEY Lock	<b>69.860.XXX</b>



<b>Cabinets with solid sheet sliding doors</b>					
<b>1000 350</b>	Punch-outs Optional: Adjustable shelf	40	ball bearing	KEY Lock	<b>69.861.XXX</b>

**H** **800 mm** Clear height 730 mm



	Specification		Door storage/ door guide		Art. no.
<b>Cabinets with 2 solid sheet hinged doors</b>					
<b>1000 350</b>	Punch-outs 1 adjustable shelf	40/80	pin hinge	KEY Lock	<b>69.865.XXX</b>



<b>Cabinets with solid sheet sliding doors</b>					
<b>1000 350</b>	Punch-outs 1 adjustable shelf	40/80	ball bearing	KEY Lock	<b>69.866.XXX</b>



### Adjustable shelf for wall-mounted cabinet

Width: 1000 mm.  
Load capacity: 40 kg.


Art. no. **69.883.XXX**



### Cover flap set

Custom-fit flap and cable collar for punch-outs.  
Delivery: 2 hinged flaps.  
1 cable collar

Art. no. **69.869.000**



### Clasp lock KEY Lock

- standard locking system for hinged doors with replaceable cylinders
- makes it easy to adapt to existing locking systems

### Lock-down cylinder lock / KEY Lock

- locking system for sliding doors
- cannot be prised out thanks to the right-angled bar



### Extremely smooth running

- the ball bearing rollers of the sliding doors run quietly on the guide rails



### Cable feed-through

- punch-outs allow the cabinet to be provided with a power supply, see p. 147
- punch-outs are present on the lid and base
- there is space for cable routing underneath the shelf





### **Flexible configuration and organisation**

thanks to perforated and slotted rear panels, individually configurable with optional adjustable shelves or integrated cable conduit



### **User-friendly operation**

Aluminium roller shutters with spring-loaded coils: self-locking, effortless operation. Optimum use of space with a continuous usable depth of 215 mm



### **Versatile**

also available as top-mounted cabinet without a base for direct mounting onto the worktop, see p. 121



### **Benefits of LISTA cabinet systems**

see p. 168

**LISTA wall-mounted shutter cabinet for optimal tool storage.** The cabinet can be custom-adapted to your needs with optional accessories such as an adjustable shelf or power conduit.

### Wall-mounted cabinet with aluminium roller shutters




This type of cabinet is ideal for securely hanging tools. The space-saving roller shutter winder gives a maximum usable depth of 215 mm and also allows the use of standard folders. In addition, this cabinet can optionally be equipped with an integrated cable conduit to accommodate the energy modules (see p. 145). For direct fastening to the work-top, this cabinet (1050 mm high) can also be ordered without a floor (see p. 121).





Art. no. **69.851.200**  
Wall-mounted cabinet with aluminium roller shutters, RAL 7016


### Roller shutter cabinet

Aluminium roller shutter with spring-loaded winding ensures a large usable depth (215 mm) and safe operation (self-locking). The sturdy steel housing and the aluminium roller shutters ensure stable, secure storage. Punch-outs intended for power supply. Perforated rear panel for using perforated wall hooks (see p. 163), with square perforation 10 × 10 and 38 mm divisions.




Model	Fastening	W →	D ↗	H ↑	Art. no. 
with floor	on support pillar via perforated rear panel	1500	250	800	<b>69.850.XXX</b>
with floor	on support pillar via perforated rear panel	2000	250	800	<b>69.851.XXX</b>

	W →	D ↗		Art. no. 
<b>Adjustable shelf</b>	1500	175	20	<b>69.854.XXX</b>
optional	2000	175	20	<b>69.855.XXX</b>

	for W →	for power modules	Art. no. 
<b>Power conduit set</b>	1500	6 ×	<b>89.022.XXX</b>
	2000	8 ×	<b>89.023.XXX</b>

Integrated cable conduit solution. Designed for installation in roller shutter cabinet. The power conduit can be equipped with the power modules, see page 145




### Housing

- Sturdy steel structure
- Version with shelf as an overhead cabinet or alternatively without a shelf as an top-mounted cabinet, see p. 121




### Handle

- Integrated handle
- Locking mechanism has no impact on usable depth
- Locking with KEY lock, keyed alike option also possible on request



### Power conduit

- Optionally integrated power conduit
- Configurable with power modules (see page 144)



### Adjustable shelf

- Optional adjustable shelf
- Adjustment increment: 25 mm



## Cabinet systems | Roller shutter cabinets

**LISTA roller shutter cabinets give you full access to your stored items even in confined spaces.** And the individual configuration and equipment options mean that they are right for a wide variety of workplaces from workshop to office.

- + Utmost stability**  
with housing load capacity of up to 500 kg
- + Secure locking**  
thanks to the smooth-running roller shutters with user-friendly push handle and integrated cylinder lock with replaceable cylinders (other locking systems on request)
- + User-friendly**  
roller shutter stops at any height without the need for catches
- » Benefits of LISTA cabinet systems**  
see p. 168




## Roller shutter cabinets

Depending on the model, the cabinets on this page are fitted with: adjustable shelves, galvanised, 30 mm thick, load capacity 60 or 100 kg, pull-out shelves and drawers, painted, anthracite grey, RAL 7016, load capacity 50 kg, roller shutter in PVC, colour similar to light grey, RAL 7035

Roller shutter cabinet

Hinged door cabinet



Art. no. **58.401.010**  
Light blue, RAL 5012



## Direct access to all stored items

The smooth-running roller shutter which can be operated with one hand stops at any height without the need for catches.



## Strike plate







The sturdy metal strike plate comes with an anti-trap finger guard for safety reasons.



## Push handle cylinder lock/ KEY Lock

The replaceable cylinder makes it possible to adapt the locking system as required.



H  1950 mm		W  1000 mm		D  580 mm*	
Adjustable shelves	Drawers	Pull-out shelves			Art. no. 
4	-	-	60	KEY Lock	<b>58.401.XXX</b>
2	-	2	50/60	KEY Lock	<b>58.402.XXX</b>
2	1 × 95	2	50/60	KEY Lock	<b>58.404.XXX</b>
2	-	4	50/60	KEY Lock	<b>58.403.XXX</b>
2	2 × 95	3	50/60	KEY Lock	<b>58.406.XXX</b>
2	1 × 95	4	50/60	KEY Lock	<b>58.405.XXX</b>

\* Retrofitting with drawers and pull-out shelves possible.

## Slotted adjustable shelves

Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised, slotted. Long sides folded by 4 × 90°. 30 mm thick with load-bearing capacity of 60 or 100 kg.

For cabinet depth mm	Load capacity kg	Art. no.
<b>Adjustable shelf</b>		
<b>580</b>	60	<b>58.108.000</b>
<b>580</b>	100	<b>60.409.000</b>
Usable dimensions (W × D mm)		980 × 506

## Dividers for adjustable shelves

For subdividing adjustable shelves. Specification: steel sheet, painted. Colour: light grey, RAL 7035.

<b>Divider for adjustable shelf</b>		
<b>580</b>	L 490 × H 150 mm	<b>58.146.000</b>

## Drawers and pull-out shelves

Full extension with ball bearings, including guide rails. Load capacity 50 kg. Specification: steel sheet. Colour: anthracite grey, RAL 7016.



Drawer	Usable height mm	
<b>580</b>	95	<b>58.113.000</b>
<b>580</b>	145	<b>57.471.000</b>
Usable dimensions (W × D mm)		867 × 459

Pull-out shelf	Usable height mm	
<b>580</b>	53	<b>58.115.000</b>
Usable dimensions (W × D mm)		867 × 459

## Base

Robust steel tubing construction 40 × 40 mm, closed side panels, incl. fastening material (screw connection between cabinet and base). Optional: base cover to be attached as a cover on the front or rear. Colour: Anthracite grey, RAL 7016.

Base	Usable height mm	
<b>580</b>	150	<b>98.216.000</b>
<b>Base cover, H 150 mm</b>		<b>97.986.000</b>



» Partition material  
see p. 176



## Cabinet systems | Vertical pull-out cabinets

- 
- + Utmost stability**  
with a housing load capacity of up to 1000 kg
  - + High load capacities**  
vertical pull-outs with a load capacity of up to 200 kg
  - + Perfectly smooth running**  
can be fully extended on smooth-running plastic runners even with heavy weights off-floor
  - + Outstanding safety features**  
through standard single-drawer blocking system
  - + Secure locking**  
thanks to front covers or hinged doors with KEY Lock including replaceable cylinders (other locking systems are available on request)
  - + Flexible configuration options**  
with adjustable shelves, perforated panels and shelves for tool holders for NC storage in increments of 50 mm
  - + User-friendly**  
with direct access to tools and small parts from both sides
  - + Well protected**  
protection from dirt, liquids and physical loads thanks to closed housing with impact-resistant and abrasion-resistant surface

**Vertical pull-out cabinets from LISTA provide space-saving storage for tools, supplies and more where space is at a premium.** The pull-outs can be used from both sides and can optionally be fitted with perforated panels or shelves to hold plastic containers, tools, documents and LISTA tool holders for NC storage. The result: maximum storage space with a very small footprint. That's what we call efficient.



Art. no. **85.799.010**  
Fronts light blue, RAL 5012  
(excluding storage containers)

### Vertical pull-out cabinets

Depending on the model, all cabinets on this page are equipped with: front covers 3 × W 307 mm, 4 × W 230 mm, pull-outs with a load capacity of 200 kg, perforated panels with square holes 10 × 10 mm, 38 mm apart



Art. no. **85.789.050**  
Doors metallic grey, NCS S 6502-B  
(excluding tools)

**H** 1950 mm **W** 1000 mm **D** 695 mm



#### Specification

##### Cabinet with front covers for NC storage

3 or 4 pull-outs with 4 adjustable shelves each for LISTA NC tool holder (see p. 102), usable dimensions: W 118 × D 554 mm, accommodation length for NC tool holder = 554 mm

Pull-outs	kg	Lock	Art. no.
3	200	KEY Lock	<b>82.979.XXX</b>
4	200	KEY Lock	<b>82.980.XXX</b>



##### Cabinet with front covers and adjustable shelves

3 or 4 pull-outs with 4 adjustable shelves each, plain, usable dimensions: W 291/210 × D 584 × H 25 mm

3	200	KEY Lock	<b>85.792.XXX</b>
4	200	KEY Lock	<b>85.799.XXX</b>



##### Cabinet with front covers and perforated panels

3 or 4 pull-outs with perforated panels, H 1700 × D 612 mm, can be used on both sides

3	200	KEY Lock	<b>85.798.XXX</b>
4	200	KEY Lock	<b>85.791.XXX</b>

**H** 1950 mm **W** 1000 mm **D** 600 mm



#### Specification

##### Cabinet with 2 hinged doors and perforated panels

3 or 4 pull-outs with perforated panels, H 1700 × D 560 mm, can be used on both sides, door fitted with hinges, opening angle 115°

Pull-outs	kg	Lock	Art. no.
3	200	KEY Lock	<b>85.789.XXX</b>
4	200	KEY Lock	<b>85.788.XXX</b>



### Adjustable shelves

The adjustable shelves in two available widths provide optimum storage space for stored items.



### NC storage

Safe and space-saving storage of tools in the vertical pull-outs in exchangeable frames.



### Perforated panels

Pull-out perforated panels enable flexible attachment of stored items thanks to a wide range of hooks.

» For NC tool holders and partitioning schemes see p. 101

» For pegboard hooks, plastic storage containers see p. 162

200 kg per pull-out



**LISTA heavy-duty cabinets are perfect for storing heavy materials on adjustable shelves, pull-out shelves and in drawers.** Additionally, all common access protection solutions, from retracting doors and hinged doors to vertical roller shutters, can be used. For greater transparency of stored items, doors can be supplied with viewing windows on request.



**+ Utmost stability**

with a housing load capacity of up to 1500 kg

**+ High load capacities**

160 kg per adjustable shelf, 200 kg per drawer/  
pull-out shelf

**+ Outstanding safety features** – with single  
drawer blocking mechanism for heavy-duty cabinets with  
retracting doors to prevent the cabinet from tipping over

**+ User-friendly**

because of the fast access to all stored items –  
retracting doors or smooth-running roller shutters with  
user-friendly push handle

**+ Secure locking**

with retracting doors, hinged doors or roller shutter  
and intelligent locking systems like CODE/Rfid Lock

**+ Well protected**

protection from dirt, liquids and physical loads thanks  
to closed housing with impact-resistant and abrasion-  
resistant surface

**+ Perfectly organised**

with viewing windows made from UV-resistant,  
shatterproof acrylic

**+ Can be adapted to new storage items at any time**

with the flexible integration and rearrangement of drawers,  
pull-out shelves and adjustable shelves in increments of 25 mm

**>> Fully compatible with LISTA drawer cabinets  
and drawer storage walls because of the  
standardised unit of measure**

see p. 38 and/or 84



Art. no. **59.542.010**  
Light blue, RAL 5012

Art. no. **59.543.070**  
Ruby red, RAL 3003  
(excluding partition material)

### Heavy-duty cabinets with retracting doors

The cabinets are equipped with: adjustable shelves, galvanised, 33 mm thick, pull-out shelves and drawers, painted, generally grey, NCS 4502-B. Retracting doors folded from one piece, optionally either in solid sheet steel or with viewing windows. Fitted in hinge brackets, retracting range 90°, projection of doors when opened is 85 mm. Anti-tilting is ensured by the single-drawer blocking system. Available with KEY Lock, CODE Lock or RFID Lock locking systems.

**54 × 27 E** **H** **↑** 1950 mm **W** **→** 1146 mm **D** **↗** 690 mm



Drawers      Adjustable shelves      Pull-out shelves      Hinge pins mounted           Art. no.

#### Cabinets with 2 solid sheet retracting doors

-	4	-	160	Hinge bracket	KEY Lock	<b>59.541.XXX</b>
2 × 75 / 1 × 150	2	2	160/200	Hinge bracket	KEY Lock	<b>59.543.XXX</b>

#### Cabinets with 2 viewing window retracting doors

-	4	-	160	Hinge bracket	KEY Lock	<b>59.540.XXX</b>
2 × 75 / 1 × 150	2	2	160/200	Hinge bracket	KEY Lock	<b>59.542.XXX</b>



**i** When ordering a cabinet from these two pages with **CODE** or **RFID Lock** locking system, please add the suffix **"C"** or **"F"** to the article number given in the table (e.g. **98.081.XXX.C**).



### Retracting doors

- disappear in the housing when opened in order to give the best possible access (doors only project by 85 mm)
- folded from a single piece
- either made of full sheet steel or equipped with viewing windows
- fitted into hinge brackets, retracting range 90°
- KEY Lock, CODE Lock or RFID Lock locking systems



- fully extendable
- load capacity up to 200 kg



### Robust housing

- welded sheet steel construction with integrated support pillar system

» For partition material see p. 248

» For LISTA Script labelling system see p. 268

200 drawers/pull-out shelves  
160 adjustable shelves





Art. no. **98.091.100**  
Signal blue, RAL 5005



Art. no. **98.086.050**  
Metallic grey, NCS S 6502-B

## Heavy-duty cabinets with hinged doors

The cabinets are equipped with: adjustable shelves, galvanised, 35 mm thick, pull-out shelves and drawers, painted, generally grey, NCS 4502-B. Hinged doors folded from one piece, optionally either in solid sheet steel or with viewing windows. KEY, CODE or RFID Locks available.

**54 × 27 E**

**H** ↑ 1950 mm

**W** → 1100 mm

**D** ↗ 641 mm



Drawers	Adjustable shelves	Pull-out shelves	Hinge pins mounted	Art. no.
<b>Cabinets with 2 solid sheet hinged doors</b>				
-	4	-	160	Pin hinge KEY Lock <b>98.081.XXX</b>
1 × 100 / 1 × 150	3	-	160/200	Pin hinge KEY Lock <b>98.085.XXX</b>
2 × 100 / 2 × 150	2	1	160/200	Pin hinge KEY Lock <b>98.093.XXX</b>



<b>Cabinets with 2 viewing window hinged doors</b>				
-	4	-	160	Pin hinge KEY Lock <b>98.082.XXX</b>
1 × 100 / 1 × 150	3	-	160/200	Pin hinge KEY Lock <b>98.086.XXX</b>
2 × 100 / 2 × 150	2	1	160/200	Pin hinge KEY Lock <b>98.094.XXX</b>



## Hinged doors

- folded from a single piece
- either made of solid sheet steel or equipped with viewing windows
- with pin hinge, opening angle approx. 115°
- Lock with KEY, CODE or RFID Lock

**i** When ordering a cabinet from these two pages with **CODE** or **RFID Lock**, please add the suffix "**C**" or "**F**", respectively, to the article number stated in the table (e.g. **98.081.XXX.C**).



## Heavy-duty cabinets with roller shutter

The cabinets are equipped with: adjustable shelves, galvanised, 35 mm thick, pull-out shelves and drawers, painted, generally grey, NCS 4502-B. The smooth-running PVC roller shutter stops at any height without locking. Colour: aluminium colours, the colour of the strike plate with KEY Lock locking system is variable.

**54 × 27 E**

**H** ↑ 1950 mm

**W** → 1100 mm

**D** ↗ 641 mm



Drawers	Adjustable shelves	Pull-out shelves	Hinge pins mounted	Art. no.
<b>Cabinets with roller shutter</b>				
-	4	-	160	- KEY Lock <b>98.083.XXX</b>
2 × 100	4	-	160/200	- KEY Lock <b>98.091.XXX</b>



## Roller shutter

- especially suitable when space is limited
- stops at any height without the need for catches
- aluminium colours, colour of strike plate variable
- KEY Lock locking system

» For partition material sets and labelling system see p. 248.





Art. no. **98.096.010**  
Pale blue, RAL 5012

Art. no.  
**59.544.010**  
**59.532.010**  
Pale blue, RAL 5012

**i** Tilt protection is ensured by the multiple pull-out lock; only applies to retracting doors.

## Drawers

Drawers with different front heights can be incorporated into the same housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm so that each drawer can be partitioned as required. Colour: grey, NCS 4502-B.

## Pull-out shelves

For storing heavy individual items and equipment. Perfectly fitting, variable height assembly of 25 × 25 mm in the cabinet housing. The inserted slats enable stored items to be stored and removed flush with the handle. Specification: steel sheet. Colour: grey, NCS 4502-B. Slats are made of shaped sheet steel profile, sendzimir galvanised.

## Adjustable shelves, slotted or plain

Adjustable shelves including 4 shelf supports. Adjustable shelf, slotted, **fitting against the rear**. Specification: steel sheet, galvanised. Long sides folded 4 × 90°. Slotted partition; 50 mm. Load capacity: 160 kg.

## Dividers for adjustable shelves

Slotted for separating 2 adjustable shelves attached one above the other. The height of the dividers depends on the distance between the adjustable shelves. Specification: steel sheet. Colour: light grey, RAL 7035.

## Base

Robust steel tubing construction 40 × 40 mm, closed side panels, incl. fastening material (screw connection between cabinet and base). Optional: base cover to be attached as a cover on the front or rear. Colour: Anthracite grey, RAL 7016.

<b>54 × 27 E</b> <b>H</b> <b>Cabinet height mm</b>	<b>W</b> × <b>D</b>	<b>1100 × 641</b>	<b>1146 × 690</b>
	Clear height (mm)	<b>1950</b>	<b>1950</b>
	for design	1790 / 1640	1830
<b>Housing</b>		<b>Hinged doors roller shutter</b>	<b>Retracting doors</b>
		Art. no.	Art. no.
		<b>98.096.XXX</b>	<b>59.544.XXX</b>
<b>Hinged doors excl. clasp lock</b>			
Solid sheet		<b>62.031.XXX</b>	-
Viewing window		<b>62.032.XXX</b>	-
<b>Retracting doors excl. clasp lock</b>			
Solid sheet		-	<b>59.532.XXX</b>
Viewing window		-	<b>59.535.XXX</b>
<b>+ clasp lock</b>			
Key Lock, separately lockable		<b>49.060.000</b>	<b>49.060.000</b>
CODE Lock		<b>49.085.000</b>	<b>49.085.000</b>
RFID Lock		<b>49.086.000</b>	<b>49.086.000</b>
<b>Roller shutter excl. cylinder lock</b>		<b>98.097.XXX</b>	-
+ push handle cylinder lock		<b>62.062.000</b>	-

<b>H</b>	Usable height mm	Cladding height mm		
<b>Drawers</b>				
<b>75</b>	57.5	49	<b>85.700.080</b>	<b>85.700.080</b>
<b>100</b>	82.5	76	<b>85.701.080</b>	<b>85.701.080</b>
<b>150</b>	132.5	126	<b>85.702.080</b>	<b>85.702.080</b>
<b>200</b>	182.5	176	<b>85.703.080</b>	<b>85.703.080</b>
Usable dimension W × D mm			918 × 459	918 × 459
Load capacity kg			200	200

<b>Pull-out shelf</b>	<b>85.704.080</b>	<b>85.704.080</b>
Usable dimension W × D mm	918 × 459	918 × 459
Height mm	75	75
Load capacity kg	200	200

<b>Adjustable shelf</b>	<b>98.098.000</b>	<b>59.545.000</b>
Usable dimension W × D mm	967 × 549	966 × 500
Height mm	35	33
Load capacity kg	160	160
Model	Plain	Slotted

	Usable height mm	Distance between shelves TE—TE* mm		
<b>Dividers</b>	179	225	—	<b>59.415.000</b>
	329	375	—	<b>59.416.000</b>

\* Distance between shelves from top edge to top edge

<b>Base, H 150 mm</b>	<b>97.588.000</b>	<b>59.412.000</b>
<b>Base cover</b>	<b>98.246.000</b>	<b>62.888.000</b>

**Clothing lockers from LISTA offer impressive functionality and a wide variety of equipment options.**

This makes them suitable for use in a wide range of locations from workshop to sports hall and they also offer secure, flexible and ideal storage in accordance with DIN 4547-2011.





### **Utmost stability**

thanks to hinged doors with the pin on the right and with reinforcement pocket for greater protection against burglary (DIN 4547)



### **Sophisticated ventilation**

with air vents at the top and bottom of the housing



### **Optimum hygiene**

thanks to plain compartment shelves without raised edge to make it easier to clean the compartments thoroughly



### **Practical interior fittings**

with hat rack, towel holder and clothes rail with three sliding coat hooks for each compartment



### **Individual equipment options**

such as housing with an inclined top, double compartments, benches or ventilation ducts for on-site forced ventilation



### **Secure locking**

with KEY Lock locking system, rotary knob safety lock or closing device for padlock (CODE/RFID Lock and other locking systems on request)



### **Protection from dirt and corrosion**

with bases or legs that are galvanised in addition to being powder-coated. Protect against corrosion, cover with a base also protects against dirt



Art. no. **94.424.080**  
Pigeon grey, NCS S 4502-B

## Clothing lockers

1-leaf for 1 lockable compartment

### Equipment per compartment

single-leaf solid sheet door, flush-fitting, surface plain or with perforated field for additional ventilation (1 compartment lockable)

1 hat rack

1 clothes rail, with 3 sliding coat hooks

1 towel holder

**Compartments width:** 300 or 400 mm  
**Clear height:** 1280 mm / 300 mm (hat rack)



without substructure  
(for bases)



with feet



with base

		compartment width		300 mm			400 mm	
<b>H</b> →	Cabinet width mm			600	900	1200	800	1200
<b>W</b> ↗	500 mm	Number of compartments		2	3	4	2	3
<b>D</b> ↑		Door specification		Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>1700 mm</b>	KEY Lock	plain		<b>94.414.XXX</b>	<b>94.405.XXX</b>	<b>94.417.XXX</b>	<b>94.420.XXX</b>	<b>94.411.XXX</b>
without substructure	KEY Lock	perforated		<b>94.531.XXX</b>	<b>94.534.XXX</b>	<b>94.537.XXX</b>	<b>94.543.XXX</b>	<b>94.546.XXX</b>
<b>1800 mm</b>	KEY Lock	plain		<b>94.426.XXX</b>	<b>94.429.XXX</b>	<b>94.432.XXX</b>	<b>94.438.XXX</b>	<b>94.441.XXX</b>
with base, 100 mm	KEY Lock	perforated		<b>94.552.XXX</b>	<b>94.555.XXX</b>	<b>94.558.XXX</b>	<b>94.564.XXX</b>	<b>94.567.XXX</b>
<b>1850 mm</b>	KEY Lock	plain		<b>94.447.XXX</b>	<b>94.450.XXX</b>	<b>94.453.XXX</b>	<b>94.459.XXX</b>	<b>94.462.XXX</b>
with feet, 150 mm	KEY Lock	perforated		<b>94.573.XXX</b>	<b>94.576.XXX</b>	<b>94.579.XXX</b>	<b>94.585.XXX</b>	<b>94.588.XXX</b>



Art. no. **94.417.010**  
Light blue, RAL 5012



Battery charging cabinets with clothes lockers can be found on page 210.



For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).

**COLOURS:** With preconfigured cabinets housing in light grey, RAL 7035.

## Clothing lockers

1-leaf for 2 lockable compartments

### Equipment per compartment

single-leaf solid sheet door, flush-fitting, surface plain or with perforated field for additional ventilation (2 compartments lockable)

1 hat rack  
1 clothes rail, with 3 sliding coat hooks  
1 towel holder

**Compartments width:** 300 mm  
**Clear height:** 1280 mm / 300 mm (hat rack)



### Sophisticated ventilation system

- the air vents located on the top and bottom of the housing ensure permanent circulation of air in the locker
- door models with individual perforation pattern on request

compartment width			300 mm	
<b>H</b> → Cabinet width mm			600	1200
<b>W</b> ↗ 500 mm	Number of compartments		2	4
<b>D</b> ↑	Door specification		Art. no.	Art. no.
<b>1700 mm</b> without substructure	KEY Lock plain		94.302.XXX	94.305.XXX
	KEY Lock perforated		94.320.XXX	94.323.XXX
<b>1800 mm</b> with base, 100 mm	KEY Lock plain		94.308.XXX	94.311.XXX
	KEY Lock perforated		94.326.XXX	94.329.XXX
<b>1850 mm</b> with feet, 150 mm	KEY Lock plain		94.314.XXX	94.317.XXX
	KEY Lock perforated		94.332.XXX	94.335.XXX



### Air duct

Elimination of odours thanks to high air exchange rate and improved drying through on-site forced ventilation.

Air duct on request.

## Clothing lockers

2-leaf for 2 lockable compartments

### Equipment per compartment

2 solid leaf door, flush fitting, surface plain or with perforated field for additional ventilation (2 compartments lockable)

1 hat rack  
1 clothes rail, with 3 sliding coat hooks  
1 towel holder

**Compartments width:** 300 or 400 mm  
**Clear height:** 1280 mm / 300 mm (hat rack)



### Inclined top

Clothes lockers with an inclined top prevent undesired use of the cabinet top as shelf space.

Inclined top on request.

compartment width			300 mm		400 mm
<b>H</b> → Cabinet width mm			600	1200	800
<b>W</b> ↗ 500 mm	Number of compartments		2	4	2
<b>D</b> ↑	Door specification		Art. no.	Art. no.	Art. no.
<b>1700 mm</b> without substructure	KEY Lock plain		94.342.XXX	94.348.XXX	94.345.XXX
	KEY Lock perforated		94.369.XXX	94.375.XXX	94.372.XXX
<b>1800 mm</b> with base, 100 mm	KEY Lock plain		94.351.XXX	94.357.XXX	94.354.XXX
	KEY Lock perforated		94.378.XXX	94.384.XXX	94.381.XXX
<b>1850 mm</b> with feet, 150 mm	KEY Lock plain		94.360.XXX	94.366.XXX	94.363.XXX
	KEY Lock perforated		94.387.XXX	94.393.XXX	94.390.XXX



### Wide range of accessories

On request, you may also order benches, shoe racks, name and number plates, towel holders and more.



### Versatile locking systems

cylinder locks, numeric combination locks, coin deposit locks, locking systems for padlocks and master key systems are available. Other locks available on request.

**i**

When ordering a clothes locker from this double page with **closing device for padlock**, please specify the suffix "V", or, for **rotary knob safety lock**, use the suffix "D" in addition to the article number from the table (e.g. 94.429.XXX.V)



### Base makes cleaning simpler

The closed base border on the floor makes it easy to clean changing room areas.



Cabinet systems | Dual-level clothing lockers



Art. No. 94.424.080  
Pigeon grey, NCS S 4502-B


**Dual-level clothing lockers**  
**equipment for each compartment**  
single-leaf solid sheet door, flush-fitting, surface plain or with perforated field for additional ventilation (1 compartment lockable)  
1 hat rack  
1 clothes rail, with 3 sliding coat hooks  
1 towel holder

**Compartments width:** 300 or 400 mm  
**Clear height:** 1280 mm (for top and bottom compartment)



		300 mm			400 mm	
Cabinet width mm		600	900	1200	800	1200
500 mm	Number of compartments	2 × 2	3 × 2	4 × 2	2 × 2	3 × 2
Door specification	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	plain	94.468.XXX	94.471.XXX	94.474.XXX	94.480.XXX	94.483.XXX
1700 mm without substructure	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	perforated	94.594.XXX	94.597.XXX	94.600.XXX	94.606.XXX	94.609.XXX
1800 mm with base, 100 mm	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	plain	94.489.XXX	94.492.XXX	94.495.XXX	94.501.XXX	94.504.XXX
	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	perforated	94.615.XXX	94.618.XXX	94.621.XXX	94.627.XXX	94.630.XXX
1850 mm with feet, 150 mm	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	plain	94.510.XXX	94.513.XXX	94.516.XXX	94.522.XXX	94.525.XXX
	KEY Lock	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
	perforated	94.636.XXX	94.639.XXX	94.642.XXX	94.648.XXX	94.651.XXX



**H**  Cabinet width mm

600

800

900


1200



**Single- or double-sided base, height 150 mm**

Welded steel construction with angle profiles and adjustable plastic legs for levelling. Colour: Anthracite grey, RAL 7016.

**Note:** double-sided (for 2 cabinets, back to back)

**Base, H 150 mm**


<b>W</b>  mm	Model	Art. no.	Art. no.	Art. no.	Art. no.
500	single-sided	94.252.000	94.253.000	94.254.000	94.255.000
1000	double-sided	94.264.000	94.265.000	94.266.000	94.267.000



**Single-sided or double-sided base, height 400 mm**


Welded steel construction with angle profiles and adjustable plastic legs for levelling. Colour: Anthracite grey, RAL 7016.

**Note:** double-sided (for 2 cabinets, back to back)

**Base, H 400 mm**

<b>W</b>  mm	Model	Art. no.	Art. no.	Art. no.	Art. no.
500	single-sided	97.110.000	97.473.000	97.143.000	97.111.000
1000	double-sided	97.108.000	98.444.000	97.870.000	97.109.000


**Shoe rack**


<b>W</b>  mm	Model	Art. no.	Art. no.	Art. no.	Art. no.
230	secure	97.156.000	97.472.000	97.144.000	97.157.000
230	folds upward	98.230.000	98.683.000	98.617.000	98.231.000


**Single-sided or double-sided base, height 400 mm**

Welded steel construction with angle profiles and adjustable plastic legs for levelling. Colour: Anthracite grey, RAL 7016.

**Note:** double-sided (for 2 cabinets, back to back), Bench depth: 300 mm.


**Base, H 400 mm**

<b>W</b>  mm	Model	Art. no.	Art. no.	Art. no.	Art. no.
500	single-sided	94.946.000	94.947.000	94.948.000	94.949.000
1000	double-sided	94.950.000	94.951.000	94.952.000	94.953.000


**Fixed or fold-up shoe rack**

Can be attached to the bases using attachment brackets without screws. Number required: 1 per clothes locker. Colour: Attachment brackets anthracite grey, RAL 7016; shoe racks galvanised anthracite grey, RAL 7016. Bench depth: 300 mm.

**Shoe rack**

<b>W</b>  mm	Model	Art. no.	Art. no.	Art. no.	Art. no.
230	secure	94.954.000	94.955.000	94.956.000	94.957.000
	Distance between stands mm	310	510	610	910
	Shelf length mm	336	536	636	936
230	folds upward	94.966.000	94.967.000	94.968.000	94.696.000
	Distance between stands mm	310	510	610	910
	Shelf length mm	285	485	585	885


**Bench base for in-line installation on request**

 Upon presentation of a layout plan, the bases are available at **little cost** for single- and/or double-sided construction in a row. In addition, less cleaning is required thanks the small number of leg supports.

**Double-sided base, height 400 mm with shoe racks**

**LISTA compartment cabinets are ideal for storing personal items of all kinds.** Whether in industry, trades, office and administration, or leisure and sport: a variety of locking systems makes the cabinets easily adaptable to the respective security requirements of any location.



### **Utmost stability**

thanks to hinged doors with the pin on the right, rolled on all sides, with curved surface



### **Sophisticated ventilation**

with air vents at the top and bottom of the door



### **Secure locking**

with KEY Lock locking system or locking mechanism for padlock (CODE/RFID Lock and other locking systems on request)



### **Clearly labelled**

thanks to embossed label frame



### **Protection from dirt**

thanks to substructure with base to prevent dirt from accumulating under the locker



Art. no. **11.527.050**  
Metallic grey, NCS S 6502-B



Art. no. **11.529.010**  
Light blue, RAL 5012



### Compartment doors

Different compartment doors, e.g. with viewing windows or mail slot, on request



### Inclined top part

An inclined top part prevents the cover from being used inadvertently as shelf space and reduces required cleaning.

### Ventilation slots and label frames

The high-quality solid sheet doors provide very high stability and are also equipped with a label frame. Air vents at the top and bottom provide ideal ventilation.



### Versatile locking systems












cylinder locks, numeric combination locks, coin deposit locks, locking systems for padlocks and master key systems are available. Other locking devices such as CODE/RFID Lock on request.

### i Ordering information



When ordering a compartment cabinet with **closing device for a padlock**, please specify the suffix "**V**" or, for a **rotary knob safety lock**, the suffix "**D**" in addition to the article number from the table (e.g. **11.525.XXX.V**).



		Compartment width			400 mm		
		300 mm			340 mm		
		240 mm					
		Clear compartment width					
<b>D</b>  500 mm	<b>W</b>  Cabinet width mm	<b>610</b>	<b>905</b>	<b>1200</b>	<b>415</b>	<b>810</b>	<b>1205</b>
<b>H</b>  with base H 150 mm	<b>H</b>  Clear compartment height	Number of compartments 					
		2	3	4	1	2	3
		Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
<b>1095 mm</b>	300 mm 280 mm	3	KEY Lock	-	-	-	-
<b>1395 mm</b>	300 mm 280 mm	4	KEY Lock	<b>11.507.XXX</b>	<b>11.515.XXX</b>	-	-
<b>1695 mm</b>	300 mm 280 mm	5	KEY Lock	<b>11.509.XXX</b>	<b>11.517.XXX</b>	<b>11.521.XXX</b>	-
<b>1795 mm</b>	400 mm 380 mm	4	KEY Lock	<b>11.501.XXX</b>	<b>11.503.XXX</b>	<b>11.505.XXX</b>	<b>11.525.XXX</b>
<b>1995 mm</b>	300 mm 280 mm	6	KEY Lock	<b>11.511.XXX</b>	<b>11.519.XXX</b>	<b>11.523.XXX</b>	-
<b>inclined top part, H 50 / 200 mm</b>		<b>97.315.000</b>	<b>97.316.000</b>	<b>97.317.000</b>	<b>97.318.000</b>	<b>97.319.000</b>	<b>97.320.000</b>
for mounting superstructures at the factory		<b>97.558.000</b>	<b>97.558.000</b>	<b>97.558.000</b>	<b>97.558.000</b>	<b>97.558.000</b>	<b>97.558.000</b>

**COLOURS:** With preconfigured cabinets housing in light grey, RAL 7035.



## Cabinet systems | Battery charging cabinets with hinged doors

**LISTA battery charging cabinets with hinged doors are perfect for the centralised supply of batteries and electrical devices.** All cabinets can be configured individually and adapted to your specific storage needs through the flexible use of partition materials, cabinet accessories and power supply by means of power strips.

### + Flexible range of applications

Charging options for battery-operated electrical machines, BDE devices, notebooks, tablets and smartphones

### + Perfect cable management

Cable openings for protected and orderly cable routing

### + Outstanding safety features

CE compliant

### + Secure locking

Devices are locked away at all times, and are protected against unauthorised use and with intelligent locking systems such as CODE/RFID Lock.

### >> Benefits of LISTA cabinet systems

See p. 168

## Battery charging cabinets with hinged doors

Depending on the model, the cabinets are equipped with **adjustable shelves**, galvanised, 30 mm thick, load capacity 60 kg. Painted **drawers**, anthracite gray (RAL 7016), load capacity 50 kg. **Power strips** with on/off switches and 4 or 5 sockets, 230 V.



Art. No. **62.955.020**  
Solid sheet hinged door,  
light grey (RAL 7035)



Art. No. **62.976.020**  
Viewing window hinged door,  
light grey (RAL 7035)



Art. No. **62.959.020**  
Solid sheet hinged door,  
light grey (RAL 7035)



### Hinged doors with viewing windows

- For greater transparency of stored items
- Encourages order

**i** When ordering a cabinet from these two pages with **CODE** or **RFID Lock**, please add the suffix "**C**" or "**F**", respectively, to the article number stated in the table (e.g. **62.955.XXX.C**).



W → 1000 mm D → 580 mm H ↑ 1950 mm							Solid sheet doors		Viewing windows	
Number of power strips	Mounting position, power strips	Adjustable shelves	Drawers	kg	Door storage		Art. No.		Art. No.	
<b>Model D / Schuko</b>										
1 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>62.954.XXX</b>		<b>62.972.XXX</b>	
2 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>62.955.XXX</b>		<b>62.973.XXX</b>	
1 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.956.XXX</b>		<b>62.974.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.957.XXX</b>		<b>62.975.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	3	2 × 95	60/50	Hinge	KEY Lock	<b>62.959.XXX</b>		<b>62.977.XXX</b>	
2 × 5-socket (230V), RCD/MCB**	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.958.XXX</b>		<b>62.976.XXX</b>	
<b>Model CH</b>										
1 × 4-socket (230V)*	On side panel	4	—	60	Hinge	KEY Lock	<b>62.966.XXX</b>		<b>62.984.XXX</b>	
2 × 4-socket (230V)*	On side panel	4	—	60	Hinge	KEY Lock	<b>62.967.XXX</b>		<b>62.985.XXX</b>	
1 × 4-socket (230V)*	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.968.XXX</b>		<b>62.986.XXX</b>	
2 × 4-socket (230V)*	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.969.XXX</b>		<b>62.987.XXX</b>	
2 × 4-socket (230V)*	On rear panel/power conduit	3	2 × 95	60/50	Hinge	KEY Lock	<b>62.971.XXX</b>		<b>62.989.XXX</b>	
2 × 4-socket (230V)*, RCD/MCB**	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.970.XXX</b>		<b>62.988.XXX</b>	
<b>Model F</b>										
1 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>62.960.XXX</b>		<b>62.978.XXX</b>	
2 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>62.961.XXX</b>		<b>62.979.XXX</b>	
1 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.962.XXX</b>		<b>62.980.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.963.XXX</b>		<b>62.981.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	3	2 × 95	60/50	Hinge	KEY Lock	<b>62.965.XXX</b>		<b>62.983.XXX</b>	
2 × 5-socket (230V), RCD/MCB**	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>62.964.XXX</b>		<b>62.982.XXX</b>	
<b>Model GB</b>										
1 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>57.145.XXX</b>		<b>57.151.XXX</b>	
2 × 5-socket (230V)	On side panel	4	—	60	Hinge	KEY Lock	<b>57.146.XXX</b>		<b>57.152.XXX</b>	
1 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>57.147.XXX</b>		<b>57.153.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>57.148.XXX</b>		<b>57.154.XXX</b>	
2 × 5-socket (230V)	On rear panel/power conduit	3	2 × 95	60/50	Hinge	KEY Lock	<b>57.150.XXX</b>		<b>57.156.XXX</b>	
2 × 5-socket (230V), RCD/MCB**	On rear panel/power conduit	4	—	60	Hinge	KEY Lock	<b>57.149.XXX</b>		<b>57.155.XXX</b>	

\* With 1× thermal fuse

\*\* RCD = residual current protective device (16 A/30 mA), MCB = miniature circuit breaker (CH = 10 A, D/F = 16 A)

50 drawers/pull-out shelves  
60 adjustable shelves

# Cabinet systems | Battery charging cabinets with hinged doors

**W** → Cabinet width mm

**750**






**1000**

**1250**



## Cabinet housing





incl. rubber grommets for protected cable feed through perforated rear panel in housing (punch-out) for optional fan installation.

		Door storage	Art. No. 	Art. No. 	Art. No. 
500 mm	1000 mm	Hinge	-	62.779.XXX	-
500 mm	1950 mm	Hinge	62.792.XXX	62.780.XXX	62.794.XXX
580 mm	1000 mm	Hinge	-	62.777.XXX	-
580 mm	1950 mm	Hinge	62.793.XXX	62.778.XXX	62.795.XXX





## Hinged doors

2 doors excl. clasp lock (must be ordered separately)

		Door storage	Art. No. 	Art. No. 	Art. No. 
<b>Solid sheet</b>	1000 mm	Hinge	-	<b>62.009.XXX</b>	-
<b>Solid sheet</b>	1950 mm	Hinge	<b>62.006.XXX</b>	<b>62.011.XXX</b>	<b>62.016.XXX</b>
<b>Viewing window</b>	1000 mm	Hinge	-	<b>62.137.XXX</b>	-
<b>Viewing window</b>	1950 mm	Hinge	-	<b>62.012.XXX</b>	<b>62.017.XXX</b>


## Adjustable shelf

Incl. 4 shelf supports. Specification: sheet steel, galvanised, slotted. Long sides folded by 4 × 90°. 30 mm thick with load-bearing capacity of 60 or 100 kg.

	For cabinet depth		Art. No.	Art. No.	Art. No.
500 mm		60	58.104.000	58.107.000	58.110.000
500 mm		100	-	60.407.000	60.408.000
580 mm		60	58.105.000	58.108.000	58.111.000
580 mm		100	-	60.409.000	60.434.000
Usable dimensions (W × D mm)			730 × 425/506	980 × 425/506	1230 × 425/506

## Divider for adjustable shelf

For partitioning adjustable shelves. Specification: sheet steel, painted. Colour: light grey, RAL 7035.

	For cabinet depth	Art. No.	Art. No.	Art. No.
500 mm	W 411 × H 150 mm	58.145.000	58.145.000	58.145.000
580 mm	W 490 × H 150 mm	58.146.000	58.146.000	58.146.000

## Drawers and pull-out shelves

Full extension with ball bearings, including guide rails. Load capacity 50 kg. Specification: sheet steel. Colour: anthracite gray, RAL 7016. Only compatible with cabinets with hinge bearing assembly and a depth of 580 mm.

	Art. No.	Art. No.	Art. No.
<b>Drawer, FH 95 mm</b>	62.308.000	58.113.000	57.481.000
<b>580 mm</b> Usable dimensions (W × D × H mm)	617 × 459 × 72	867 × 459 × 72	1117 × 459 × 72
<b>Drawer, FH 145 mm</b>	-	57.471.000	57.482.000
<b>580 mm</b> Usable dimensions (W × D × H mm)	-	867 × 459 × 122	1117 × 459 × 122
<b>Pull-out shelf, FH 53 mm</b>	-	58.115.000	-
<b>580 mm</b> Usable dimensions (W × D × H mm)	-	867 × 459 × 43	-

## Base

Robust steel tubing construction 40 × 40 mm, closed side panels. Includes fastening material (screw connection between cabinet and base). Optional: base cover to be attached as a cover on the front or rear. Colour: Anthracite grey, RAL 7016.

	Art. No.	Art. No.	Art. No.
<b>Base*, FH 150 mm</b>			
<b>500 mm</b>	97.844.000	98.518.000	98.253.000
<b>580 mm</b>	98.657.000	98.216.000	97.835.000
<b>Base cover, H 150 mm</b>	57.238.000	97.986.000	62.806.000



## Punch out

perforated rear housing panel for optional installation of a fan



## Hinged bearing assembly

- For the installation of drawers and pull-out shelves, doors must be fitted with hinged bearing assembly
- Doors are flush with the cabinet housing
- Opening angle approx. 115°



## KEY Lock

Art. No. 49.060.000  
Separately lockable





## CODE Lock

Art. No. 49.085.000



## RFID Lock

Art. No. 49.086.000



## Power strips

With on/off switch and sockets, 230 V, without power and connection cables

For cabinet depth	Type	Description	Art. No.
500 mm	D / PE	4-socket (230V)	<b>82.474.000</b>
500 mm	CH	3-socket (230V)*	<b>82.475.000</b>
500 mm	F	4-socket (230V)	<b>82.476.000</b>
500 mm	GB	4-socket (230V)	<b>62.902.000</b>
580 mm	D / PE	5-socket (230V)	<b>62.763.000</b>
580 mm	CH	4-socket (230V)*	<b>62.782.000</b>
580 mm	F	5-socket (230V)	<b>62.739.000</b>
580 mm	GB	5-socket (230V)	<b>62.903.000</b>

\* Incl. thermal fuse 10A



Side panel installation

## Fastening kit for power strips

### Side panel installation

Includes fastening material for screw connection of the power strips onto the cabinet side panel

For cabinet depth	Art. No.
500 mm	<b>62.771.000</b>
580 mm	<b>62.772.000</b>

### Rear panel installation

Power conduit for holding the power strips (4-socket for CH and 5-socket for D, F and GB). Fastening material included. Specification: sheet steel. Colour: anthracite gray, RAL 7016.

For cabinet width	Art. No.
1000 mm	<b>62.992.000</b>
1250 mm	<b>62.996.000</b>



Rear panel installation

## Cable fastening

Cable tie and mounting base kit for 2 m cable length


Quantity	Art. No.
5 pieces	<b>390.024.000</b>



## Fan

Incl. adapter with integrated European plug  
For GB, an adapter is required, art. no. **61.160.000**.

Type	Art. No.
12V DC 106	<b>57.467.000</b>



## RCD/MCB

RCD = residual current protective device (16 A)  
MCB = miniature circuit breaker (CH = 10 A, D/F = 16 A)

Quantity	Art. No.
1 piece	<b>57.101.000</b>



**i** Intermediate coupling required to connect RCD to power strip, art.no. **89.552.000**.

## System socket supply cable

Simple and quick electrical installation through plug and socket connector system, 3-pin.

Type	Length (m)	Art. No.
D / PE	3.0	<b>89.545.000</b>
CH	3.0	<b>89.544.000</b>
F	3.0	<b>89.545.000</b>
GB	3.0	<b>89.546.000</b>

## Connecting cable

3-pin connector system with plug and socket

Length (m)	Art. No.
1.0	<b>89.548.000</b>
1.5	<b>390.036.000</b>
2.0	<b>89.549.000</b>
3.0	<b>89.550.000</b>



## LED cabinet lighting

12V LED lighting for cabinet height 1950 mm. Installed at the front right of the cabinet. Consisting of 1 LED light each, length: 800 mm (9W) and 500 mm (5W), integrated motion detector requires 1 free slot in one power strip.

Art. No. **57.463.000**



### + Flexible range of applications

Charging options for battery-operated electrical machines, BDE devices, notebooks, tablets, smartphones or e-bikes

### + Sophisticated ventilation

Optimal air circulation thanks to ventilation holes at the front and back

### + Great design diversity

With sockets, network sockets RJ45 and USB interfaces

### + Outstanding safety features

CE compliant

### + Secure locking

Devices are locked away at all times, and are protected against unauthorised use and with intelligent locking systems such as CODE/RFID Lock

### >> Benefits of LISTA cabinet systems

See p. 168


**LISTA compartment cabinets with power connection are perfect for personal storage of battery-operated devices of all kinds.** Suitable for use in industry, trade, offices, schools, universities or public buildings. Batteries can be charged during storage thanks to the built-in double sockets, and are therefore always ready to use.



Art. no. **98.409.020**  
Light grey, RAL 7035



Art. no. **98.416.070**  
Ruby red, RAL 3003



### Versatile locking systems

- Cylinder locks, numeric combination locks, coin deposit locks, locking systems for padlocks and master key systems are available

**i** When ordering a cabinet from this page with **RFID Lock**, please add the suffix "**F**", respectively, to the article number stated in the table (e.g. **98.409.XXX.F**).



## H 1795 mm, with base 150 mm high



<b>W</b>	<b>D</b>	No. of compartments	Shelf dimension (W × H mm)	Type	Module per compartment	Art. no.
<b>Cabinets with 8 compartments and KEY Lock</b>						
810 mm	585 mm	2 × 4	400 × 400	D / PE	2 × 230V	<b>98.409.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	D / PE	1 × 230V, 2 × USB	<b>98.415.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	D / PE	1 × 230V, 1 × RJ45	<b>98.419.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	CH	2 × 230V	<b>98.411.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	CH	1 × 230V, 2 × USB	<b>98.629.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	CH	1 × 230V, 1 × RJ45	<b>98.631.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	F	2 × 230V	<b>98.413.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	F	1 × 230V, 2 × USB	<b>98.417.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	F	1 × 230V, 1 × RJ45	<b>98.421.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	GB	2 × 230V	<b>98.455.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	GB	1 × 230V, 2 × USB	<b>98.457.XXX</b>
810 mm	585 mm	2 × 4	400 × 400	GB	1 × 230V, 1 × RJ45	<b>98.459.XXX</b>

### Cabinets with 12 compartments and KEY Lock

1205 mm	585 mm	3 × 4	400 × 400	D / PE	2 × 230V	<b>98.410.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	D / PE	1 × 230V, 2 × USB	<b>98.416.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	D / PE	1 × 230V, 1 × RJ45	<b>98.420.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	CH	2 × 230V	<b>98.412.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	CH	1 × 230V, 2 × USB	<b>98.630.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	CH	1 × 230V, 1 × RJ45	<b>98.632.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	F	2 × 230V	<b>98.414.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	F	1 × 230V, 2 × USB	<b>98.418.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	F	1 × 230V, 1 × RJ45	<b>98.422.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	GB	2 × 230V	<b>98.456.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	GB	1 × 230V, 2 × USB	<b>98.458.XXX</b>
1205 mm	585 mm	3 × 4	400 × 400	GB	1 × 230V, 1 × RJ45	<b>98.460.XXX</b>



2 × socket, 230V



Socket 230V/RJ45, without network cable, Plug+Play, Cat6



Socket 230V/Power USB

» For power modules, see, p. 145

**i** On request  
Doors with viewing windows



**LISTA clothes lockers and laptop cabinets with power outlets are perfect for personal storage of battery-powered devices of all kinds**, whether in industry, trade, offices, schools, universities or public buildings. Batteries can be charged during storage thanks to the built-in sockets and are therefore always ready to use.

### + **Utmost stability**

thanks to hinged doors with the pin on the right and with reinforcement pocket for greater protection against burglary (DIN 4547)

### + **Sophisticated ventilation**

with air vents at the top and bottom of the housing

### + **Optimum hygiene**

thanks to plain compartment shelves without raised edge to make it easier to clean the compartments thoroughly

### + **Practical interior fittings**

with hat rack, towel holder and clothes rail with three sliding coat hooks for each compartment

### + **Secure locking option**

with KEY Lock locking system (CODE/RFID Lock and other locking systems on request)

### + **Protection against corrosion**

with base that is galvanised in addition to being powder-coated

### + **Flexible range of applications**

with charging options for battery-operated BDE devices, laptops, tablets or smartphones

### + **Battery charging cabinet for electric scooters**

with additional ramp in front of the base

### + **Outstanding safety features**

CE compliant

Art. no. **98.160.010**  
Pale blue, RAL 5012



Art. no. **98.166.010**  
Pale blue, RAL 5012

## Clothes lockers

The clothes lockers are equipped with the following for each compartment: Single-leaf solid sheet door, flush-fitting, smooth surface (1 compartment lockable), 1 hat shelf, 1 clothes rack with 3 sliding coat hooks, 1 towel holder, 2 × 230 V sockets.



**Cabinet width mm**



**500 mm**



**1800 mm**  
with base, 100 mm

compartment width

**300 mm**

**600**

**900**

Number of compartments




**2**

**3**

Door specification

**plain**






**plain**


Model	Modules per compartment		Art. no. 	Art. no. 
D/Schuko	2 × 230V	KEY Lock	<b>98.156.XXX</b>	<b>98.158.XXX</b>
CH	2 × 230V	KEY Lock	<b>98.155.XXX</b>	<b>98.157.XXX</b>
F	2 × 230V	KEY Lock	<b>98.161.XXX</b>	<b>98.159.XXX</b>
GB	2 × 230V	KEY Lock	<b>98.162.XXX</b>	<b>98.160.XXX</b>

## E-scooter cabinets

The e-scooter cabinets are equipped with the following for each compartment: single-leaf solid sheet door, flush-fitting, perforated field for additional ventilation (1 compartment lockable), 1 hat shelf, 1 clothes rack with 3 sliding coat hooks, 1 velcro holder, 2 × 230 V sockets.



 mm	 mm	 mm	Model	Number of compartments × compartment width (mm)	Modules per compartment		Art. no. 
1000	500	1700	D/Schuko	2 × 500	2 × 230V	KEY Lock	<b>98.166.XXX</b>
1000	500	1700	CH	2 × 500	2 × 230V	KEY Lock	<b>98.167.XXX</b>
1000	500	1700	F	2 × 500	2 × 230V	KEY Lock	<b>98.168.XXX</b>
1000	500	1700	GB	2 × 500	2 × 230V	KEY Lock	<b>98.169.XXX</b>



**Power modules for clothes lockers and e-scooter cabinets**

**Connecting cable**

**Clothes rack**

**Hook and loop fastener for e-scooter cabinet**



**Level, horizontally configured compartments make the LISTA laptop cabinet the optimal storage solution for notebooks and similar devices.**

They also feature a particularly effective space-saving design and can be equipped with various power modules and locking solutions to tailor them more flexibly to your requirements.



### **Flexible range of applications**

with charging options for laptops, tablets and smart-phones



### **Sophisticated ventilation**

optimal air circulation via rear air vents



### **Secure locking option**

Devices are locked away at all times and are protected against unauthorised use with intelligent locking systems such as CODE/RFID locks.



### **Protects against dirt**

thanks to substructure with base to prevent dirt from accumulating under the cabinet




### **Outstanding safety features**

CE compliant



Art. no. **98.416.070**  
Ruby red, RAL 3003

W mm	D mm	H mm	No. of compartments	Shelf dimension (W × H mm)	Type	Module per compartment	Art. no. 
---------	---------	---------	------------------------	-------------------------------	------	---------------------------	--

**Laptop cabinets with 10 compartments and cylinder lock**

415	500	1790	1 × 10	330 × 140	D / PE	1 × 230V	<b>98.600.XXX</b>
415	500	1790	1 × 10	330 × 140	D / PE	2 × 230V	<b>98.582.XXX</b>
415	500	1790	1 × 10	330 × 140	CH	1 × 230V	<b>98.597.XXX</b>
415	500	1790	1 × 10	330 × 140	CH	2 × 230V	<b>98.583.XXX</b>
415	500	1790	1 × 10	330 × 140	F	1 × 230V	<b>98.598.XXX</b>
415	500	1790	1 × 10	330 × 140	F	2 × 230V	<b>98.584.XXX</b>
415	500	1790	1 × 10	330 × 140	GB	1 × 230V	<b>98.599.XXX</b>
415	500	1790	1 × 10	330 × 140	GB	2 × 230V	<b>98.585.XXX</b>



**Power modules for laptop cabinet**

Socket strip can be ordered with one or two 230V sockets per compartment.



**USB adapter for sockets**

1 × USB-C connection, 3 × USB-A connection  
Overcharge, deep discharge, overload and short-circuit protection Colour: Black

Art. no. **61.257.000**



When ordering a laptop cabinet on this page with **CODE/RFID Lock**, please specify the suffix **"F"** in addition to the article number from the table (e.g. **98.600.XXX.F**)



Thanks to its high resistance to light and weathering, the LISTA e-bike charging station is ideally suited for the central supply of batteries for outdoor use. Each compartment has a power module with two fused sockets. In addition to business and public authorities, schools, universities, airports, restaurants, cafés, hotels and other public buildings can also be equipped with the e-bike charging station for outdoor use.

### + Utmost stability and convenience

thanks to welded sheet steel housing made of electrolytically galvanised sheet steel and double-walled doors with opening limiter and self-closing function

### + Well protected

thanks to high-quality polyester resin powder coating with high light and weather resistance, cabinet housing and electrical components protected against splashes (IP44 in accordance with DIN EN 60529), inclined top with front projection as rain protection

### + Perfect cable management

thanks to 230V socket with cover, FI/LS switch for each compartment, power supply via ground cable, access in base in spray water-protected distribution box (IP65), roof and left side panel removable as inspection opening (screwed), inspection opening in lower compartment incl. distributor box in base area

### + Sophisticated ventilation

thanks to integrated heat ventilation conduit and passive ventilation in each compartment

### + Outstanding safety features

CE compliant

### + Secure locking option

with security cylinder lock, coin deposit lock or cashier lock (other locking systems available on request)





Art. no. **61.200.495**  
Pale grey, RAL 7035

Art. no. **61.217.498**  
Pale grey, RAL 7035  
Pale blue, RAL 5012

Art. no. **61.218.499**  
Pale grey, RAL 7035  
Metallic grey, NCS S 6502-B



**Socket outlet**  
230V / 16A with cover,  
FI/LS switch per compartment

**W** → 600 mm **D** ↗ 500 mm **H** ↑ 2059 / 2000 mm, with 200 mm base

Number of compartments Shelf dimension (W × H mm)



Art. no. D/PE Art. no. CH Art. no. F Art. no. GB

#### Battery charging cabinet as e-bike charging station

1 × 4	370 × 370	Cylinder lock	61.200.XXX	61.217.XXX	61.218.XXX	on request
		Coin deposit lock	61.219.XXX	61.220.XXX	61.221.XXX	on request
		Cashier lock	61.222.XXX	61.223.XXX	61.224.XXX	on request

#### Accessories for coin deposit lock and cashier lock

	sales unit	Art. no.
Armband, nylon, colour: blue	10 items	97.608.000
Numbered set no. variable	50 tiles	11.696.000
Promax removal key, new system	1 key	96.340.000
Cash box key for cashier lock for emptying coin collecting box	1 key	98.179.000



**Cylinder lock**  
with 3 keys and key security card



**Coin deposit lock**  
with door plate (without IP × 4 protection)

#### **i** Choice of colour

The LISTA battery-charging cabinet for outdoor use is available in the following three colours (high-quality polyester resin powder paint). When ordering, please use the desired three-digit colour code (instead of XXX).



**.495** Pale grey  
RAL 7035

**.498** Pale grey  
RAL 7035  
Pale blue  
RAL 5012

**.499** Pale grey  
RAL 7035  
Metallic grey  
NCS S 6502-B

» Please contact us  
for more information



**Cashier lock**  
mechanical (without IP × 4 protection)

**LISTA environmental and oil cabinets are suitable for the safe and standard storage of water-hazardous substances in water hazard class (WGK) 1–3.** Liquids that are required in the daily work flow are stored safely in LISTA oil cabinets. Pull-out shelves hold the liquid canisters. Drops of liquid are collected in the drip tray.



### **Maximum stability**

with housing load capacity of up to 500 kg



### **High load capacities**

Drip trays with a load capacity of up to 100 kg and canister shelves up to 200 kg



### **Can be adapted to new storage items at any time**

by inserting or converting drip trays and canister shelves in 25-mm increments as required



### **Individual equipment options**

with drip trays, canister shelves, base trays, canisters and drawers



### **Safe and orderly storage**

with drip trays welded to form a liquid-tight seal according to Section 19 of the Water Resources Act/German directive on steel trays (StawaR).



### **Secure locking**

with solid-sheet doors (flush-fitting, folded from one piece) and selectable locking systems



### **Sophisticated ventilation**

with perforated field at the top and bottom of environmental lockers



**Oil cabinet**  
Art. no. **71.461.010**  
Light blue, RAL 5012



**Environmental cabinet**  
Art. no. **60.474.030**  
Reseda green, RAL 6011

### Oil cabinets

The cabinets are fitted with: chromium steel drip trays, 2 mm thick, welded to form a liquid-tight seal according to Section 19 of the Water Resources Act/German directive on steel trays (StawaR), 40-litre capacity, canister shelves (painted grey), NCS 4502-B, canister made of HDPE plastic with outlet valve (glossy chrome finish). Solid-sheet hinged doors folded from one piece, with fulcrum pins, 235-degree opening angle.

**W** → 717 mm    **D** ↗ 753 mm    **H** ↑ 1450 mm



#### Cabinets with 2 solid sheet doors

Equipment	kg	Door storage	Lock	Art.no.
2 canister shelves 8 canisters, 25 l each 1 drip tray Tank dimensions: 651 × 620 × 100 mm (W × D × H)	200	Fulcrum pin	KEY Lock	<b>71.460.XXX</b>
3 canister shelves 10 canisters, 10 l each 4 canisters, 25 l each 1 drip tray Tank dimensions: 651 × 620 × 100 mm (W × D × H)	200	Fulcrum pin	KEY Lock	<b>71.461.XXX</b>



#### Canister with outlet tap

Fitted with screw cap. Filter in the filler neck. Outlet tap, glossy chrome finish with seal. Specification: HDPE plastic, transparent.

Width	Depth	Height	Volumetric capacity	Art.no.
120 mm	440 mm	270 mm	10 l	<b>14.990.000</b>
150 mm	440 mm	490 mm	25 l	<b>14.991.000</b>

### Environmental cabinets

The cabinets are fitted with: galvanised drip trays, 3 mm thick, welded to form a liquid-tight seal according to Section 19 of the Water Resources Act/German directive on steel trays (StawaR), 20-litre capacity. Solid-sheet hinged doors folded from one piece, with hinges, 115-degree opening angle.

**W** → 1000 mm    **D** ↗ 500 mm    **H** ↑ 1950 mm



#### Cabinet with 2 solid sheet doors

Equipment	kg	Door storage	Lock	Art.no.
4 drip trays Tank dimensions: 982 × 445 × 70 mm (W × D × H)	100	Hinge	KEY Lock	<b>60.474.XXX</b>



#### Observe legal regulations and directives

The canisters may only be filled with acid- and lye-free liquids (no abrasive media), oils and grease with a flame point above 55° Celsius. Maximum ambient temperature 40° Celsius. Please call us for special applications and further information.

**Note:**  
Not suitable for storage of flammable materials



#### Canister shelf

The canister shelf has a handle on the left and right and a centre lip. It is only 27 E (451 mm) deep so there is enough room in the front area for the canister tap.



#### Built-under drainage tray for oil cabinet

The built-under drainage tray of the oil cabinet has a leak-proof welded construction according to the Water Resources Act Sec. 19/StawaR (German directive on steel trays) and has a test certificate. It has a volumetric capacity of 40 l.

Art. no. **14.995.000**



#### Drip trays

The drip trays feature a leak-proof welded construction according to StawaR (German directive on steel trays) and have a test certificate.



# VERSATILE AND ROBUST

**Whether for files, liquids, equipment or tools: shelving systems from LISTA offer tailor-made storage solutions for practically all requirements.** High load capacities and a distinctly robust design guarantee optimum use of space and high storage capacity. Many shelving systems are now also available in a galvanised version. The more impressive new feature is that the universal shelving system has been completely overhauled to allow even more flexible solutions for a wide variety of working environments.



The right solution for every need



**L1006 universal shelving**  
see p. 220



**Heavy-duty pull-out shelving systems**  
see p. 238



**Drawer storage walls**  
see p. 84



**Sliding shelf units\***



**Storage and sloping shelving systems\***



**Wide span shelving systems\***



**Pallet shelving systems\***



**Cantilever shelving systems\***



**Mobile shelving systems**  
see p. 246

**The impressive feature of the universal shelving system from LISTA is that it is fully modular.** Available in two versions – either with shelf supports or with open sides – and a variety of heights, depths and unit widths, the slot-in system is quick and easy to assemble for a wide range of requirements. Individual configuration options with shelves, partitions, drawer units and more produce an orderly, space-saving storage system in which everything is ready to hand. Whether small parts, bulk goods, tools or archive material: the LISTA universal shelving system is the ideal warehouse solution – especially in the lean area.

### ! ALWAYS WITH LISTA

#### **Choice of colours**

12 standard colours, all other colours available; see p. 22. Many shelving systems are also available in a galvanised version.

#### **Intelligent locking systems**

Replaceable cylinders that can be fitted to existing locking systems, electronic locking systems via CODE and RFID Lock for absolute security made to measure; see p. 28.

#### **Individual configuration options**

in size, equipment, locking system, colour and drawer partitions; see p. 10.

#### **Fully combinable**

Standardised dimensions for all LISTA universal shelving systems of varying designs.



### **+ Utmost stability**

Sturdy shelf supports or side panels with a load capacity from 1,000 kg to 2,800 kg per shelving unit

### **+ High load capacities**

80 kg to 350 kg per shelf

### **+ Generous storage capacity in a small space**

Can also be installed as a double-stack set-up on request

### **+ Fast and easy assembly**

Non-screwed, slot-together design of all basic components and shelves simplifies assembly

### **+ Flexible configuration options**

Drawers, clothes rails, organisation rails, pull-out suspension file frames, shelf front cover strips, drip trays, grating covers, etc.

### **+ Fully modular**

Standardised dimensions for all LISTA universal shelving units and customisable configuration options

### **+ Can be adapted to new storage items at any time**

Flexible integration and rearrangement of shelves, drawers and individual parts in increments of 25 mm

### **+ Secure locking**

Choice of hinged doors or space-saving sliding doors in combination with rear panels

### **+ Ideally suited to lean environments**


Perforated rear and side panel covers and sloping shelves for fast, ergonomic access to tools and materials

### **+ Maximum shelf use**

Shelves have an edging height of only 25 mm so that the full storage height is available

## + Fully modular and available in a wide range of versions

All individual parts and accessories of the universal shelving system can be freely positioned and combined with one another in a modular fashion – and this applies to both equipment versions (with shelf supports or with side panel).



» Dimensions and load capacities, see page 226.

### 1 Shelf supports

Sturdy, open layout with a maximum load per unit of 2,800 kg, optional extension unit for shelving heights up to 5 m.

### 2 Side panel

Elegant closed layout with a maximum load per unit of 1,000 kg also prevents the stored items from falling out

### 3 Side panel cover, plain or perforated

For covering the open shelf supports or the row of slots on the side panels, perforated version for tool hooks

### 4 Diagonal brace

For stabilising the shelving units lengthwise

### 5 Lengthwise braces

Used instead of diagonal braces to make both sides accessible

### 6 Rear panel, plain or perforated

For covering the rear panel of shelving units; also stabilises the units lengthwise, perforated version for tool hooks

### 7 Partition

Placed between the shelf supports

### 8 Grating

Can be used as side panel covers, rear panels and partitions, prevents access and yet guarantees visibility and ventilation

### 9 Base cover

Protects against dust and dirt. Also prevents items from sliding underneath the unit

### 10 Shelf

High compartment loads of 80 to 350 kg (edge height 25 mm) for maximum use of space, in a choice of plain or slotted

### 11 Sloping shelf LEAN

Retrofittable stop bars for fitting shelves at an incline, for providing ergonomic access to materials and parts

### 12 Partitions and shelf dividers

For subdividing slotted shelves, ideal for storing small parts and small boxes

### 13 Shelf front cover strip

For the neat and tidy storage of bulk goods

### 14 Drawer

Fully extendable with load capacity of 50 kg for space-saving storage of small parts; extensive range of partition material

### 15 Drip tray

For storing liquids and for use as a drip tray

### 16 Pull-out suspension filing frame

Suitable for A4 suspension files; load capacity 50 kg for the orderly storage of and easy access to suspension files

### 17 Centre partition

For the vertical subdivision of complete shelf units

### 18 Clothes rail

Perfect for storing clothing and protective workwear

### 19 Organising rail

For vertical storage, compartment division and for storing ring-shaped materials (cables, vee belts and tubing)

### 20 Hinged and sliding doors

Secure access and dust protection with hinged doors or space-saving sliding doors, lockable

## + Flexible range of applications

The universal shelf unit offers storage solutions for a wide variety of requirements in workshops and offices. Since it takes ergonomic factors into account and implements the 5S principles, it is especially suitable for lean working environments.



### Storage of tools and spare parts

- Perfect order and cleanliness according to the 5S principle



### Storage of boxes and containers

- Ergonomic access to materials at the workplace according to lean criteria



### Storage of bulk goods

- Structured and efficient storage of bulk goods



### Shelf units with sloping shelves

- Ergonomic access to materials at the workplace



### Shelf cabinet system with lockable doors and drawers

- Safekeeping of small parts and tools



### Storage of lever-arch files, folders and suspension files

- Well-organised and within reach



### Clothing locker shelf units

- Storage of clothing and protective workwear



### Double-stack shelving systems

- Optimum use of space

## + Individual configuration options

### Typical configurations



#### L1006 universal shelf unit for the workshop

- Perforated rear panel for holding tool hooks
- Drawers for safekeeping of small parts
- Shelf front cover strips for tidy storage of loose bulk goods
- Organising rail for storing cables and tubing
- Tyre shelves for storing narrow and wide wheels



## Configure and order L1006 universal shelving individually




#### Shelf unit floor area

- Choice of shelf dimensions  $W \times D$  (e.g.:  $1000 \times 500$  mm)
- To calculate the external dimension, please refer to the planning instructions on p. 226/227



#### 1. Layout and shelving height

- Choice of "shelf supports" or "side panel".  
**Design combinations available on request!**
- Choice of shelving height H
- Optional: shelf support cover, extension units, side panel covers and partitions, floor anchoring, levelling plates



#### 2. Stabilising elements

- Choice of stabilising elements: diagonal braces, rear panels or lengthwise braces




### L1006 universal shelf unit for the office

- Elegant, closed side panel
- Pull-out suspension filing frame for orderly, easily accessible suspension files
- Partitions for orderly storage of and easy access to files and folders
- Shelves with an edging height of only 25 mm so that the full height of a file is available



#### NEW!

Shelf heights 1,100mm, 1,450 mm and 1,800 mm for 3, 4 or 5 file heights



#### 3. Shelves

- Choice of shelves (plain, slotted) and compartment load
- Optional: Stop bars for sloping shelves, shelf labelling, partitions and dividers



#### 4. Accessories

- Optional: Choice of accessory shelf front cover strips, drawers, partition material, drip trays, clothes rails, Cover panels, etc.
- Choice of tyre compartment level pair for tyre storage, see p. 235



#### 5. Front-mounting fitments

- Optional: Hinged and sliding doors

#### 6. Add-on elements "Office"

- Optional: sideboard


# Shelving systems | Universal shelf unit L1006, shelf support layout

## Dimensions and load capacities

**Max. load per unit 2,800 kg with a distance between shelves of max. 750 mm**

**Max. compartment load: 80, 160, 220, 280, 350 kg**

Adjustment increment: 25 mm





## Planning instructions

### Calculating the external dimensions

Overall width of shelving: Total shelving widths + number of supports × 40 mm + 10 mm (base plate external)

Overall depth of shelving: Shelf depth + 4 mm



### Safety instructions


**Anchoring rule** Units with a depth to height ratio greater than 1:5 (1:4 for units with hinged doors and single units with drawers) must be anchored. Floor anchoring: Art. no. **130.555.000** (each).

**Arrangement of diagonal braces** For each basic unit and for each third add-on unit, an extra diagonal brace is required. Instead of diagonal braces, rear panels can be used – or lengthwise braces in order to make the unit accessible from both sides. Diagonal brace: Art. no. **50.026.000**.

## Basic and add-on shelf units


### Basic unit

2 pairs of shelf supports incl.  
6 horizontal braces  
1 diagonal brace, galvanised  
5-6 shelves, slotted (thickness 25 mm)



### Add-on unit

1 pair of shelf supports, incl.  
3 horizontal braces  
5-6 shelves, slotted (thickness 25 mm)




				400 mm		500 mm		600 mm	
		Number of shelves	Shelf load	Basic unit Art. no.	Add-on unit Art. no.	Basic unit Art. no.	Add-on unit Art. no.	Basic unit Art. no.	Add-on unit Art. no.
2000	1000	5	160	50.200.XXX	50.201.XXX	50.202.XXX	50.203.XXX	50.204.XXX	50.205.XXX
			220	50.236.XXX	50.237.XXX	50.238.XXX	50.239.XXX	50.240.XXX	50.241.XXX
	1300	5	160	50.206.XXX	50.207.XXX	50.208.XXX	50.209.XXX	50.210.XXX	50.211.XXX
			220	50.242.XXX	50.243.XXX	50.244.XXX	50.245.XXX	50.246.XXX	50.247.XXX
2200	1000	5	160	50.212.XXX	50.213.XXX	50.214.XXX	50.215.XXX	50.216.XXX	50.217.XXX
			220	50.248.XXX	50.249.XXX	50.250.XXX	50.251.XXX	50.252.XXX	50.253.XXX
	1300	5	160	50.218.XXX	50.219.XXX	50.220.XXX	50.221.XXX	50.222.XXX	50.223.XXX
			220	50.254.XXX	50.255.XXX	50.256.XXX	50.257.XXX	50.258.XXX	50.259.XXX
2500	1000	6	160	50.224.XXX	50.225.XXX	50.226.XXX	50.227.XXX	50.228.XXX	50.229.XXX
			220	50.260.XXX	50.261.XXX	50.262.XXX	50.263.XXX	50.264.XXX	50.265.XXX
	1300	6	160	50.230.XXX	50.231.XXX	50.232.XXX	50.233.XXX	50.234.XXX	50.235.XXX
			220	50.272.XXX	50.273.XXX	50.280.XXX	50.281.XXX	50.288.XXX	50.289.XXX



## Dimensions and load capacities

- Max. load per unit 1,000 kg
- Max. compartment load: 80, 160, 220, 280 kg
- Adjustment increment: 25 mm



## Planning instructions

### Calculating the external dimensions

Overall width of shelving: Total shelf widths + 50 mm (base plate external)  
Overall depth of shelving: Shelf depth + 36 mm

Basic unit				Add-on unit			
836				836			
636				636			
536				536			
436				436			
386				386			
336				336			
D				D			
W	900	1050	1350	W	850	1000	1300


### Max. base and extension section per shelving unit

Shelf spacing (mm)	150	300	450	600	max. 750
Permissible section load with diagonals or longitudinal connectors (kg)	max. 800	max. 770	max. 750	max. 710	max. 680
Permissible section load with rear panels (kg)	max. 1050	max. 1000	max. 950	max. 900	max. 850


**!** The load data apply only for uniformly distributed load!  
Please observe the safety instructions on page 226.

## Basic and add-on shelf units


### Compartment load 80 or 160 kg, galvanised or painted




**Basic unit**  
2 solid sheet side panels  
1 diagonal brace, galvanised  
4–7 shelves, plain (thickness 25 mm)



**Add-on unit**  
1 solid sheet side panel  
4–7 shelves, plain (thickness 25 mm)




**Basic unit**  
2 solid sheet side panels  
1 rear panel, plain (2-part)  
4–7 shelves, plain (thickness 25 mm)




**Add-on unit**  
1 solid sheet side panel  
1 rear panel, plain (2-part)  
4–7 shelves, plain (thickness 25 mm)



**Basic unit**  
2 solid sheet side panels  
1 rear panel, plain (2-part)  
1 hinged door, lockable  
6–7 shelves, plain (thickness 25 mm)



**Add-on unit**  
1 solid sheet side panel  
1 rear panel, plain (2-part)  
1 hinged door, lockable  
6–7 shelves, plain (thickness 25 mm)



**Basic unit**  
2 solid sheet side panels  
1 rear panel, plain (2-part)  
7 drawers (3 × 100, 4 × 150 mm)  
4 shelves, plain (thickness 25 mm)



**Add-on unit**  
1 solid sheet side panel  
1 rear panel, plain (2-part)  
7 drawers (3 × 100, 4 × 150 mm)  
4 shelves, plain (thickness 25 mm)

		1000 × 350 mm		1000 × 500 mm	
		Compartment load 80 kg		Compartment load 160 kg	
		Basic unit	Add-on unit	Basic unit	Add-on unit

	Number of shelves	Art. no.	Art. no.	Art. no.	Art. no.
1100	4	45.919.XXX	45.928.XXX	-	-
1450	5	45.922.XXX	45.931.XXX	-	-
1800	6	45.925.XXX	45.934.XXX	-	-
2000	6	50.300.XXX	50.301.XXX	50.302.XXX	50.303.XXX
2200	7	50.304.XXX	50.305.XXX	50.306.XXX	50.307.XXX

1100	4	45.955.XXX	45.964.XXX	-	-
1450	5	45.958.XXX	45.967.XXX	-	-
1800	6	45.961.XXX	45.970.XXX	-	-
2000	6	50.308.XXX	50.309.XXX	50.405.XXX	50.406.XXX
2200	7	50.407.XXX	50.408.XXX	50.409.XXX	50.410.XXX









2000	6	50.411.XXX	50.412.XXX	50.413.XXX	50.414.XXX
2200	7	50.415.XXX	50.416.XXX	50.417.XXX	50.418.XXX

2000	4	-	-	50.419.XXX	50.420.XXX
2200	4	-	-	50.421.XXX	50.422.XXX

## 1a. Pair of shelf supports Max. load per unit, 2,800 kg

Consisting of 2 shelf supports, 2 base plates and 3 horizontal braces (4 horizontal braces for height of 3000 mm). Slots 25 mm apart for attaching shelf supports at any height, including fastening material. Specification: Shelf supports in cold-rolled C profile, 40 x 75 mm, with 6 edge turns for maximum stability. Base plate, galvanised. Without Floor anchoring. Colour: As per colour chart or galvanised.




	300	350	400	500	600	800
	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
1100	45.680.XXX	45.681.XXX	45.682.XXX	46.380.XXX	46.381.XXX	46.382.XXX
1450	45.683.XXX	45.684.XXX	45.685.XXX	46.383.XXX	46.384.XXX	46.385.XXX
1800	45.686.XXX	45.687.XXX	45.688.XXX	45.689.XXX	45.690.XXX	45.691.XXX
2000	50.000.XXX	50.001.XXX	50.002.XXX	50.003.XXX	50.004.XXX	50.005.XXX
2200	50.516.XXX	50.517.XXX	50.518.XXX	50.519.XXX	50.520.XXX	50.521.XXX
2500	50.006.XXX	50.007.XXX	50.008.XXX	50.009.XXX	50.010.XXX	50.011.XXX
3000	45.692.XXX	45.693.XXX	45.694.XXX	45.695.XXX	45.696.XXX	45.697.XXX
Dimensions (W x D) mm	40 x 304	40 x 354	40 x 404	40 x 504	40 x 604	40 x 804



### Additional horizontal braces

Specification: Steel sheet. Colour: As per colour chart or galvanised.

Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
45.510.XXX	45.511.XXX	45.512.XXX	45.513.XXX	45.514.XXX	45.515.XXX



### Shelf support cover

For covering the top of shelf supports. Specification: Steel sheet. Colour: As per colour chart or galvanised.

Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
50.510.XXX	50.511.XXX	50.512.XXX	50.513.XXX	50.514.XXX	50.515.XXX



### Intermediate fill-in strip

To close off intermediate spaces when shelves are at the same height. Not suitable for use with partitions. Description: sheet steel. Colour: according to colour chart or galvanised.

Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
45.810.XXX	45.811.XXX	45.812.XXX	45.813.XXX	45.814.XXX	45.815.XXX



### Extension unit, per pair of shelf supports

For shelving heights up to 5 m including fastening material. The static calculations for the extension will be carried out by LISTA's specialists. Specification: Galvanised.

Art. no.  
50.484.000

 Levelling plates and floor anchoring on page 229.











**1b. Solid sheet side panel**  **Max. load per unit 1,000 kg**

Standard with triangular folded reinforcing at the front. Slots 25 mm apart for attaching shelf supports. Including base plate set, galvanised. Specification: Steel sheet. Without Floor anchoring. Colour: As per colour chart or galvanised.







**NEW!**  
Shelf heights 1,100mm, 1,450 mm and 1,800 mm for 3, 4 or 5 file heights

**!** Side panel with T-edging for add-on units with rear panels.

 		300	350	400	500	600	800
		Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
1100	Standard	45.607.XXX	45.608.XXX	45.609.XXX	46.386.XXX	46.387.XXX	46.388.XXX
	T-edging	45.637.XXX	45.638.XXX	45.639.XXX	46.395.XXX	46.396.XXX	46.397.XXX
1450	Standard	45.610.XXX	45.611.XXX	45.612.XXX	46.389.XXX	46.390.XXX	46.391.XXX
	T-edging	45.640.XXX	45.641.XXX	45.642.XXX	46.398.XXX	46.399.XXX	46.400.XXX
1800	Standard	45.613.XXX	45.614.XXX	45.615.XXX	46.392.XXX	46.393.XXX	46.394.XXX
	T-edging	45.643.XXX	45.644.XXX	45.645.XXX	46.401.XXX	46.402.XXX	46.403.XXX
2000	Standard	50.193.XXX	50.194.XXX	50.195.XXX	50.196.XXX	50.197.XXX	50.198.XXX
	T-edging	50.534.XXX	50.535.XXX	50.536.XXX	50.537.XXX	50.538.XXX	50.539.XXX
2200	Standard	50.522.XXX	50.523.XXX	50.524.XXX	50.525.XXX	50.526.XXX	50.527.XXX
	T-edging	50.540.XXX	50.541.XXX	50.542.XXX	50.543.XXX	50.544.XXX	50.545.XXX
2500	Standard	50.528.XXX	50.529.XXX	50.530.XXX	50.531.XXX	50.532.XXX	50.533.XXX
	T-edging	50.546.XXX	50.547.XXX	50.548.XXX	50.549.XXX	50.550.XXX	50.024.XXX
Dimensions (W × D) mm		30 × 336	30 × 386	30 × 436	30 × 536	30 × 636	30 × 836

**!** Adapter side panel with T-edging for combining depth 350 with 500 mm including 2 shelf supports

	500
	Art. no. 
2000	50.032.XXX
2200	50.033.XXX
2500	50.034.XXX
Dimensions (W × D) mm	
30 × 536	


**Shelf supports for additional shelves**

For the adapter side panel with T-edge, special shelf supports are required if shelves at the same height are used next to one another. Two of these are required for each shelf.

Art. no.  
45.739.000

10 pieces

**Levelling plates, 50 × 100 mm**


To compensate for height. Enable units to be aligned with precision on uneven floors. Specification: PVC. Colour: Grey.



	Thickness 1 mm	Thickness 2 mm	Thickness 4 mm
Art. no.	50.481.000	50.482.000	50.483.000

**Floor anchoring**

Please follow the assembly instructions provided. For single shelf units, 2 per side panel or 2 per pair of shelf supports.




<b>Floor anchor</b>	Art. no.
M8 × 80, each	50.299.000

**!** Please observe the safety instructions on page 226.



# Shelving systems | Universal shelving L1006, single components




## Side panel cover, plain or perforated

Add-on panel for covering the shelf supports or the rows of slots in the solid sheet side panels. Can be attached left or right. For perforated side panel cover: 10 × 10 mm square holes and 38 mm divisions for holding keyhole hooks. Specification: Steel sheet, 2-part for height 3000 mm (1000 + 2000 mm). Colour: As per colour chart or galvanised.

D H			300	350	400	500	600	800
			Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
1100	Plain		45.616.XXX	45.617.XXX	45.618.XXX	46.404.XXX	46.405.XXX	46.406.XXX
	Plain, per pair*		-	45.890.XXX	45.894.XXX	-	-	-
1450	Plain		45.619.XXX	45.620.XXX	45.621.XXX	46.407.XXX	46.408.XXX	46.409.XXX
	Plain, per pair*		-	45.891.XXX	45.895.XXX	-	-	-
1800	Plain		45.622.XXX	45.623.XXX	45.624.XXX	45.646.XXX	45.647.XXX	45.648.XXX
	Plain, per pair*		-	45.892.XXX	45.896.XXX	-	-	-
2000	Plain		50.012.XXX	50.013.XXX	50.014.XXX	50.015.XXX	50.016.XXX	50.017.XXX
	Plain, per pair*		-	45.893.XXX	45.897.XXX	-	-	-
	Perforated		50.337.XXX	50.338.XXX	50.339.XXX	50.340.XXX	50.341.XXX	50.342.XXX
2200	Plain		50.331.XXX	50.332.XXX	50.333.XXX	50.334.XXX	50.335.XXX	50.336.XXX
	Perforated		50.343.XXX	50.344.XXX	50.345.XXX	50.346.XXX	50.347.XXX	50.348.XXX
2500	Plain		50.018.XXX	50.019.XXX	50.020.XXX	50.021.XXX	50.022.XXX	50.023.XXX
	Perforated		50.349.XXX	50.350.XXX	50.351.XXX	50.352.XXX	50.353.XXX	50.354.XXX
3000	Plain		45.820.XXX	45.821.XXX	45.822.XXX	45.823.XXX	45.824.XXX	45.825.XXX
	Perforated		45.826.XXX	45.827.XXX	45.828.XXX	45.829.XXX	45.830.XXX	45.831.XXX
Dimensions (W) mm			21	21	21	21	21	21

\*Filler panels (left and right) for covering the rows of slots in the side panels and for flush closure with the front triangular edging of the side panels.



## Grating cover, side panel cover or partition (plain) for shelf supports

Side panel grating cover: The gratings are clamped in place by the shelf supports and shelves. Can also be used as partition.

Specification: Steel wire 3.0 mm, mesh size 50 × 50 mm, galvanised, blue chromated according to DIN 50961.

Partition (plain): Is placed between the shelf supports and held in place by the shelves. Specification: Steel sheet, 2-part for height 3000 mm (1000 + 2000 mm). Colour: As per colour chart or galvanised.


D H			300	350	400	500	600	800
			Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
2000	Grating		50.387.000	50.388.000	50.389.000	50.390.000	50.391.000	50.392.000
	Plain		50.375.XXX	50.376.XXX	50.310.XXX	50.311.XXX	50.312.XXX	50.377.XXX
2200	Grating		50.393.000	50.394.000	50.395.000	50.396.000	50.397.000	50.398.000
	Plain		50.378.XXX	50.379.XXX	50.380.XXX	50.381.XXX	50.382.XXX	50.383.XXX
2500	Grating		50.399.000	50.400.000	50.401.000	50.402.000	50.403.000	50.404.000
	Plain		50.384.XXX	50.385.XXX	50.313.XXX	50.314.XXX	50.315.XXX	50.386.XXX
3000	Grating		45.832.000	45.833.000	45.834.000	45.835.000	45.836.000	45.837.000
	Plain		45.838.XXX	45.839.XXX	45.840.XXX	45.841.XXX	45.842.XXX	45.843.XXX
Dimensions (W) mm			3	3	3	3	3	3

## Base covers

Protects against dust and dirt. The base covers rest on the base plates and are hooked into the shelf supports or side panels by shelf supports. Including fastening material. Specification: Steel sheet. Colour: as per colour chart, **not available in galvanised version.**

W H		850	1000	1300
		Art. no.	Art. no.	Art. no.
25 mm		50.432.XXX	50.433.XXX	50.434.XXX





## 2. Diagonal brace

For stabilising the shelving units lengthwise. Fastening material included. Specification: Steel, galvanised.

### Diagonal brace arrangement:

For each basic unit and for every third add-on unit, an extra diagonal brace is required.




## Lengthwise braces

Instead of diagonal braces, lengthwise braces (at the top and bottom) can be used in order to make the unit accessible from both sides.

Including fastening material.

Specification: Steel sheet.

Colour: As per colour chart or galvanised.



## Rear panels, plain or perforated

The rear panel cover for shelving sections also stabilises the units lengthwise and is screwed to the shelf supports or side panels.

For perforated rear panel: Specification: 10 × 10 mm square holes and 38 mm divisions for holding keyhole hooks (see page 163). Including fastening material.

Specification: 2-part, sheet steel.

Colour: As per colour chart or galvanised.

## Rear grating

Rear grating filling for shelf units. The rear gratings are screwed to the shelf supports or side panels. Including fastening material. Specification: Steel wire 3.0 mm.

Mesh size 50 × 50 mm, galvanised, blue chromated according to DIN 50961.

**!** To stabilise the shelving systems lengthwise, diagonal or lengthwise braces must be used in addition to the perforated rear panel.



**!** **Rear panel link piece** is absolutely essential for all rear panels used in combination with shelf supports. Basic unit: 2 × width 80 mm and for each add-on unit 1 × width 120 mm. Specification: Steel sheet. Colour: As per colour chart or galvanised.

H ↑	W →	Model	Art. no.
1100–1450	850–1000	for shelf supports and solid sheet side panel	<b>45.655.000</b>
1100–1450	1300	for shelf supports	<b>327.795.000</b>
1100–1450	1300	for solid sheet side panel	<b>344.289.000</b>
1800–2500	850–1300	for shelf supports and solid sheet side panel	<b>50.026.000</b>
3000	850–1300	for shelf supports and solid sheet side panel	<b>45.844.000</b>

W →	850	1000	1300
version	Art. no.	Art. no.	Art. no.
For shelf supports, per pair, height 185 mm	<b>50.319.XXX</b>	<b>50.320.XXX</b>	<b>50.321.XXX</b>
For solid sheet side panel, per pair, height 185 mm	<b>50.322.XXX</b>	<b>50.323.XXX</b>	<b>50.324.XXX</b>

W →		850	1000	1300
H ↑		Art. no.	Art. no.	Art. no.
1100	Plain	<b>45.600.XXX</b>	<b>45.601.XXX</b>	<b>46.410.XXX</b>
1450	Plain	<b>45.602.XXX</b>	<b>45.603.XXX</b>	<b>46.411.XXX</b>
1800	Plain	<b>45.604.XXX</b>	<b>45.605.XXX</b>	<b>45.606.XXX</b>
2000	Plain	<b>50.355.XXX</b>	<b>50.027.XXX</b>	<b>50.029.XXX</b>
	Perforated	<b>50.360.XXX</b>	<b>50.361.XXX</b>	<b>50.362.XXX</b>
	Grating	<b>50.423.000</b>	<b>50.424.000</b>	<b>50.425.000</b>
2200	Plain	<b>50.356.XXX</b>	<b>50.357.XXX</b>	<b>50.358.XXX</b>
	Perforated	<b>50.363.XXX</b>	<b>50.364.XXX</b>	<b>50.365.XXX</b>
	Grating	<b>50.426.000</b>	<b>50.427.000</b>	<b>50.428.000</b>
2500	Plain	<b>50.359.XXX</b>	<b>50.028.XXX</b>	<b>50.030.XXX</b>
	Perforated	<b>50.366.XXX</b>	<b>50.367.XXX</b>	<b>50.368.XXX</b>
	Grating	<b>50.429.000</b>	<b>50.430.000</b>	<b>50.431.000</b>
3000	Plain	<b>45.845.XXX</b>	<b>45.846.XXX</b>	<b>45.847.XXX</b>
	Perforated	<b>45.848.XXX</b>	<b>45.849.XXX</b>	<b>45.850.XXX</b>
	Grating	<b>45.851.000</b>	<b>45.852.000</b>	<b>45.853.000</b>


W →	80	120
H ↑	Art. no.	Art. no.
1100	<b>45.649.XXX</b>	<b>45.650.XXX</b>
1450	<b>45.651.XXX</b>	<b>45.652.XXX</b>
1800	<b>45.653.XXX</b>	<b>45.654.XXX</b>
2000	<b>50.369.XXX</b>	<b>50.370.XXX</b>
2200	<b>50.371.XXX</b>	<b>50.372.XXX</b>
2500	<b>50.373.XXX</b>	<b>50.374.XXX</b>
3000	<b>45.854.XXX</b>	<b>45.855.XXX</b>







# Shelving systems | Universal shelving L1006, single components


## 3. Shelves, plain or slotted Max. compartment load 80, 160, 220, 280 and 350 kg

Including floor anchor. Shelf thickness 25 mm. Specification: Steel sheet. Colour: As per colour chart or galvanised.



				300	350	400	500	600	800
		Shelf load		Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 	Art. no. 
850	80	Plain		50.035.XXX	50.036.XXX	50.038.XXX	-	-	-
				50.080.XXX	50.081.XXX	50.083.XXX	-	-	-
	160	Plain		55.737.XXX	50.037.XXX	50.039.XXX	50.041.XXX	50.044.XXX	50.047.XXX
				55.738.XXX	50.082.XXX	50.084.XXX	50.086.XXX	50.089.XXX	50.092.XXX
	220	Plain		-	-	50.040.XXX	50.042.XXX	50.045.XXX	50.048.XXX
				-	-	50.085.XXX	50.087.XXX	50.090.XXX	50.096.XXX
	280	Plain		-	-	-	50.043.XXX	50.046.XXX	50.049.XXX
				-	-	-	50.088.XXX	50.091.XXX	50.097.XXX
	80	Slotted		50.050.XXX	50.051.XXX	50.053.XXX	-	-	-
				50.098.XXX	50.164.XXX	50.166.XXX	-	-	-
1000	160	Plain		55.739.XXX	50.052.XXX	50.054.XXX	50.056.XXX	50.059.XXX	50.062.XXX
				55.741.XXX	50.165.XXX	50.167.XXX	50.169.XXX	50.172.XXX	50.175.XXX
	220	Plain		-	-	50.055.XXX	50.057.XXX	50.060.XXX	50.063.XXX
				-	-	50.168.XXX	50.170.XXX	50.173.XXX	50.176.XXX
	280	Plain		-	-	-	50.058.XXX	50.061.XXX	50.064.XXX
				-	-	-	50.171.XXX	50.174.XXX	50.177.XXX
	350	Plain		-	-	-	45.550.XXX	45.551.XXX	45.552.XXX
				-	-	-	45.556.XXX	45.557.XXX	45.558.XXX
	80	Slotted		50.065.XXX	50.066.XXX	50.068.XXX	-	-	-
				50.178.XXX	50.179.XXX	50.181.XXX	-	-	-
1300	160	Plain		55.746.XXX	50.067.XXX	50.069.XXX	50.071.XXX	50.074.XXX	50.077.XXX
				55.747.XXX	50.180.XXX	50.182.XXX	50.184.XXX	50.187.XXX	50.190.XXX
	220	Plain		-	-	50.070.XXX	50.072.XXX	50.075.XXX	50.078.XXX
				-	-	50.183.XXX	50.185.XXX	50.188.XXX	50.191.XXX
	280	Plain		-	-	-	50.073.XXX	50.076.XXX	50.079.XXX
				-	-	-	50.186.XXX	50.189.XXX	50.192.XXX





### Stop bars for sloping shelves

The stop bars can be screwed front and back to the shelf supports or side panels. The shelves and stop bars can also be slotted in at an angle. Ideal for making material and parts available according to the FIFO principle. Specification: Steel sheet. Colour: As per colour chart or galvanised.

W →	850	1000	1300
Art. no.	Art. no.	Art. no.	Art. no.
	50.316.XXX	50.317.XXX	50.318.XXX

#### Max. angle of inclination of the shelves:


Depth 300 = 33°, 350 = 29°, 400 = 28°, 500 = 25°, 600 = 23°, 800 = 20°



### Shelf labelling

Self-adhesive plastic label strips with hinged transparent protector, including labels. Width × height, 210 × 22 mm.


Sales units	Art. no.
10 pieces	18.931.000



### Dividers

For subdividing slotted shelves. Specification: Steel sheet. Colour: As per colour chart or galvanised. Sales unit: 10 pcs.

D ↗	300	350	400	500	600	800
H ↑	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
100	50.103.XXX	50.106.XXX	50.109.XXX	50.112.XXX	50.115.XXX	50.118.XXX
150	50.104.XXX	50.107.XXX	50.110.XXX	50.113.XXX	50.116.XXX	50.119.XXX
200	50.105.XXX	50.108.XXX	50.111.XXX	50.114.XXX	50.117.XXX	50.120.XXX



### Shelf dividers

For subdividing slotted shelves. The height of the shelf dividers, slotted in at the top and the bottom, depends on the distance between the shelves. Clear shelf spacing = shelf divider height. Specification: Steel sheet. Colour: As per colour chart or galvanised. Sales unit: 10 pcs.

D ↗	300	350	400	500	600	800
H ↑	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
250	50.121.XXX	50.126.XXX	50.131.XXX	50.136.XXX	50.141.XXX	50.146.XXX
300	50.122.XXX	50.127.XXX	50.132.XXX	50.137.XXX	50.142.XXX	50.147.XXX
325	50.123.XXX	50.128.XXX	50.133.XXX	50.138.XXX	50.143.XXX	50.148.XXX
350	50.124.XXX	50.129.XXX	50.134.XXX	50.139.XXX	50.144.XXX	50.149.XXX
400	50.125.XXX	50.130.XXX	50.135.XXX	50.140.XXX	50.145.XXX	50.150.XXX



# Shelving systems | Universal shelving L1006, single components

## 4. Shelf front cover strip

For storing bulk goods and small parts. Is screwed to the shelf supports or side panels. Including fastening material. Specification: Steel sheet, Colour: As per colour chart or galvanised.




	W →	850	1000	1300
H ↑		Art. no.	Art. no.	Art. no.
75		50.435.XXX	50.436.XXX	50.437.XXX



## Drawers

Smooth-running drawers with full extension for ideal storage of small parts and tools. Load capacity 50 kg. Specification: Steel sheet, Colour: As per colour chart, **not available in galvanised version**.



	W → D ↗	1000 × 350	1000 × 500
H ↑		Art. no.	Art. no.
75		55.165.XXX	55.172.XXX
100		55.166.XXX	55.173.XXX
150		55.167.XXX	55.174.XXX
LISTA units		54 × 18 E	54 × 27 E
Useable drawer size (W × D mm)		918 × 306	918 × 459



## Drip trays


Can be placed loose on the shelves with a shelf width of 1,000 mm. Can also be removed if hinged doors are used. Specification: Height 100 mm, chromium steel. Material thickness: 2 mm. Welded liquid-tight. Designed according to Section 19 WHG (German Water Resources Act) / StawaR (German directive on steel trays). The drip tray is leak-tested and has a data plate to that effect as well as a test certificate.



	↗	300	350	400	500	600	800
W →		Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
1000		53.823.000	53.828.000	53.824.000	53.825.000	53.826.000	53.827.000
Capacity in litres		26	32	36	45	54	72

## Pull-out shelf

Load capacity 50 kg. Model: sheet steel. Colour: as per colour chart, **not available in galvanised version**.




	W →	850	1000	1300
		757	907	1207
D ↗		Art. no.	Art. no.	Art. no.
350	332	46.370.XXX	46.371.XXX	46.372.XXX
400	382	46.373.XXX	46.374.XXX	46.375.XXX
500	482	46.376.XXX	46.377.XXX	46.378.XXX



## Pull-out suspension filing frame

Suitable for A4 suspension files. Max. load capacity 50 kg. Specification: Steel sheet. Colour: As per colour chart, **not available in galvanised version**.




	W →	850	1000	1300
D ↗		Art. no.	Art. no.	Art. no.
350		50.441.XXX	50.444.XXX	50.446.XXX
400		50.442.XXX	50.445.XXX	50.447.XXX
500		50.443.XXX	50.156.XXX	50.448.XXX



## Lateral profiles

**C700.16** for storage system: Vetro lateral file A4 landscape (985 × 450 A4 lateral and folio)


**C700.17** for storage system: Datox EDP files, Monopendex files, ELBA centre point suspension files 91460, Leitz suspension files, Eichner suspension files. Specification: Steel sheet, Colour: Grey, NCS S 2502-R. Including fastening material.



	W →	850	1000	1300
D ↗ version		Art. no.	Art. no.	Art. no.
350	C700.16	35.143.000	32.559.000	50.154.000
	C700.17	35.149.000	32.581.000	50.157.000
500	C700.16	35.147.000	32.578.000	50.155.000
	C700.17	35.153.000	32.599.000	50.158.000



C700.16



C700.17






### Centre partition

For vertically subdividing complete shelf units with a depth of 500 mm. The centre divider is fixed in place by the shelves. Width 30 mm. Height of centre divider = shelf unit height - 25 mm. Specification: Steel sheet. Colour: As per colour chart or galvanised.

	H ↑	2000	2200	2500
D ↗		Art. no.	Art. no.	Art. no.
500		50.328.XXX	50.329.XXX	50.330.XXX


**!** Select the top shelf so that it fits over the entire width of the shelving unit. Further assembly of the shelving units takes place with shelves for the centre partition.



### Plain shelves, smooth, for centre divider

Including floor anchor. Shelf thickness 25 mm. Unit load 80 kg. Specification: Steel sheet. Colour: As per colour chart or galvanised.


	W →	425	500	650
D ↗		Art. no.	Art. no.	Art. no.
500		50.325.XXX	50.326.XXX	50.327.XXX



### Clothes rail for centre divider

The clothes rails are fitted by means of crossbar plates and shelf supports. Specification: Rail made of anodised aluminium, Ø 27 mm, crossbars in sheet steel. Load capacity 50 kg. Colour of the crossbars: As per colour chart or galvanised.


	W →	425	500	650
D ↗		Art. no.	Art. no.	Art. no.
500		50.495.XXX	50.496.XXX	50.497.XXX



### Clothes rail

The clothes rails are fitted by means of crossbar plates and shelf supports. Specification: Rail made of anodised aluminium, Ø 27 mm, crossbars in sheet steel. Load capacity 50 kg. Colour of the crossbars: As per colour chart or galvanised.

	W →	850	1000	1300
D ↗		Art. no.	Art. no.	Art. no.
400		50.498.XXX	50.502.XXX	50.506.XXX
500		50.499.XXX	50.503.XXX	50.507.XXX
600		50.500.XXX	50.504.XXX	50.508.XXX
800		50.501.XXX	50.505.XXX	50.509.XXX



### Organising rail

For vertical storage, compartment division and for storing various materials in rings (cables, vee belts and tubing). The crossbars are screwed to the shelf supports or side panels. Load capacity 50 kg. The brackets are screwed to the crossbar. Including fastening material. Specification: Steel sheet. Colour: As per colour chart, **not available in galvanised version**.

### Crossbars

	W →	850	1000	1300
		Art. no.	Art. no.	Art. no.
		50.486.XXX	50.487.XXX	50.488.XXX

### Brackets

	D ↗	300	350	400	500	600	800
		Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
		50.489.XXX	50.490.XXX	50.491.XXX	50.492.XXX	50.493.XXX	50.494.XXX



### Pair of tyre shelf levels

Screwed together with the shelf supports. Model: sheet steel, galvanised.

W →	Shelf load kg	Model	Cod. art
1000	160	per pair	46.028.222
1300	160	per pair	46.029.222



## 5. Hinged doors

Hinged with a 2-point bar lock with a recess for a clasp lock (must be ordered separately). The hinged doors can also be retrofitted to all shelf units. Specification: Steel sheet. Colour: As per colour chart, **not available in galvanised version**.  
Shelving depth with hinged door = shelving depth side panel/pair of shelf supports +30 mm



H ↑	W →	Shelf supports			Side panel		
		850	1000	1300	850	1000	1300
1100		Art. no.  46.412.XXX	Art. no.  46.413.XXX	Art. no.  46.414.XXX	Art. no.  45.631.XXX	Art. no.  45.632.XXX	Art. no.  46.421.XXX
1450		46.415.XXX	46.416.XXX	46.417.XXX	45.633.XXX	45.634.XXX	46.422.XXX
1800		46.418.XXX	46.419.XXX	46.420.XXX	45.635.XXX	45.636.XXX	46.423.XXX
2000		50.472.XXX	50.473.XXX	50.474.XXX	50.467.XXX	50.160.XXX	50.162.XXX
2200		50.475.XXX	50.476.XXX	50.477.XXX	50.468.XXX	50.469.XXX	50.470.XXX
2500		50.478.XXX	50.479.XXX	50.480.XXX	50.471.XXX	50.161.XXX	50.163.XXX

### Cover profile with supports

Basic unit: 2 × cover profile and for each add-on unit 1 × cover profile.  
Specification: sheet steel. Colour: As per colour chart, **not available in galvanised version**.

**!** Cover profile for hinged doors is absolutely essential for all hinged doors used in combination with shelf supports.

H ↑	1100	1450	1800	2000	2200	2500
Art. no.	46.424.XXX	46.425.XXX	46.426.XXX	45.740.XXX	45.741.XXX	45.742.XXX

### + Clasp lock

KEY Lock, separately lockable	49.060.000
CODE Lock	49.085.000
RFID Lock	49.086.000



### + Clasp lock cover (optional)

Rear clasp lock cover for a more attractive appearance.  
Specification: sheet steel. Colour: As per colour chart.

45.868.XXX

## Sliding doors

Two shelving sections are closed with each sliding door. Running smoothly and quietly on castors: In a runner and guide rail which are fastened to the shelf supports at the bottom and/or at the top. Lockable with a lock-down cylinder lock. **The lock must be ordered separately**. The doors can be opened wide enough for one entire shelving unit to be freely accessible. The sliding doors can also be fitted later. Specification: Steel sheet. Colour: As per colour chart, **not available in galvanised version**. Shelving depth with hinged door = shelving depth side panel/pair of shelf supports +105 mm

H ↑	W →	Shelf supports			Side panel		
		2 × 850	2 × 1000	2 × 1300	2 × 850	2 × 1000	2 × 1300
2000		Art. no.  50.458.XXX	Art. no.  50.459.XXX	Art. no.  50.460.XXX	Art. no.  50.449.XXX	Art. no.  50.450.XXX	Art. no.  50.451.XXX
2200		50.461.XXX	50.462.XXX	50.463.XXX	50.452.XXX	50.453.XXX	50.454.XXX
2500		50.464.XXX	50.465.XXX	50.466.XXX	50.455.XXX	50.456.XXX	50.457.XXX

### + Lock-down cylinder lock

KEY Lock, separately lockable	55.438.000
-------------------------------	------------



## 6. Add-on elements for "Office"

### Sideboard

Equipment: with optional multiplex or resin cover panel. Side panels, side panel covers (right and left) for covering the rows of slots and for flush closure with the front triangular edging, rear panel cover for shelving units and lengthwise stability. 3–4 shelves, slotted (thickness 25 mm) per shelf bay Description: sheet steel. Colour: according to colour chart or galvanised.



<div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div>Actual width mm</div></div>						1000	2 × 1000
<div><div><div></div><div></div></div><div>mm</div></div>	Actual depth mm	<div><div><div></div><div></div></div><div>mm</div></div>	Number shelves	Actual height mm	<div><div><div></div><div></div></div></div>	Art. no. <div><div></div><div></div></div>	Art. no. <div><div></div><div></div></div>
350	395	1100	3	1132	Multiplex	45.975.XXX	45.976.XXX
				1124	Resin	45.977.XXX	45.978.XXX
		1450	4	1482	Multiplex	45.979.XXX	45.980.XXX
				1474	Resin	45.981.XXX	45.982.XXX
400	445	1100	3	1132	Multiplex	45.983.XXX	45.984.XXX
				1124	Resin	45.985.XXX	45.986.XXX
		1450	4	1482	Multiplex	45.987.XXX	45.988.XXX
				1474	Resin	45.989.XXX	45.990.XXX
Shelf load (kg)						80	80



### Cover panel, resin-coated, thickness 22 mm

Surface and edging light grey, NCS S 1500-N, laminated chipboard (quality class E1), with melamine coating on both sides (manufactured according to standard EN 14322). 2 mm thick plastic edging on all sides. Including double-sided adhesive tape.



### Multiplex cover panel, thickness 30 mm

Made of steamed beech veneers, glued in multiple layers and waterproof (DIN 68 705), bevelled edges, sanded, oiled and waxed surface. The panel is splash-proof, dirt-repellent and largely impervious to oil and grease. Including double-sided adhesive tape.



## Shelving systems | Heavy-duty pull-out shelving systems

**Heavy-duty pull-out shelving systems are ideal for the safe and convenient storage of heavy items such as injection moulds, punching tools, electric motors and pallet goods.** Since they can be loaded using lifting gear, they can be installed in a compact arrangement. Load capacities of up to 9000 kg per unit and the availability of different shelving heights, shelf depths and unit widths and the wide selection of equipment options mean that they can be adapted to perfectly suit any type of storage item.





### **Utmost stability**

through robust, solid design with a very high load capacity of up to 9 t per shelving unit



### **Optimum use of space**

with shelving heights of up to 2.50 m for perfectly organised storage of very heavy inventory items



### **High load capacities**

up to 200 kg per top shelf, up to 1000 kg per fixed and pull-out frame



### **Secure locking**

with smooth-running roller shutters in combination with side and rear panels



### **Can be adapted to new storage items at any time**

– through the flexible integration and rearrangement of fixed and pull-out frames in increments of 100 mm



### **Extremely smooth running**

through smooth-running pull-outs with stops in closed and fully extendable positions



### **Optimum order and organisation**


pallets can be stored lengthwise or crosswise in fixed and pull-out frames



### **Safe and orderly storage**

flush storage achieved by placing sheet metal covers on top or inserting chipboard inserts

## Dimensions and load capacities




**A** = Shelving depth  
**B** = Shelving height  
**C** = Shelving width

**D** = Minimum distance from floor  
**E** = Minimum distance top edge to top edge


**G** = Number of installation widths + number of side frame widths 80 mm + external base plate widths 60 mm  
 Example:  $G = 3 \times 1090 \text{ mm} + 4 \times 80 \text{ mm} + 2 \times 60 \text{ mm} = 3710 \text{ mm}$   
**K1...K4** = Installation heights

### Lengthwise pallet storage



Pallet type	Width mm	Depth mm	Height mm
I	800	1200	150

### Crosswise pallet storage



Pallet type	Width mm	Depth mm	Height mm
I	800	1200	150
II	1200	800	150
III	1200	1000	150
III	1000	800	150

### Shelving depths (A)

<b>D</b> Installed dimensions mm	860	1060	1260
<b>Extension depths (L) mm</b>			
Part extension, 65% extension	510	650	810
Full extension, ~ 100 % extension	790	990	1190

### Shelf widths (C)

<b>W</b> Installed dimensions mm	890	1090	1290
Side frame width	80	80	80
Base plate width	200	200	200

### Load capacities

<b>D</b> Installed dimensions mm	860	1060	1260
Number of pull-out frames			
Fixed frame Number			
Max. load capacity per pull-out or fixed frame			
1 to 5	-	1000	900
1 to 6	-	900	900
1 to 7	-	800	800
1 to 8	-	700	700
1 to 9	-	600	600
-	1 to 9	1000	900
1 to 3	1 to 6	1000	900
1 to 5	1 to 4	800	800
Max. load capacity per top shelf	200	150	100

The maximum load capacities specified must not be exceeded. The load capacities apply only to an evenly distributed load. The maximum load capacity per shelving unit is 9000 kg. **Only one pull-out frame per shelving unit may be pulled out.**

### Shelving heights (B)


<b>H</b> Nominal dimensions mm	1500	2000	2200	2500
--------------------------------	------	------	------	------

#### Installation heights (K)

Top shelf	<b>K1</b>	50 mm
Fixed frame	<b>K2</b>	70 mm
Part extension frame	<b>K3</b>	135 mm
Full extension frame	<b>K4</b>	180 mm

#### Vertical installation distances

Distance from floor (D) minimum	105 mm for fixed frame 165 mm for part extension frame 215 mm for full extension frame
Minimum distance (E) top edge to top edge	100 mm for fixed frame 200 mm for full extension and part extension frame 300 mm for full extension frame with sheet metal cover
Hole spacing	every 100 mm



### Diagonal brace arrangement

the load capacities only apply when, for 6 shelf units or more, 2 shelf units or at least every fifth shelf unit is fitted with rear panels or 1 diagonal brace per 3 units.



### Anchoring rule

Heavy-duty pull-out shelving units must always be anchored.

**+** Optimum use of space for very heavy storage items



**Pallet storage**


- space-saving pallet storage with a load capacity of up to 1000 kg in fixed frames





**Heavy-duty pull-out shelving systems 9000, disassembled**

With 2 pull-out frames for part extension (PE, 65% extension) and 1 fixed frame as top shelf, each including chipboard inserts, 40 mm thick. Can be fitted with side panels, further pull-out and fixed frames, metal covers, sliding doors, roller shutters and column guard. Basic unit including 1 diagonal brace for lengthwise stability, 2 side frames, floor anchor and levelling plate set. Add-on unit including 1 side frame, floor anchor and levelling plate set. Hole spacing in the side frame every 100 mm. Specification: steel sheet. Colour: as per colour chart.

**Note:** from the third add-on unit, an **additional diagonal brace** is required (see p. 242).

**H**  **2000 mm**



		Pull-out frames	Fixed frames	Shelf load kg	Max. load per unit kg	Basic unit Art. no. 	Add-on unit Art. no. 
860	890	2	1	1000	9000	71.530.XXX	71.534.XXX
860	1290	2	1	1000	9000	71.532.XXX	71.536.XXX
1260	890	2	1	800	9000	71.531.XXX	71.535.XXX
1260	1290	2	1	800	9000	71.533.XXX	71.537.XXX



**Heavy-duty pull-out shelves up to 1000 kg**

- for storing large, heavy single items and equipment
- flush storage achieved by placing sheet metal covers on top or inserting chipboard inserts





## ! Side frames

Side frames are perforated at intervals of 100 mm to allow installation of top shelves, fixed and pull-out frames. Front and back columns are welded together with horizontal and diagonal braces to form a rigid frame. Specification: sheet steel pressed profiles. Colour: as per colour chart.

**Caution:** four floor anchors are required per side frame.

## Side frame cover

For covering the top of the side frames. Specification: sheet steel. Colour: according to colour chart.



## Side panels

The side panels and the side frame columns are screwed together. The standard side panels are used for the roller shutter structure. Includes screw fixtures. Specification: sheet steel 1,5 mm. Colour: according to colour chart.



## ! Side frame connections

Screwed to the side frames at the front and rear. Including screw fasteners. Specification: flat steel. Colour: as per colour chart.




## ! Diagonal braces

Used instead of rear panels to stabilise units lengthwise. Including screw fasteners. Specification: Steel, galvanised. Number of diagonal braces: see planning notes p. 240.

or...

## ! Rear panels

The rear panel cover for shelving sections also stabilises the units lengthwise and is screwed to the side frames with the columns. Including fastening material. Specification: steel sheet. Colour: as per colour chart.



Installed dimensions mm



860

1060

1260

### Side frames



	Art. no.	Art. no.	Art. no.
1500	73.000.XXX	73.010.XXX	73.020.XXX
2000	73.001.XXX	73.011.XXX	73.021.XXX
2200	73.002.XXX	73.012.XXX	73.022.XXX
2500	73.003.XXX	73.013.XXX	73.023.XXX

for shelving depth mm



860

1060

1260

### Side frame cover

Art. no.	Art. no.	Art. no.
73.590.XXX	73.591.XXX	73.592.XXX

for shelving depth mm



860

1060

1260

### Side panels



	Art. no.	Art. no.	Art. no.
1500	73.500.XXX	73.510.XXX	73.520.XXX
2000	73.501.XXX	73.511.XXX	73.521.XXX
2200	73.502.XXX	73.512.XXX	73.522.XXX
2500	73.503.XXX	73.513.XXX	73.523.XXX

Installed dimensions mm



890

1090

1290

### Side frame connections

	Art. no.	Art. no.	Art. no.
Per pair	73.060.XXX	73.061.XXX	73.062.XXX

### Diagonal braces



	Art. no.	Art. no.	Art. no.
1500	73.100.000	73.110.000	73.120.000
2000	73.101.000	73.111.000	73.121.000
2200	73.102.000	73.112.000	73.122.000
2500	73.103.000	73.113.000	73.123.000

### Rear panels



	Art. no.	Art. no.	Art. no.
1500	73.530.XXX	73.540.XXX	73.550.XXX
Number of parts/dimensions mm	1 × 1000, 1 × 500	1 × 1000, 1 × 500	1 × 1000, 1 × 500
2000	73.531.XXX	73.541.XXX	73.551.XXX
Number of parts/dimensions mm	2 × 1000	2 × 1000	2 × 1000
2200	73.532.XXX	73.542.XXX	73.552.XXX
Number of parts/dimensions mm	1 × 1000, 2 × 600	1 × 1000, 2 × 600	1 × 1000, 2 × 600
2500	73.533.XXX	73.543.XXX	73.553.XXX
Number of parts/dimensions mm	2 × 1000, 1 × 500	2 × 1000, 1 × 500	2 × 1000, 1 × 500
Actual width mm	1000	1200	1400





### Levelling plates

To compensate for height. Enable units to be aligned with precision on uneven floors. Specification: PVC. Colour: grey.

### Levelling plates

Thickness 1 mm **73.005.000**

Thickness 2 mm **73.006.000**

Thickness 4 mm **73.007.000**

Dimensions (W × D mm) 100 × 200



### ! Floor anchoring

Heavy-duty pull-out shelving units must always be anchored.

### Floor anchor

M10 × 130, each **112.991.000**



### Column guard PC6

Safety feature to protect exposed side frames. With 4 holes for floor anchoring. Including 4 segment anchors M12 × 140 mm (drill hole depth 140 mm). Specification: sheet steel, St 37-2. Colour: yellow/black.

### Column guard PC6

W 166 × D 166 × H 322 **43.537.000**



In order to comply with regulations, and for safety reasons, heavy-duty pull-out units must consist of at least these elements



# Shelving systems | Heavy-duty pull-out shelving systems fixed and pull-out frames



## ! Fixed frame

Instead of the top shelves, fixed frames can also be used. The fixed frames are screwed to the side frames. Including screw fasteners. Specification: Pressed profile, welded. Colour: as per colour chart.



## Metal sheet covers for fixed frames

Placed on loosely. Locked in place with a bent section at the front and rear and a stop bracket welded on at the rear. Specification: steel sheet, 2 mm thick. Colour: as per colour chart.



## Chipboard inserts for fixed frames

2-piece, to be inserted into the fixed frames. Specification: chipboard, 40 mm thick.

or...



## Pull-out frames for part extension

Part extension (PE), 65% extension. The pull-out stop secures the pull-out frame in both closed and open positions. The runners are screwed to the side frames. Including screw fasteners. Specification: Pressed profile, welded. Colour: as per colour chart.



## Metal sheet covers for pull-out frames (part extension)

With raised edge on 3 sides, 30 mm high, placed on loosely. Locked in place with a bent section at the front and a stop bracket welded on at the rear. Specification: steel sheet, 2 mm thick. Colour: as per colour chart.



## Chipboard inserts for pull-out frames (part extension)

2-piece, to be inserted into the pull-out frames for part extension. Specification: chipboard, 40 mm thick.

Installed dimensions mm	<b>D</b>	<b>860</b>	<b>1060</b>	<b>1260</b>
Usable depth mm		840	1040	1240

### Fixed frame

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	860	<b>73.030.XXX</b>	<b>73.031.XXX</b>	<b>73.032.XXX</b>
<b>1090</b>	1060	<b>73.040.XXX</b>	<b>73.041.XXX</b>	<b>73.042.XXX</b>
<b>1290</b>	1260	<b>73.050.XXX</b>	<b>73.051.XXX</b>	<b>73.052.XXX</b>
Load capacity (kg)		1000	900	800

### Metal sheet covers for fixed frames

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	860	<b>73.130.XXX</b>	<b>73.131.XXX</b>	<b>73.132.XXX</b>
<b>1090</b>	1060	<b>73.140.XXX</b>	<b>73.141.XXX</b>	<b>73.142.XXX</b>
<b>1290</b>	1260	<b>73.150.XXX</b>	<b>73.151.XXX</b>	<b>73.152.XXX</b>

### Chipboard inserts for fixed frames

<b>W</b>	Usable/actual width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	860 / 869	<b>73.430.000</b>	<b>73.431.000</b>	<b>73.432.000</b>
<b>1090</b>	1060 / 1069	<b>73.440.000</b>	<b>73.441.000</b>	<b>73.442.000</b>
<b>1290</b>	1260 / 1269	<b>73.450.000</b>	<b>73.451.000</b>	<b>73.452.000</b>
Actual depth mm (2-part)		345	445	545

Installed dimensions mm	<b>D</b>	<b>860</b>	<b>1060</b>	<b>1260</b>
Usable depth mm		810	1010	1210

### Pull-out frames for part extension

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800	<b>73.070.XXX</b>	<b>73.071.XXX</b>	<b>73.072.XXX</b>
<b>1090</b>	1000	<b>73.080.XXX</b>	<b>73.081.XXX</b>	<b>73.082.XXX</b>
<b>1290</b>	1200	<b>73.090.XXX</b>	<b>73.091.XXX</b>	<b>73.092.XXX</b>
Load capacity (kg)		1000	900	800

### Metal sheet covers for pull-out frames (part extension)

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800	<b>73.270.XXX</b>	<b>73.271.XXX</b>	<b>73.272.XXX</b>
<b>1090</b>	1000	<b>73.280.XXX</b>	<b>73.281.XXX</b>	<b>73.282.XXX</b>
<b>1290</b>	1200	<b>73.290.XXX</b>	<b>73.291.XXX</b>	<b>73.292.XXX</b>

### Chipboard inserts for pull-out frames (part extension)

<b>W</b>	Usable/actual width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800 / 772	<b>73.470.000</b>	<b>73.471.000</b>	<b>73.472.000</b>
<b>1090</b>	1000 / 972	<b>73.480.000</b>	<b>73.481.000</b>	<b>73.482.000</b>
<b>1290</b>	1200 / 1172	<b>73.490.000</b>	<b>73.491.000</b>	<b>73.492.000</b>
Actual depth mm (2-part)		330	430	530

**! In order to comply with regulations, and for safety reasons, heavy-duty pull-out shelving systems must consist of at least these elements.**

or...



### Pull-out frames for full extension

Full extension (FE), 100% extension. The pull-out stop secures the pull-out frame in both closed and open positions. The runners are screwed to the side frames. Including screw fasteners.

Specification: Pressed profile, welded. Colour: as per colour chart.



### Metal sheet covers for pull-out frames (full extension)

With raised edge on 3 sides, 30 mm high, placed on loosely. Locked in place with a bent section at the front and a stop bracket welded on at the rear. Specification: steel sheet, 2 mm thick. Colour: as per colour chart.



### Chipboard inserts for pull-out frames (full extension)

2-piece, to be inserted into the pull-out frames for full extension. Specification: chipboard, 40 mm thick.



### ! Top Shelves

Cover the top of the side frames and provide protection from dust. Fitting material included. Specification: sheet steel. Colour: according to colour chart.



### Roller shutter including top shelf

Pre-assembled roller shutter housing. Roller shutter guided in vertical profiles on side frame. With recess for lever tumbler lock. For initial assembly, including top shelf, pre-drilled, for attaching the roller shutter housing. Description: roller shutter housing and guide profiles made of sheet steel. Colours: according to colour chart. Roller shutter with plastic slats. Colour: pale grey, RAL 7035. Note: the height of the shelving is increased by 323 mm due to the design.

Installed dimensions mm	<b>D</b>	<b>860</b>	<b>1060</b>	<b>1260</b>
Usable depth mm		810	1010	1210

#### Pull-out frames for full extension

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800	<b>73.210.XXX</b>	<b>73.211.XXX</b>	<b>45.008.XXX</b>
<b>1090</b>	1000	<b>73.212.XXX</b>	<b>73.213.XXX</b>	<b>73.214.XXX</b>
<b>1290</b>	1200	<b>45.009.XXX</b>	<b>73.215.XXX</b>	<b>73.216.XXX</b>
Load capacity (kg)		1000	900	800

#### Metal sheet covers for pull-out frames (full extension)

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800	<b>73.217.XXX</b>	<b>73.218.XXX</b>	<b>45.250.XXX</b>
<b>1090</b>	1000	<b>73.219.XXX</b>	<b>73.220.XXX</b>	<b>73.221.XXX</b>
<b>1290</b>	1200	<b>45.251.XXX</b>	<b>73.222.XXX</b>	<b>73.223.XXX</b>

#### Chipboard inserts for pull-out frames (full extension)

<b>W</b>	Usable/actual width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	800 / 680	<b>73.224.000</b>	<b>73.225.000</b>	<b>45.252.000</b>
<b>1090</b>	1000 / 880	<b>73.226.000</b>	<b>73.227.000</b>	<b>73.228.000</b>
<b>1290</b>	1200 / 1080	<b>45.253.000</b>	<b>73.229.000</b>	<b>73.230.000</b>
Actual depth mm (2-part)		330	430	530

Installed dimensions mm	<b>D</b>	<b>860</b>	<b>1060</b>	<b>1260</b>
Usable depth mm		840	1040	1240

#### Top Shelves

<b>W</b>	Usable width mm	Art. no.	Art. no.	Art. no.
<b>890</b>	890	<b>73.650.XXX</b>	<b>73.651.XXX</b>	<b>73.652.XXX</b>
<b>1090</b>	1090	<b>73.660.XXX</b>	<b>73.661.XXX</b>	<b>73.662.XXX</b>
<b>1290</b>	1290	<b>73.670.XXX</b>	<b>73.671.XXX</b>	<b>73.672.XXX</b>
Load capacity (kg)		200	150	100

Installed dimensions mm	<b>D</b>	<b>860</b>	<b>1060</b>	<b>1260</b>
-------------------------	----------	------------	-------------	-------------

#### Roller shutter including top shelf

<b>H</b>	<b>W</b>	Art. no.	Art. no.	Art. no.
<b>2000</b>	<b>890</b>	<b>73.231.XXX</b>	<b>73.232.XXX</b>	<b>73.233.XXX</b>
	<b>1090</b>	<b>73.240.XXX</b>	<b>73.241.XXX</b>	<b>73.242.XXX</b>
	<b>1290</b>	<b>73.249.XXX</b>	<b>73.250.XXX</b>	<b>73.251.XXX</b>
<b>2200</b>	<b>890</b>	<b>73.234.XXX</b>	<b>73.235.XXX</b>	<b>73.236.XXX</b>
	<b>1090</b>	<b>73.243.XXX</b>	<b>73.244.XXX</b>	<b>73.245.XXX</b>
	<b>1290</b>	<b>73.252.XXX</b>	<b>73.253.XXX</b>	<b>73.254.XXX</b>
<b>2500</b>	<b>890</b>	<b>73.237.XXX</b>	<b>73.238.XXX</b>	<b>73.239.XXX</b>
	<b>1090</b>	<b>73.246.XXX</b>	<b>73.247.XXX</b>	<b>73.248.XXX</b>
	<b>1290</b>	<b>73.255.XXX</b>	<b>73.256.XXX</b>	<b>73.257.XXX</b>

#### + lever tumbler lock

KEY Lock, Separately lockable	<b>49.090.000</b>
-------------------------------	-------------------



**A LISTA mobile shelving system is the perfect way to create plenty of storage space in confined areas.** When more space is needed in existing premises, LISTA has the perfect solution: create more space without extending. Fixed shelf units are needed only if simultaneous access to all stored items is necessary; otherwise, aisles between shelf units are simply uneconomical. Instead of many space-consuming service aisles between the fixed shelf units, only one single aisle is needed to provide access to all shelving.



### **A wide variety of equipment options**

with different drives and rail systems



### **Protects against dirt**

through horizontal and vertical dust seals



### **Secure locking option**

central locking system and linking hook provide protection against unauthorised access




### **Outstanding safety features**

aisle can be locked during service times; movement of the system is not possible


## + Benefits of LISTA mobile shelf units

### Conventional storage




30 shelving units each providing 6 shelf metres = **180 shelf metres.**

### Storage with mobile shelf units



54 shelving units each providing 6 shelf metres = **324 shelf metres.**



## + Flexible range of applications

LISTA offers suitable storage solutions for all types of stored goods. Universal and drawer storage walls are perfectly suited for use with mobile substructures. LISTA planning specialists utilise the many options offered by the mobile shelf unit system. Every organisation detail is managed according to your requirements – from the design to the turnkey installation of your system.



### Universal shelving L1006 R Design "Solid sheet side panel"

Diagonal braces or rear panels ensure stability. Depending on the dimensions and specification, shelves have a load capacity between 80 and 280 kg. The maximum load-bearing capacity of a shelving unit is about 500 kg.

For more information on universal shelving systems see page 220.



### Universal shelving L1006 Design "shelf supports"

Suitable for bulky or heavy stored goods. They provide optimum air circulation thanks to their open design. Stability is ensured by diagonal braces or rear panels. Depending on their dimensions, the shelves have a load capacity between 80 and 280 kg. Maximum load capacity per shelving unit up to 1000 kg.

For more information on universal shelving systems see page 220.



### Drawer storage walls

The drawer options for small parts or tools are virtually unlimited. The many drawer sizes together with the large range of partition components provide a flexible and adaptable basis for optimum and material-friendly storage.

For more information on drawer storage walls, see page 84.

# SYSTEMATIC ORGANISATION

**LISTA drawer partition materials create systematic order for all industries and all requirements.** From small parts to NC tools, our plastic boxes, troughs, metal dividers and more provide flexible solutions for practically any kind of storage item. The results speak for themselves: because systematic organisation means less time searching for stored items, simplified workflows and efficient results.

### **Wide range of specifications in a modular system**

with preconfigured sets and freely combinable individual elements such as slotted partitions, metal dividers, plastic boxes, troughs, etc.

### **Fully combinable**


with the entire LISTA range thanks to the standardised unit of measure

### **Fast and easy assembly**

the walls surrounding the interior of the drawers have a slotted grid and the bottoms of the drawers are perforated for the insertion and attachment of slotted partitions, metal dividers, milling cutter holders and holding pins

### **Professional labelling**

with LISTA Script labelling software for labels, clip-on label holders and barcode holders



# Partition material

## + One system, many different options

Thanks to the LISTA Unit measuring system, our partition materials can be freely combined and are compatible with the entire LISTA range. This means that you have the ideal storage system for your particular storage items – either as individual parts or as a preconfigured set.


## + The LISTA Unit (E) – the clever measurement system

Using a practical grid system, the LISTA unit (E) ensures that housings, drawers and partition materials always fit neatly together.

**A LISTA unit (E) is 17 mm** and is based on the grid system for partitioning drawers. Drawer cabinet housings and the drawers that fit into this housing are based on the same LISTA Units, even though they have different dimensions.

### Determining the right partition material:

1. Determine the drawer size in LISTA Units (E)
  2. Determine the dimensions of the set or the individual parts in LISTA Units (E)
  3. The sum in Units of the individual parts must not exceed the sum in Units of the drawer(s)
- Take the usable height of the drawer into account according to the goods to be stored.



» For more information, see fold-out.



## + Wide range of specifications in a modular system



### Plastic boxes

- perfect for small parts of various sizes
- also available in ESD



### Troughs

- for cylindrical items
- can be divided lengthwise as desired
- also available in ESD



### Slotted partitions and metal dividers

- for flexible partitioning
- for parts of different sizes



### Holding pins and non-slip mats

- ideal for larger items



### Foam inserts with blue underlays

- protects tools and other items and keeps them organised
- hold items firmly in place in the drawer



### NC tool holders

- for neat and orderly storage of NC items



For NC storage and transport systems see p. 100



### LISTA Script

- clip-on label holders for plastic boxes, troughs and metal dividers
- helps you keep an overview of your inventory and can easily be read by a barcode scanner



LISTA Script see p. 268




The entire LISTA range can be found online at [www.lista.com](http://www.lista.com).


You can find our LISTA Script labelling software on our [website](http://www.lista.com) under **Products › Accessories › LISTA Script**



18×27 E




306 × 459 mm



## Troughs


For front height mm	Art. no.
50	80.377.000
6 troughs:	4-piece, Ø 33 mm*
30 trough dividers:	4-piece, Ø 33 mm*

\* Take the usable height of the drawer into account according to the goods to be stored.




## Troughs

For front height mm	Art. no.
50	80.378.000
6 troughs:	3-piece, Ø 45 mm*
20 trough dividers:	3-piece, Ø 45 mm*




## Troughs

For front height mm	Art. no.
50	80.379.000
6 troughs:	2-piece, Ø 70 mm*
20 trough dividers:	2-piece, Ø 70 mm*




## Plastic boxes

For front height mm	Art. no.
50	80.372.000
75	80.414.000
24 plastic boxes:	75 × 75 mm




## Plastic boxes

For front height mm	Art. no.
50	80.368.000
75	80.412.000
16 plastic boxes:	75 × 75 mm
4 plastic boxes:	75 × 150 mm




## Plastic boxes

For front height mm	Art. no.
50	80.370.000
75	80.413.000
8 plastic boxes:	75 × 75 mm
4 plastic boxes:	75 × 150 mm
2 plastic boxes:	150 × 150 mm



## Slotted partitions and metal dividers


For front height mm	Art. no.
50	80.639.000
75	80.640.000
100	80.641.000
150	80.642.000
2 slotted partitions:	27 E
6 metal dividers:	6 E




## Slotted partitions and metal dividers

For front height mm	Art. no.
50	80.643.000
75	80.644.000
100	80.645.000
150	80.646.000
200	80.647.000
300	80.648.000
1 slotted partition:	27 E
2 metal dividers:	9 E



**27 × 27 E**



459 × 459 mm


**Troughs**

For front height mm	Art. no.
<b>50</b>	<b>80.656.000</b>


9 troughs: 4-piece, Ø 33 mm\*  
40 trough dividers: 4-piece, Ø 33 mm\*

\* Take the usable height of the drawer into account according to the goods to be stored.


**Troughs**


For front height mm	Art. no.
<b>50</b>	<b>80.657.000</b>

9 troughs: 3-piece, Ø 45 mm\*  
30 trough dividers: 3-piece, Ø 45 mm\*


**Troughs**


For front height mm	Art. no.
<b>50</b>	<b>80.658.000</b>

9 troughs: 2-piece, Ø 70 mm\*  
20 trough dividers: 2-piece, Ø 70 mm\*


**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>80.659.000</b>
<b>75</b>	<b>80.660.000</b>

24 plastic boxes: 75 × 75 mm  
6 plastic boxes: 150 × 75 mm


**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>80.661.000</b>
<b>75</b>	<b>80.662.000</b>
<b>100, 125</b>	<b>80.663.000</b>

18 plastic boxes: 150 × 75 mm


**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>80.664.000</b>
<b>75</b>	<b>80.665.000</b>
<b>100, 125</b>	<b>80.666.000</b>

9 plastic boxes: 150 × 150 mm


**Slotted partitions and metal dividers**


For front height mm	Art. no.
<b>50</b>	<b>80.667.000</b>
<b>75</b>	<b>80.668.000</b>
<b>100, 125</b>	<b>80.669.000</b>
<b>150</b>	<b>80.670.000</b>

3 slotted partitions: 27 E  
9 metal dividers: 6 E  
2 metal dividers: 9 E


**Slotted partitions and metal dividers**

For front height mm	Art. no.
<b>50</b>	<b>80.671.000</b>
<b>75</b>	<b>80.672.000</b>
<b>100, 125</b>	<b>80.673.000</b>
<b>150</b>	<b>80.674.000</b>
<b>200</b>	<b>80.675.000</b>
<b>250</b>	<b>80.676.000</b>
<b>300</b>	<b>80.677.000</b>

2 slotted partitions: 27 E  
6 metal dividers: 9 E


**Dividers**


For front height mm	Art. no.
<b>75</b>	<b>100.315.000</b>
<b>100, 125</b>	<b>100.130.000</b>
<b>150</b>	<b>100.131.000</b>
<b>200</b>	<b>100.132.000</b>
<b>250</b>	<b>100.133.000</b>

2 dividers: 27 E

**Note**

The front height is the same as the height of the drawer front. For the actual height of the partition material see p. 262–265.


Partition material sets excluding clip-on label holder.




» Non-slip mats and PE foam inserts, see p. 267



**36 × 27 E**



612 × 459 mm




## Troughs

For front height  
mm

Art. no.

**50** **100.283.000**

12 troughs: 4-piece, Ø 33 mm\*  
50 trough dividers: 4-piece, Ø 33 mm\*




## Trough and Allen key insert

For front height  
mm

Art. no.

**50** **100.312.000**

5 troughs: 4-piece, Ø 33 mm\*  
20 trough dividers: 4-piece, Ø 33 mm\*  
6 troughs: 3-piece, Ø 45 mm\*  
20 trough dividers: 3-piece, Ø 45 mm\*  
1 Allen key insert




## Troughs

For front height  
mm

Art. no.

**50** **100.313.000**

6 troughs: 3-piece, Ø 45 mm\*  
20 trough dividers: 3-piece, Ø 45 mm\*  
6 troughs: 2-piece, Ø 70 mm\*  
10 trough dividers: 2-piece, Ø 70 mm\*



## Plastic boxes

For front height  
mm


Art. no.

**50** **100.290.000**

**75** **100.291.000**

16 plastic boxes: 75 × 75 mm  
8 plastic boxes: 150 × 75 mm  
4 plastic boxes: 150 × 150 mm

\*Take the usable height of the drawer into account according to the goods to be stored.



## Plastic boxes

For front height  
mm


Art. no.

**50** **100.292.000**

**75** **100.293.000**

**100, 125** **100.294.000**

12 plastic boxes: 150 × 75 mm  
6 plastic boxes: 150 × 150 mm



## Slotted partitions and metal dividers

For front height  
mm

Art. no.


**50** **100.950.000**

**75** **100.951.000**

**100, 125** **100.952.000**

**150** **100.953.000**

5 slotted partitions: 27 E  
18 metal dividers: 6 E



## Slotted partitions and metal dividers

For front height  
mm

Art. no.

**50** **80.649.000**

**75** **100.314.000**


**100, 125** **80.651.000**

**150** **80.652.000**

**200** **80.653.000**

**250** **80.654.000**

3 slotted partitions: 27 E  
8 metal dividers: 9 E



## Dividers

For front height  
mm

Art. no.

**75** **100.315.000**


**100, 125** **100.130.000**

**150** **100.131.000**


**200** **100.132.000**

**250** **100.133.000**

2 dividers 27 E


**54 × 27 E**


918 × 459 mm




### Troughs

For front height mm	Art. no.
<b>75</b>	<b>80.001.000</b>
12 troughs:	4-piece, Ø 33 mm*
30 trough dividers:	4-piece, Ø 33 mm*
6 troughs:	3-piece, Ø 45 mm*
10 trough dividers:	3-piece, Ø 45 mm*




### Troughs

For front height mm	Art. no.
<b>75, 100, 125</b>	<b>80.002.000</b>
6 troughs:	4-piece, Ø 33 mm*
20 trough dividers:	4-piece, Ø 33 mm*
6 troughs:	3-piece, Ø 45 mm*
10 trough dividers:	3-piece, Ø 45 mm*
6 troughs:	2-piece, Ø 70 mm*
10 trough dividers:	2-piece, Ø 70 mm*



### Plastic boxes


For front height mm	Art. no.
<b>50</b>	<b>80.045.000</b>
<b>75</b>	<b>80.046.000</b>
<b>100, 125</b>	<b>80.047.000</b>
12 plastic boxes:	150 × 75 mm
12 plastic boxes:	150 × 150 mm



### Plastic boxes


For front height mm	Art. no.
<b>50</b>	<b>80.043.000</b>
<b>75</b>	<b>80.044.000</b>
20 plastic boxes:	75 × 75 mm
14 plastic boxes:	150 × 75 mm
6 plastic boxes:	150 × 150 mm

\* Take the usable height of the drawer into account according to the goods to be stored.




### Plastic boxes

For front height mm	Art. no.
<b>50</b>	<b>80.419.000</b>
<b>75</b>	<b>80.049.000</b>
<b>100, 125</b>	<b>80.050.000</b>
18 plastic boxes:	150 × 150 mm



### Slotted partitions and metal dividers


For front height mm	Art. no.
<b>50</b>	<b>80.003.000</b>
<b>75</b>	<b>80.004.000</b>
<b>100, 125</b>	<b>80.005.000</b>
7 slotted partitions:	27 E
12 metal dividers:	6 E
2 metal dividers:	9 E



### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.425.000</b>
<b>75</b>	<b>80.426.000</b>
<b>100, 125</b>	<b>80.427.000</b>
<b>150</b>	<b>80.428.000</b>
<b>200</b>	<b>80.429.000</b>
<b>250</b>	<b>80.430.000</b>
<b>300</b>	<b>80.431.000</b>


2 slotted partitions: 27 E  
2 metal dividers: 18 E



### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.015.000</b>
<b>75</b>	<b>80.016.000</b>
<b>100, 125</b>	<b>80.017.000</b>
<b>150</b>	<b>80.018.000</b>
<b>200</b>	<b>80.019.000</b>
<b>250</b>	<b>80.020.000</b>
<b>300</b>	<b>80.696.000</b>


4 slotted partitions: 27 E  
2 metal dividers: 9 E  
3 metal dividers: 12 E



### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.009.000</b>
<b>75</b>	<b>80.010.000</b>
<b>100, 125</b>	<b>80.011.000</b>
<b>150</b>	<b>80.012.000</b>
<b>200</b>	<b>80.013.000</b>
<b>250</b>	<b>80.014.000</b>
<b>300</b>	<b>80.697.000</b>

5 slotted partitions: 27 E  
12 metal dividers: 9 E




» Non-slip mats and PE foam inserts, see p. 267

#### Note

The front height is the same as the height of the drawer front. For the actual height of the partition material see p. 262–265.


Partition material sets excluding clip-on label holder.




### Correct use of partition material

Troughs should always be inserted in the running direction of the drawers to prevent round parts, such as drills or similar, from falling out when the drawers are closed forcefully.

**18 × 36 E**



306 × 612 mm




## Troughs

For front height  
mm

Art. no.

**50** **80.618.000**

8 troughs: 4-piece, Ø 33 mm\*  
40 trough dividers: 4-piece, Ø 33 mm\*




## Troughs

For front height  
mm

Art. no.

**50** **80.619.000**

8 troughs: 3-piece, Ø 45 mm\*  
30 trough dividers: 3-piece, Ø 45 mm\*




## Troughs

For front height  
mm

Art. no.

**50** **80.620.000**

8 troughs: 2-piece, Ø 70 mm\*  
20 trough dividers: 2-piece, Ø 70 mm\*



## Plastic boxes


For front height  
mm

Art. no.

**50** **80.621.000**

**75** **80.622.000**

24 plastic boxes: 75 × 75 mm  
4 plastic boxes: 150 × 75 mm



## Plastic boxes

For front height  
mm


Art. no.

**50** **80.623.000**

**75** **80.624.000**

**100** **80.625.000**

16 plastic boxes: 150 × 75 mm



## Plastic boxes

For front height  
mm


Art. no.

**50** **80.626.000**

**75** **80.627.000**

**100** **80.628.000**

8 plastic boxes: 150 × 150 mm



## Slotted partitions and metal dividers

For front height  
mm

Art. no.

**50** **80.629.000**


**75** **80.630.000**

**100** **80.631.000**

**150** **80.632.000**

2 slotted partitions: 36 E

9 metal dividers: 6 E



## Slotted partitions and metal dividers

For front height  
mm

Art. no.

**50** **80.633.000**

**75** **80.634.000**

**100** **80.635.000**

**150** **80.636.000**


**200** **80.637.000**

**300** **80.638.000**


1 slotted partition: 36 E

6 metal dividers: 9 E




**27 × 36 E**

459 × 612 mm

**Troughs**


For front height mm	Art. no.
<b>50</b>	<b>100.283.000</b>

12 troughs: 4-piece, Ø 33 mm\*  
50 trough dividers: 4-piece, Ø 33 mm\*

**Troughs**


For front height mm	Art. no.
<b>50</b>	<b>100.284.000</b>

4 troughs: 4-piece, Ø 33 mm\*  
20 trough dividers: 4-piece, Ø 33 mm\*  
8 troughs: 3-piece, Ø 45 mm\*  
10 trough dividers: 3-piece, Ø 45 mm\*

**Troughs**


For front height mm	Art. no.
<b>50</b>	<b>100.286.000</b>

4 troughs: 3-piece, Ø 45 mm\*  
20 trough dividers: 3-piece, Ø 45 mm\*  
8 troughs: 2-piece, Ø 70 mm\*  
10 trough dividers: 2-piece, Ø 70 mm\*

**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>100.288.000</b>

16 plastic boxes with  
centre divider: 75 × 75 mm  
16 plastic boxes: 75 × 75 mm  
4 plastic boxes: 150 × 75 mm  
2 plastic boxes: 150 × 150 mm

**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>100.290.000</b>
<b>75</b>	<b>100.291.000</b>

16 plastic boxes: 75 × 75 mm  
8 plastic boxes: 150 × 75 mm  
4 plastic boxes: 150 × 150 mm

**Plastic boxes**


For front height mm	Art. no.
<b>50</b>	<b>100.292.000</b>
<b>75</b>	<b>100.293.000</b>
<b>100, 125</b>	<b>100.294.000</b>

12 plastic boxes: 150 × 75 mm  
6 plastic boxes: 150 × 150 mm

**Slotted partitions  
and metal dividers**


For front height mm	Art. no.
<b>75</b>	<b>100.270.000</b>
<b>100, 125</b>	<b>100.271.000</b>
<b>150</b>	<b>100.272.000</b>
<b>200</b>	<b>100.273.000</b>
<b>250</b>	<b>80.691.000</b>

1 slotted partition: 36 E  
1 metal divider: 12 E  
1 metal divider: 15 E

**Slotted partitions  
and metal dividers**


For front height mm	Art. no.
<b>75</b>	<b>100.275.000</b>
<b>100, 125</b>	<b>100.276.000</b>
<b>150</b>	<b>100.277.000</b>
<b>200</b>	<b>100.278.000</b>
<b>250</b>	<b>80.692.000</b>

2 slotted partitions: 36 E  
3 metal dividers: 9 E

**Slotted partitions  
and metal dividers**


For front height mm	Art. no.
<b>50</b>	<b>100.244.000</b>
<b>75</b>	<b>100.245.000</b>
<b>100, 125</b>	<b>100.246.000</b>
<b>150</b>	<b>100.247.000</b>

2 slotted partitions: 36 E  
10 metal dividers: 9 E

**Slotted partitions  
and metal dividers**


For front height mm	Art. no.
<b>50</b>	<b>100.249.000</b>
<b>75</b>	<b>100.250.000</b>
<b>100, 125</b>	<b>100.251.000</b>
<b>150</b>	<b>100.252.000</b>

3 slotted partitions: 36 E  
6 metal dividers: 6 E  
2 metal dividers: 9 E

**Slotted partitions  
and metal dividers**

For front height mm	Art. no.
<b>50</b>	<b>100.234.000</b>
<b>75</b>	<b>100.235.000</b>
<b>100, 125</b>	<b>100.236.000</b>

4 slotted partitions: 36 E  
15 metal dividers: 5 E  
10 metal dividers: 6 E

**Dividers**


For front height mm	Art. no.
<b>75</b>	<b>100.265.000</b>
<b>100, 125</b>	<b>100.266.000</b>
<b>150</b>	<b>100.267.000</b>
<b>200</b>	<b>100.268.000</b>
<b>250</b>	<b>80.695.000</b>

2 dividers: 36 E


**Note**

The front height is the same as the height of the drawer front. For the actual height of the partition material see p. 262–265.

Partition material sets excluding clip-on label holder.

**36 × 36 E**


612 × 612 mm




## Troughs

For front height mm      Art. no.

**50                      100.317.000**

 16 troughs:            4-piece, Ø 33 mm\*  
 70 trough dividers: 4-piece, Ø 33 mm\*


\* Take the usable height of the drawer into account according to the goods to be stored.



## Troughs

For front height mm      Art. no.


**50                      100.318.000**

 8 troughs:            4-piece, Ø 33 mm\*  
 30 trough dividers: 4-piece, Ø 33 mm\*  
 8 troughs:            3-piece, Ø 45 mm\*  
 20 trough dividers: 3-piece, Ø 45 mm\*


## Troughs

For front height mm      Art. no.


**50                      100.319.000**

 4 troughs:            4-piece, Ø 33 mm\*  
 30 trough dividers: 4-piece, Ø 33 mm\*  
 8 troughs:            3-piece, Ø 45 mm\*  
 20 trough dividers: 3-piece, Ø 45 mm\*  
 4 troughs:            2-piece, Ø 70 mm\*  
 10 trough dividers: 2-piece, Ø 70 mm\*


## Troughs

For front height mm      Art. no.


**50                      100.320.000**

 16 troughs:            3-piece, Ø 45 mm\*  
 60 trough dividers: 3-piece, Ø 45 mm\*


## Troughs

For front height mm      Art. no.


**50                      100.322.000**

 16 troughs:            2-piece, Ø 70 mm\*  
 40 trough dividers: 2-piece, Ø 70 mm\*


## Plastic boxes


For front height mm      Art. no.

**50                      100.380.000**
**75                      100.381.000**

 16 plastic boxes:    75 × 75 mm  
 16 plastic boxes:    150 × 75 mm  
 4 plastic boxes:    150 × 150 mm


## Plastic boxes


For front height mm      Art. no.

**50                      100.389.000**
**75                      100.390.000**
**100, 125              100.391.000**  
 16 plastic boxes:    150 × 75 mm  
 8 plastic boxes:    150 × 150 mm


## Slotted partitions and metal dividers

For front height mm      Art. no.


**100, 125              100.354.000**
**150                      100.355.000**
**200                      100.356.000**
**250                      80.688.000**
**300                      100.357.000**

 1 slotted partition: 36 E  
 2 metal dividers:    18 E


## Slotted partitions and metal dividers


For front height mm      Art. no.

**75                      100.348.000**
**100, 125              100.349.000**
**150                      100.350.000**
**200                      100.351.000**

 2 slotted partitions: 36 E  
 8 metal dividers:    12 E


## Slotted partitions and metal dividers


For front height mm      Art. no.

**75                      100.343.000**
**100, 125              100.344.000**
**150                      100.345.000**
**200                      100.346.000**
**250                      80.689.000**  
 3 slotted partitions: 36 E  
 15 metal dividers:    9 E


## Slotted partitions and metal dividers

For front height mm      Art. no.

**50                      100.333.000**
**75                      100.334.000**
**100, 125              100.335.000**


 4 slotted partitions: 36 E  
 12 metal dividers:    6 E  
 9 metal dividers:    9 E


## Slotted partitions and metal dividers


For front height mm      Art. no.

**50                      100.329.000**
**75                      100.330.000**
**100, 125              100.331.000**

 5 slotted partitions: 36 E  
 20 metal dividers:    6 E

**45 × 36 E**



765 × 612 mm



### Troughs


For front height mm	Art. no.
<b>50</b>	<b>80.490.000</b>
20 troughs:	4-piece, Ø 33 mm*
80 trough dividers:	4-piece, Ø 33 mm*

\* Take the usable height of the drawer into account according to the goods to be stored.




### Plastic boxes

For front height mm	Art. no.
<b>50</b>	<b>80.496.000</b>
<b>75</b>	<b>80.497.000</b>
20 plastic boxes:	75 × 75 mm
20 plastic boxes:	150 × 75 mm
5 plastic boxes:	150 × 150 mm




### Plastic boxes

For front height mm	Art. no.
<b>50</b>	<b>80.498.000</b>
<b>75</b>	<b>80.499.000</b>
<b>100, 125</b>	<b>80.500.000</b>
20 plastic boxes:	150 × 75 mm
10 plastic boxes:	150 × 150 mm




### Plastic boxes

For front height mm	Art. no.
<b>50</b>	<b>80.501.000</b>
<b>75</b>	<b>80.502.000</b>
<b>100, 125</b>	<b>80.503.000</b>
20 plastic boxes:	150 × 150 mm




### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>100, 125</b>	<b>100.354.000</b>
<b>150</b>	<b>100.355.000</b>
<b>200</b>	<b>100.356.000</b>
<b>250</b>	<b>80.688.000</b>
<b>300</b>	<b>100.357.000</b>
1 slotted partition:	36 E
2 metal dividers:	18 E




### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>100, 125</b>	<b>80.504.000</b>
<b>150</b>	<b>80.505.000</b>
<b>200</b>	<b>80.506.000</b>
<b>250</b>	<b>80.507.000</b>
<b>300</b>	<b>80.508.000</b>
2 slotted partitions:	36 E
8 metal dividers:	15 E



### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>75</b>	<b>80.509.000</b>
<b>100, 125</b>	<b>80.510.000</b>
<b>150</b>	<b>80.511.000</b>
<b>200</b>	<b>80.512.000</b>
3 slotted partitions:	36 E
5 metal dividers:	9 E
10 metal dividers:	12 E



### Slotted partitions and metal dividers

For front height mm	Art. no.
<b>75</b>	<b>80.513.000</b>
<b>100, 125</b>	<b>80.514.000</b>
<b>150</b>	<b>80.515.000</b>
<b>200</b>	<b>80.516.000</b>
<b>250</b>	<b>80.517.000</b>
4 slotted partitions:	36 E
21 metal dividers:	9 E




#### Note


The front height is the same as the height of the drawer front. For the actual height of the partition material see p. 262–265.

Partition material sets excluding clip-on label holder.

54 × 36 E




918 × 612 mm




## Troughs

For front height mm	Art. no.
<b>50</b>	<b>80.387.000</b>
16 troughs:	4-piece, Ø 33 mm*
30 trough dividers:	4-piece, Ø 33 mm*
8 troughs:	3-piece, Ø 45 mm*
10 trough dividers:	3-piece, Ø 45 mm*




## Troughs

For front height mm	Art. no.
<b>50</b>	<b>80.388.000</b>
8 troughs:	4-piece, Ø 33 mm*
20 trough dividers:	4-piece, Ø 33 mm*
8 troughs:	3-piece, Ø 45 mm*
10 trough dividers:	3-piece, Ø 45 mm*
8 troughs:	2-piece, Ø 70 mm*
10 trough dividers:	2-piece, Ø 70 mm*



## Plastic boxes


For front height mm	Art. no.
<b>50</b>	<b>80.449.000</b>
<b>75</b>	<b>80.405.000</b>
<b>100, 125</b>	<b>80.406.000</b>
12 plastic boxes:	150 × 75 mm
18 plastic boxes:	150 × 150 mm



## Plastic boxes


For front height mm	Art. no.
<b>50</b>	<b>80.450.000</b>
<b>75</b>	<b>80.407.000</b>
20 plastic boxes:	75 × 75 mm
14 plastic boxes:	150 × 75 mm
12 plastic boxes:	150 × 150 mm

\*Take the usable height of the drawer into account according to the goods to be stored.




## Plastic boxes

For front height mm	Art. no.
<b>50</b>	<b>80.451.000</b>
<b>75</b>	<b>80.452.000</b>
<b>100, 125</b>	<b>80.453.000</b>
24 plastic boxes:	150 × 150 mm




## Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.481.000</b>
<b>75</b>	<b>80.403.000</b>
<b>100, 125</b>	<b>80.404.000</b>
7 slotted partitions:	36 E
12 metal dividers:	6 E
2 metal dividers:	9 E




## Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.533.000</b>
<b>75</b>	<b>80.389.000</b>
<b>100, 125</b>	<b>80.390.000</b>
<b>150</b>	<b>80.391.000</b>
<b>200</b>	<b>80.392.000</b>
<b>250</b>	<b>80.393.000</b>
<b>300</b>	<b>80.394.000</b>
4 slotted partitions:	36 E
2 metal dividers:	9 E
3 metal dividers:	12 E




## Slotted partitions and metal dividers

For front height mm	Art. no.
<b>50</b>	<b>80.479.000</b>
<b>75</b>	<b>80.395.000</b>
<b>100, 125</b>	<b>80.396.000</b>
<b>150</b>	<b>80.397.000</b>
<b>200</b>	<b>80.398.000</b>
<b>250</b>	<b>80.399.000</b>
<b>300</b>	<b>80.400.000</b>
5 slotted partitions:	36 E
12 metal dividers:	9 E



## Dividers

For front height mm	Art. no.
<b>50</b>	<b>80.457.000</b>
<b>75</b>	<b>80.458.000</b>
<b>100, 125</b>	<b>80.459.000</b>
<b>150</b>	<b>80.460.000</b>
<b>200</b>	<b>80.461.000</b>
<b>250</b>	<b>80.462.000</b>
<b>300</b>	<b>80.463.000</b>
2 slotted partitions:	36 E
2 metal dividers:	18 E




Non-slip mats and PE foam inserts, see p. 267

## Note

The front height is the same as the height of the drawer front. For the actual height of the partition material see p. 262–265.


Partition material sets excluding clip-on label holder.

**64 × 36 E**







1088 × 612 mm

**78 × 36 E**



1326 × 612 mm



### Slotted partitions and metal dividers

For front height mm	Art. no.
50	80.600.000
100, 125	80.601.000
150	80.602.000

6 slotted partitions: 36 E  
6 metal dividers: 9 E  
1 metal divider: 10 E

### Slotted partitions and metal dividers

For front height mm	Art. no.
75	80.603.000
100, 125	80.604.000
150	80.605.000

5 slotted partitions: 36 E  
2 metal dividers: 9 E  
3 metal dividers: 12 E  
1 metal divider: 10 E

### Slotted partitions and metal dividers

For front height mm	Art. no.
75	80.553.000
100, 125	80.554.000
150	80.555.000

6 slotted partitions: 36 E  
4 metal dividers: 9 E  
2 metal dividers: 12 E  
1 metal divider: 18 E

### Slotted partitions and metal dividers

For front height mm	Art. no.
75	80.556.000
100, 125	80.557.000
150	80.558.000

5 slotted partitions: 36 E  
2 metal dividers: 9 E  
2 metal dividers: 12 E  
2 metal dividers: 18 E



# Partition material | Slotted partitions, metal dividers and dividers



### Slotted partitions, both sides

For lengthwise partitioning of drawers in combination with metal dividers. Specification: Steel sheet, colour: Grey, NCS S 4502-B.

### Metal dividers

Together with the slotted partitions, they can be used to subdivide the drawers as desired. Specification: Aluminium

### Dividers

For lengthwise and crosswise partitioning of drawers. Specification: Steel sheet, colour: Grey, NCS S 4502-B.

**H** Drawer front height  
mm

**W** Length  
mm

#### Dividers

18 E	304
27 E	456
36 E	610
45 E	762
54 E	915
64 E	1085
78 E	1323

**D** Length  
mm

#### Slotted partitions, both sides

27 E	456
36 E	610

**Metal dividers** **W**

3 E	48
4 E	65
5 E	82
6 E	98
7 E	116
8 E	133
9 E	149
10 E	167
12 E	201
15 E	252
18 E	303

## How do I use the slotted partitions, metal dividers and dividers in my LISTA drawer?


Example: for drawer units 45 × 36 E (765 × 612 mm)

### Metal divider

15 E = 252 mm


### Slotted partition

36 E = 610 mm



### Partition lengthwise

36 E = 610 mm



50 mm	75 mm	100, 125 mm	150 mm	200 mm	250 mm	300 mm
<b>H</b> 31,5	50	75	125	175	225	275
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>1 pcs/set</b>	<b>1 pcs/set</b>	<b>1 pcs/set</b>	<b>1 pcs/set</b>	<b>1 pcs/set</b>	<b>1 pcs/set</b>	<b>1 pcs/set</b>
12.088.000	12.121.000	12.089.000	12.090.000	12.122.000	-	12.091.000
80.237.000	80.121.000	80.127.000	80.133.000	80.139.000	80.222.000	80.243.000
80.239.000	80.123.000	80.129.000	80.135.000	80.141.000	80.225.000	80.144.000
80.541.000	80.542.000	80.543.000	80.544.000	80.545.000	80.546.000	80.547.000
80.178.000	80.179.000	80.180.000	80.181.000	80.182.000	80.183.000	80.184.000
-	80.124.000	80.130.000	80.136.000	80.142.000	80.228.000	80.229.000
-	80.125.000	80.131.000	80.137.000	80.143.000	80.685.000	80.233.000
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>3 pcs/set</b>	<b>3 pcs/set</b>	<b>3 pcs/set</b>
80.307.000	80.308.000	80.309.000	80.310.000	80.311.000	80.312.000	80.313.000
80.314.000	80.315.000	80.316.000	80.317.000	80.318.000	80.319.000	80.320.000
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>	<b>5 pcs/set</b>
95.261.000	95.272.000	95.302.000	-	-	-	-
95.262.000	95.273.000	95.303.000	-	-	-	-
95.263.000	95.274.000	95.304.000	-	-	-	-
95.264.000	95.275.000	95.305.000	95.313.000	-	-	-
95.265.000	95.276.000	95.306.000	95.314.000	95.321.000	-	-
95.266.000	95.277.000	95.307.000	95.315.000	95.322.000	95.328.000	-
95.267.000	95.278.000	95.308.000	95.316.000	95.323.000	95.329.000	95.368.000
95.268.000	95.279.000	95.309.000	95.317.000	95.324.000	95.330.000	95.369.000
95.269.000	95.280.000	95.310.000	95.318.000	95.325.000	95.365.000	95.370.000
95.270.000	95.300.000	95.311.000	95.319.000	95.326.000	95.366.000	95.371.000
95.271.000	95.301.000	95.312.000	95.320.000	95.327.000	95.367.000	95.372.000
					<b>10 pcs/set</b>	
					134.002.000	

**Extruded screws for metal dividers:** Screws for fastening the metal dividers to the drawer bottom.

### Clip-on label holders for slotted

**partitions** for fitting into all slotted partitions and the inner slots of the drawer fronts. Labels not included.




Label size (W × H) mm	Quantity	Art. no.
27 × 12	<b>10 holders</b>	80.305.000
47 × 12	<b>10 holders</b>	80.306.000

### Clip-on label holders for slotted partitions, metal dividers and divider including labels.



Label size (W × H) mm	Quantity	Art. no.
27 × 12	<b>20 tabs</b>	134.029.000
47 × 12 (size 5 E)	<b>20 tabs</b>	134.049.000
47 × 18 (size 5 E)	<b>20 tabs</b>	134.052.000

### Barcode holder including protective shield for slotted partitions, metal dividers and dividers including labels.



Label size (W × H) mm	For drawer front height mm	Quantity	Art. no.
47 × 12	50 to 300	<b>10</b>	80.321.000
62 × 12	50 to 300	<b>10</b>	80.322.000
62 × 21,8	50 to 300	<b>10</b>	80.323.000
62 × 29	75 to 300	<b>10</b>	80.324.000

### LISTA-Script labels "Standard pack"

The labelling software can be downloaded from the LISTA website [www.lista.com](http://www.lista.com) under Products › Accessories › LISTA Script.



Label size (W × H) mm	Quantity	Art. no.
210 × 22 / 70 × 22	<b>2 sheets</b>	80.325.000
47 × 12	<b>76 labels</b>	
47 × 18	<b>52 labels</b>	
27 × 12	<b>133 labels</b>	

Partition material | Plastic boxes and troughs





Especially suitable for drawers with a front height of: 50, 75, 100, 125 mm

How can I partition my LISTA drawer?

Example: Plastic boxes and troughs for drawers 36 × 27 E (612 × 459 mm)

\* The plastic box also has a fixed centre divider.





Perfect drawer partitioning

Store your small and round parts professionally and perfectly in the LISTA drawers with LISTA plastic boxes and troughs.


The table on the right shows the maximum capacity of your drawer for each size of plastic boxes and troughs. The dimensions are standardised but can be combined if desired and fit into any LISTA drawer.

Please bear the front height of your drawer in mind (external dimension)!

Maximum capacity per plastic box for:

9 × 9 E  
150 × 150 mm  
  
Number of plastic boxes/troughs

4,5 × 9 E  
75 × 150 mm  
  
Number of plastic boxes

4,5 × 4,5 E  
75 × 75 mm  
  
Number of plastic boxes



Drawer units (E)

18 × 27	306 × 459 mm	6	12	24
27 × 27	459 × 459 mm	9	18	36
36 × 27	612 × 459 mm	12	24	48
54 × 27	918 × 459 mm	18	36	72
18 × 36	306 × 612 mm	8	16	32
27 × 36	459 × 612 mm	12	24	48
36 × 36	612 × 612 mm	16	32	64
45 × 36	765 × 612 mm	20	40	80
54 × 36	918 × 612 mm	24	48	96
64 × 36	1088 × 612 mm	28	56	112
78 × 36	1326 × 612 mm	32	68	136

## Plastic boxes, standard


**9 × 9 E**

**150 × 150 mm**
**4,5 × 9 E**

**75 × 150 mm**
**4,5 × 4,5 E**

**75 × 75 mm**
**4,5 × 4,5 E**

**75 × 75 mm**
**H** ↑ Drawer front height (mm)

**H** ↑ Height (mm)

		Art. no.	Art. no.	Art. no.	Art. no.
		<b>6 pcs/set</b>	<b>6 pcs/set</b>	<b>12 pcs/set</b>	<b>12 pcs/set</b>
<b>50</b>	<b>26</b>	<b>80.187.000</b>	<b>80.191.000</b>	<b>80.189.000</b>	<b>80.185.000*</b>
<b>75</b>	<b>46</b>	<b>80.186.000</b>	<b>80.190.000</b>	<b>80.188.000</b>	-
<b>100</b>	<b>71</b>	<b>80.192.000</b>	<b>80.193.000</b>	-	-

\* The plastic box Art. no. 80.185.000 also has a fixed centre divider.

## Troughs, standard



Trough divider

**H** ↑ 26 mm

**9 × 9 E (150 × 150 mm)**

**Ø 33 mm, 4 troughs**

**Ø 45 mm, 3 troughs**

**Ø 70 mm, 2 troughs**

Specification

<b>Troughs, 9 × 9 E, 6 pieces</b>	<b>6 pcs/set</b>	<b>80.196.000</b>	<b>80.195.000</b>	<b>80.194.000</b>
<b>Dividers, 10 pieces</b>	<b>10 pcs/set</b>	<b>134.044.000</b>	<b>134.040.000</b>	<b>134.020.000</b>

» Plastic boxes/troughs also available in ESD.

**N.B.:** Take the usable height of the drawer into account according to the goods to be stored.

## Clip-on label holders for plastic boxes

for inserting into the groove on the plastic boxes. Including labels and transparent sheets.


Label size  
(W × H) mm

Quantity

Art. no.

<b>47 × 12</b>	<b>20 tabs</b>	<b>134.034.000</b>
----------------	----------------	--------------------

## Clip-on label holders for dividers


fit directly onto the dividers. Including paper and transparent sheet.


Label size  
(W × H) mm

Quantity

Art. no.

<b>27 × 12</b>	<b>20 tabs</b>	<b>134.029.000</b>
<b>47 × 12 (Ø 70 mm)</b>	<b>20 tabs</b>	<b>134.049.000</b>



## LISTA-Script labels "Standard pack"


The labelling software can be downloaded from the LISTA website [www.lista.com](http://www.lista.com) under Products › Accessories › LISTA Script.


Label size  
(W × H) mm

Quantity

Art. no.


<b>210 × 22 / 70 × 22</b>	<b>2 sheets</b>	<b>80.325.000</b>
<b>47 × 12</b>	<b>76 labels</b>	
<b>47 × 18</b>	<b>52 labels</b>	
<b>27 × 12</b>	<b>133 labels</b>	



## Pairs of grooved inserts

Consisting of main and secondary components. They are attached by inserting between two slotted partitions. They can be divided by metal separators. Main components slotted for dividing into small compartments or marking with label holders. Specification: ABS plastic. Colour: red. Main component: width 153 mm/9 E, depth 68 mm/4 E. Secondary component: width 153 mm/9 E, depth 34 mm/2 E.

Number of grooves	Max. tool Ø mm	Art. no.
6	20,5	80.078.000
8	15	80.079.000
11	10	80.080.000



## Label holders

Specification: aluminium, for labelling.

Width mm	Height mm	Art. no.
29	25	100.527.000
29	50	100.521.000
29	75	100.522.000



## Milling cutter holder, height 26 mm

The milling cutter holders can be lengthened as desired by screwing them on top of one another. They are screwed onto the perforated drawer bottom. Including screw nuts. Specification: ABS plastic. Colour: red.

For tool bore (DIN) Ø mm	Ø mm	Inch	Number	Art. no.
13	12,2	1/2	5	80.765.000
16	15,5	-	5	80.766.000
22	21,5	-	5	80.767.000
25,5	25	1	5	100.103.000
27	26,5	-	5	100.099.000
32	31,2	-	5	100.100.000
38	37,5	1 1/2	5	100.104.000
40	39,5	-	5	100.101.000
50	49,5	-	5	100.102.000



## Holding pins

For positioning and holding irregularly shaped tools. The holding pins are screwed onto the perforated drawer bottom. Including screw nuts. Specification: round steel, bright galvanised.

For front height mm	Ø mm	Height mm	Number	Art. no.
50	6	27	10	134.036.000
75	6	52	10	134.054.000
100	6	77	10	134.057.000



## Pair of angular supports, height 52 mm

The pair of angular supports can be screwed horizontally or vertically onto the perforated drawer bottom. Screw fasteners included. Specification: ABS plastic. Colour: red.

Width mm	Depth mm	Art. no.
25	75	80.077.000

## Non-slip mats

Non-slip mats to protect delicate inventory items. For placing onto the bottom of the drawer.  
Specification: nylon/PVC mesh mats. Colour: anthracite.


For drawer sizes Unit (E)	Width mm	Depth mm	Thickness mm	Art. no.
<b>18 × 27</b>	300	450	3	<b>119.001.000</b>
<b>18 × 36</b>	300	600	3	<b>119.000.000</b>
<b>27 × 27</b>	450	450	3	<b>119.020.000</b>
<b>27 × 36, 36 × 27</b>	450	600	3	<b>100.396.000</b>
<b>36 × 36</b>	600	600	3	<b>100.394.000</b>
<b>45 × 36</b>	750	600	3	<b>130.743.000</b>
<b>54 × 27</b>	900	450	3	<b>119.119.000</b>
<b>54 × 36</b>	900	600	3	<b>130.745.000</b>
<b>64 × 36</b>	1080	600	3	<b>119.028.000</b>
<b>78 × 36</b>	1320	600	3	<b>119.031.000</b>



## Foam inserts

For storing very delicate or irregularly shaped parts. To achieve a snug fit, areas can be cut out of the foam with plunge cutters. Specification: polyethylene plastic. Colour: black.

For drawer sizes Unit (E)	Width mm	Depth mm	Thickness mm	Art. no.
<b>36 × 27, 27 × 36</b>	600	447	22	<b>80.917.000</b>
<b>36 × 36</b>	600	600	22	<b>80.918.000</b>
<b>54 × 27</b>	906	447	22	<b>80.923.000</b>
<b>54 × 36</b>	906	600	22	<b>80.919.000</b>
<b>78 × 36</b>	1320	600	22	<b>80.980.000</b>



## Underlay for foam inserts

Specification: polyethylene plastic. Colour: blue.

For drawer sizes Unit (E)	Width mm	Depth mm	Thickness mm	Art. no.
<b>36 × 27, 27 × 36</b>	600	447	3	<b>80.906.000</b>
<b>36 × 36</b>	600	600	3	<b>80.907.000</b>
<b>54 × 27</b>	906	447	3	<b>80.924.000</b>
<b>54 × 36</b>	906	600	3	<b>80.908.000</b>
<b>78 × 36</b>	1320	600	3	<b>80.981.000</b>



## Plunge cutter for foam inserts

For accurate cutting of the blank PE foam inserts.

Width mm	Height mm	Art. no.
<b>20</b>	80	<b>80.920.000</b>
<b>50</b>	80	<b>80.921.000</b>
<b>20 × 20 "U" shape</b>	80	<b>80.922.000</b>



# LISTA Script labelling system

With **LISTA Script**, your **LISTA** products can be simply and clearly labelled. The labelling software can be downloaded from our website. The matching labels are supplied as perforated A4 sheets suitable for any commercially available printer. There are almost no limits to the ways you can design labels. As always with LISTA.



**+ Individual labelling**  
with a wide range of labelling options,  
colours, pictograms and barcode generator

**+ Software can easily be downloaded**  
via [www.lista.com](http://www.lista.com) under Products › Accessories  
› LISTA Script

**+ Easy to use**  
with any commercially available printer and  
pre-perforated labels

**+ Fast data import**  
via database link

## **+ Easy to use in three simple steps**



### **1. Design**

- Design the labels using LISTA Script labelling software



### **2. Print**

- Print the labels on perforated A4 sheets and detach them in the desired size



### **3. Insert**

- Open the viewing window, insert the label and close the viewing window by pressing the bottom edge

## + Pre-perforated labels for cabinets and partition material

LISTA labels are available in the sizes 70 × 22 mm, 140 × 22 mm and 210 × 22 mm for cabinet labelling and 27 × 12 mm, 47 × 12 mm and 47 × 18 mm for labelling partition material.



**Label size 210 × 22 mm**  
for labelling drawers



**Label size 70 × 22 mm**  
for labelling housing




**Label size 70 × 22 mm**  
for labelling drawers



**All labels**  
on perforated A4 sheets



**Label size 27 × 12 mm**  
for labelling troughs



**Label size 47 × 12 mm**  
for labelling plastic boxes



**Label size 47 × 18 mm**  
for labelling dividers

### LISTA Script labels "Standard pack"

Label size (W × H) mm							Quantity	Art. no.
210 × 22 / 70 × 22	●	●	-	-	-	-	<b>2 sheets</b>	<b>80.325.000</b>
27 × 12	-	-	●	●	●	●	<b>133 labels</b>	
47 × 12	-	-	-	●	●	●	<b>76 labels</b>	
47 × 18	-	-	-	-	●	-	<b>52 labels</b>	

#### \* Clip-on label holders

To hold clip-on label holders, for fitting into the slots inside the drawer fronts, see partition material p. 262.



### Label strips with and without labels

For labelling shelves, clothes lockers, etc. Specification: plastic, with hinged transparent protector, self-adhesive.

Width mm	labels	Height mm	Max. font height mm	Quantity	Art. no.
105	-	22	14	<b>1</b>	<b>18.926.000</b>
210	-	22	14	<b>1</b>	<b>18.927.000</b>
1000	-	22	14	<b>1</b>	<b>18.929.000</b>
105	●	22	14	<b>10</b>	<b>18.930.000</b>
210	●	22	14	<b>10</b>	<b>18.931.000</b>

● with labels      - without labels

### LISTA Script labels for label strips

Label size (W × H) mm	Quantity	Art. no.
<b>52,5 × 18</b>	<b>2 A4 sheets with 52 labels each</b>	<b>18.932.000</b>



» For drawer handles and disassembly tools, please contact us.

## THERE FOR YOU ALL OVER THE WORLD

LISTA is there for you, on several continents, in many different locations. In addition to our two plants at the headquarters in Erlen (Switzerland) and in Bergneustadt (Germany), we also look after and advise our customers through our international sales branches in Europe and China. A close-knit network of retail partners tops off the service that we offer.



### LISTA Group locations

Switzerland, Germany, Austria, France, Italy, England, Spain, China



### Founding

1945

### Headquarters

Erlen (TG), Switzerland



### Production sites

Erlen (CH), Bergneustadt (DE)

## ORDERING AND CONTACT

### Lista AG Switzerland

Fabrikstrasse 1  
CH-8586 Erlen

Telephone +41 71 649 21 11  
Fax +41 71 649 22 03  
info@lista.com

### Lista GmbH Germany

Brückenstrasse 1  
D-51702 Bergneustadt

Telephone +49 2261 40 30  
Fax +49 2261 40 32 22  
info.de@lista.com

### Lista Austria GmbH Austria

Telephone +43 1 291 20  
Fax +43 1 291 204  
info.at@lista.com

### Lista (UK) Ltd. United Kingdom

Telephone +44 1 908 222 333  
Fax +44 1 908 222 433  
info.uk@lista.com

### Lista Italia s.r.l. Italy

Telephone +39 02 935 70 196/362  
Fax +39 02 935 70 417  
info.it@lista.com

### Lista France France

Telephone + 33 4 50 31 71 71  
Fax + 33 4 50 31 71 79  
info.fr@lista.com

### Lista Sistemas de Almacenaje, S.A. Spain

Telephone +34 938 575 927  
info.es@lista.com

# COLOUR YOUR WORKSPACE

Twelve standard colours, six colour combinations, all other colours available. Whether a workbench or drawer cabinet in red, green or violet: LISTA can supply any product, in any colour and colour combination on request. This means that you can design your own individual system with absolute flexibility. All options are possible, from different colours for individual work areas to storage and workspace furnishing in corporate design colours.

In addition to classic standard colours like pale blue, pale grey, pure white or black, you can choose from 12 other predefined colours or simply specify the colours you want. And you can order housings and drawers in different colours. Because when we say flexible, we mean it.

## Standard colours

					
<b>.010</b> Pale blue RAL 5012	<b>.020</b> Light grey RAL 7035	<b>.030</b> Reseda green RAL 6011	<b>.040</b> Capri blue RAL 5019	<b>.050</b> Metallic grey NCS S 6502-B	<b>.060</b> Black NCS S 9000-N
					
<b>.070</b> Ruby red RAL 3003	<b>.080</b> Dove grey NCS S 4502-B	<b>.090</b> Gentian blue RAL 5010	<b>.100</b> Signal blue RAL 5005	<b>.110</b> Pure white RAL 9010	<b>.200</b> Anthracite grey RAL 7016
					
<b>.514</b> Pale blue RAL 5012 Light grey RAL 7035	<b>.518</b> Light grey RAL 7035 Signal blue RAL 5005	<b>.519</b> Light grey RAL 7035 Metallic grey NCS S 6502-B	<b>.521</b> Metallic grey NCS S 6502-B Light grey RAL 7035	<b>.512</b> Light grey RAL 7035 Ruby red RAL 3003	<b>.522</b> Ruby red RAL 3003 Metallic grey NCS S 6502-B



## Other pre-defined colours\*



**.120** Grey aluminium  
RAL 9007



**.130** White aluminium  
RAL 9006



**.140** Pale grey  
NCS S 2000-N



**.170** Ultramarine blue  
RAL 5002



**.180** Grey white  
RAL 9002



**.190** Sky blue  
RAL 5015



**.210** Brilliant blue  
RAL 5007



**.220** Turquoise blue  
RAL 5018



**.230** Pebble grey  
RAL 7032



**.240** Flame red  
RAL 3000



**.260** Slate grey  
RAL 7015




**.280** Orange  
RAL 2004

\*The other predefined colours are available at extra cost.

## + The clever measurements system

### The LISTA units

As a practical grid system, LISTA units enable clear assignment of housing, drawer and partition material. A LISTA unit (U) is 17 mm and is based on the grid system for partitioning drawers. Drawer cabinet housings and the drawers that fit into the housing are based on the same LISTA units, even though they have different dimensions.



	Depth 27 E				Depth 36 E							
LISTA units	18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E	
Cabinet base area mm	411 × 572	564 × 572	717 × 572	1023 × 572	411 × 725	564 × 725	717 × 725	870 × 725	1023 × 725	1193 × 725	1431 × 725	
Drawer usable surface mm	306 × 459	459 × 459	612 × 459	918 × 459	306 × 612	459 × 612	612 × 612	765 × 612	918 × 612	1088 × 612	1326 × 612	

# Explanation of symbols

## Product features



**10-year  
guarantee**



**Proven  
safety**



**ESD  
available**



**Height  
adjustment**  
in mm



**Drawer  
load capacity**  
in kg



**Shelf  
load capacity**  
in kg



**Pull-out shelf  
load capacity**  
in kg



**Bench  
load capacity**  
in kg



**Housing  
load capacity**  
in kg



**Vertical pull-out  
load capacity**  
in kg

## Locking systems



### KEY Lock

The standard locking system with replaceable cylinders makes it easy to adapt to existing locking systems. The locking system secures all drawers simultaneously.



### CODE Lock

Here the key is replaced by a numeric combination. A simple four to six-digit numeric combination is sufficient to open the drawer cabinets.



### RFID Lock

The LISTA RFID Lock enables automatic and contactless locking through radio frequency identification. It consists of a transponder in the lock and a mobile control unit such as badge or card.



### AUTO Lock

Like RFID Lock, opens and locks automatically however; can also be time-dependent.



## Legal notice

Publisher:

### Lista AG

Fabrikstrasse 1  
CH-8586 Erlen  
info@lista.com  
www.lista.com

This documentation was produced in good faith. The publisher accepts no liability in respect of misprints, errors or omissions. Due to the printing process, colours may deviate from the original colours.

### General terms and conditions

The general terms and conditions and other current information can be found at [www.lista.com](http://www.lista.com).

This document is protected by copyright. Any reprinting – even in part – requires written permission from the publisher.